

MALO 36

DE VALK
YACHT BROKERS

BROKERAGE | CHARTER | BERTHS | FINANCE | INSURANCE | YACHT MANAGEMENT

MALO 36

KOMMENTARE DES MAKLERS

The Malo 36, one of Malo's best sellers, are well known as a high quality, ocean-going sailing boats. A superb sailing yacht capable of handling the roughest of conditions at sea, the Malo 36 still looks elegant in the harbour and the envy of other boat owners. This is a yacht for those that appreciate quality, reliability and beauty! With just two owners to date, 'Tuadh Mumhan' has been extremely well maintained throughout her short life. She features many extras and is fully equipped for long-distance cruising and extended periods of living aboard. A must see!

Henk Sijbranda

TECHNISCHE DATEN

Maße	11.35 x 3.48 x 1.79 (m)	**Werft**	Malo Yachts AB
Baujahr	2002	**Kabinen**	2
Material	GFK	**Kojen**	6
Motor(en)	1 x Yanmar 3JH3E diesel	**PS/kW**	40.00 (PS), 29.40 (kW)
Angebotspreis	verkauft (MwSt.)	**Liegeplatz**	contact Hindeloopen

KONTAKT

Verkaufsbüro	De Valk Hindeloopen B.V.	**Telefon**	+31 514 52 40 00
Adresse	Oosterstrand 1 8713 JS Hindeloopen NL	**E-Mail**	hindeloopen@devalk.nl

HAFTUNGSAUSSCHLUSS

Diese Angaben erfolgen nach bestem Wissen, können jedoch nicht garantiert werden.

MALO 36

ALLGEMEIN

Modell	MALO 36
Typ	Segelyacht
Rumpflänge (m)	11,35
Wasserlinienlänge (m)	9,45
Breite (m)	3,48
Tiefgang (m)	1,79
Stehhöhe (m)	1,95
Baujahr	2002
Lancierung	2003
Werft	Malo Yachts AB
Land	Schweden
Entwerfer	Leif Angermark
Gewicht (t)	7,7
Ballast (Ton)	Blei in GFK 3,1
CE Norm	A
Rumpfmaterial	GFK
Rumpffarbe	Weiß With blue stripes
Rumpfform	Rundspant
Art Kiel	Flossen Kiel (long)
Material Aufbauten	GFK
Stossliste	Aluminium
Deckmaterial	GFK
Deck Finish	Teak Hand-laid, in excellent condition
Deck Finish Aufbauten	Teak Hand-laid, in excellent condition
Pflicht Bedeckung	Teak Hand-laid, in excellent condition
Antifouling (Jahr)	2019
Dorado Belufter	2x (saloon)
Fenster Einfassung	Aluminium
Fenster Material	Perspex
Decksluke	Lewmar

Bullauge	4x
Treibstoftank (Liter)	Edelstahl 235 L with two primary filters in addition to main engine filter
Füllstandsanzeige (Treibstoftank)	Meter at the navigation station
Trinkwassertank (Liter)	Edelstahl 400 L. --> 210 L. on portside + 190 L. on starboard side
Füllstandsanzeige (Trinkwasser)	2x meters at the navigation station.
Grauwassertank (Liter)	Edelstahl 50 L.
Radsteuerung	Jefa steering system (92 cm) with leather covered wheel
Not-Pinne	ja
Weitere Info Farbe und Anstrich	2014: Antifouling build-up stripped back to the epoxy base
Weitere Info	4x 10 L. spare fuel cans with Superspout attachment
Weitere Info	Wheel on RP30 pedestal, adjustable friction brake on wheel shaft
Weitere Info	Throttle, autopilot an bowthruster controls mounted on pedestal

UNTERKUNFT

Kabinen	2
Kojen	6
Innen	Mahagoni Finished to the highest standard
Fussboden	Teak Covered with carpet with non-slip underlay.
Standhöhe Salon (m)	1,95 m.
Heizung	Diesel Heißluft Eberspacher D4 (outlets in saloon, both cabins and the heads)
Dinette zum umbauen	ja
Kombüse	L-shaped galley to port
Spülbecken	Edelstahl Double
Herd	Gas Smev, gimballed with flame failure device and electric spark
Ofen	Smev, see cooker
Mikrowelle	Electrolux 600 W
Kuhlschrank	Isotherm two-tier 12V fridge with freezer
Warmwasser System	220V + Motor Isotemp 220 with 22 L. insulated stainless steel tank

Wasserdruk System	elektrisch
Eignerkabine	V-Bett With dressings seat
Kleiderschrank	hängend/Schublad/Regale
Badezimmer	gemeinsam
Toilet	gemeinsam Raritan PHII
Toilette System	handbetrieb
Handwaschbecken	im Badezimmer With hot/cold mixer tap
Dusche	gemeinsam With curtain
Gästekabine 1	Doppelbett Aft cabin on port side
Kleiderschrank	Regale und hängend
Badezimmer	gemeinsam
Toilette	gemeinsam Raritan PHII
Toilette System	handbetrieb
Handwaschbecken	im Badezimmer With hot/cold mixer tap
Dusche	gemeinsam With curtain
Weitere Info	All lighting in LED
Weitere Info	Grab rails each side

MASCHINEN

Motoranzahl	1
Marke	Yanmar
Typ	3JH3E
PS	40
kW	29,40
Kraftstoffart	Diesel
Installiert im Jahr	2002
Motorstunden	950
Kuhlungsystem Motor	direkt Aussenwasser
Antrieb	Schraubenwelle
Motor bedienung	Seilzug Kabel
Gewende getriebe	mechanisch

Bugschraube	elektrisch Sleipner Sidepower SE80, 6 hp
Exhaust	wassergekühlt
Propeller Typ	falt FlexoFold
Propellerblatter	3x
Material Propellerwelle	Edelstahl With flexible coupling Aquadrive
Propellerwelle schmierung	Oil lubricated stern gland
Hand Bilgenpumpe	Jabsco 29250 in cockpit
Elektrische Bilgenpumpe	Operated from the switch panel
Bilge Alarm	Sensor in the bilge and alarm in the cockpit.
Starterbatterie	2017: 1x 80 Ah Banner
Versorgungsbatterie	2017: 3x 115 Ah Banner deep cycle
Batterie Monitor	Mastervolt (in navigation station)
Batterie Ladegerat	Mastervolt 25 Ah three phase smart charger (in navigation st.)
Umwandler	Mastervolt 12V/1200W with remote control station
Wind generator	Airbreeze 12V marine wind generator
Landstrom	mit Kabel 10A, 3 shorepower cables (6m, 12m and 20m), various attachments
Weitere Info	Galvanic Isolator: Odello Zinc Saver II 30 Ah

NAVIGATION

Kompass	Plastimo, with lighting, mounted on pedestal
Tiefenanziege	Raymarine ST60
Logge	Raymarine ST60
Windlupe anzeige	Raymarine ST60
UKW	ICOM IC-M502 DSC on nav. station
Portabel UKW	Command mike in cockpit
Autopilot	Raymarine ST5000+ (controls mounted on the binnacle)
Radar	Raymarine 2 Kw scanner
GPS	Raymarine Raystar 125 GPS receiver
Plotter	Raymarine C120 (integrated with the Radar and AIS.
Navtex	Foruno NX300

AIS Transponder	Digital Yacht AIT250 Class B marine linked to chartplotter
Radio Empfänger	Standard Horizon GX2100 AIS-enabled VHF
Navigation Beleuchtung	Extra set of emergency lights, battery operated
Weitere Info	Vesper Marine SPL160 active VHF splitter
Weitere Info	Full set of nautical signalling flags

AUSRÜSTUNG

Feste Fenster	ja
Spritzverdek	2014
Kuchenbude	2014: the Malö can be sailed with the cockpit eclosure in place
Winterplane	Original spayhood & cockpit cover (old but in good condition)
Cockpit Tisch	Folding cockpit table in teak, mounted on the binnacle.
Badeplatform	ja
Badeleiter	Edelstahl Fold up ladder
Heckdusche	Hot and cold freshwater shower
Anker	Bruce 15 kg
Ankerkette	60 meter 8mm galvanised chain
Extra Anker-Geschirr	Two 50 meter webbing anchor reels (pushpit and pulpit)
Ankerwinde	elektrisch Lofrans Kobrra 1.000 W with handheld control
Davits	Simpson (polished), swivelling davits (125 kg per pair)
See Reling	Draht/Seil
Zupackenschiene (aufbauten)	Port & starboard on targa arch and on the coachroof.
Seiten-Einstieg Seereling	Both sides
Heckkorb	ja
Bugkorb	ja
Rettungsinsel	Container Ocean Safety mounted on the pushpit
Rettungsinsel (Pers)	6
Letzte Wartung Rettungsinsel	05-2017
Rettungsboje	Horseshoe buoy
Markierboje	ja
Sicherheitsleine auf Deck	Stainless steel guard rails running from pulpit to pushpit

Leinenschneider	Spurs
Radar Reflektor	See-Me active (powered)
Fenderkissen	14x
Festmacher	10 with spiced eyes
Reserve Teilen	Various engine and boat spare parts, anodes and fittings
Feuerloscher	Manual fire extinguisher in all cabins and the cockpit
Feuerloscher in Maschine Raum	Automatic FE36 (halon replacement)
Weitere Info	2x boathooks (single peace and telescopic)
Weitere Info	Rescue buoy with automatic light and 40m of floating line
Weitere Info	Bow, stern and midships stainless steel cleats (350 mm)

RIGG

Rig	Sloop
Stehendes Gut	Drahtseil
Marke Mast	Seldén Deck stepped
Material Mast	Aluminium behandelt Silver annodised
Salings	2x aft-swept spreaders
Großsegel	33 m2
Großsegel-Persenning	Stackpack with lazy jacks, zip relplaced in 2019.
Latten traveller	Ball-bearing on external mast track
Durchelatted großsegel	Selden RCB 22 full batten system
Fock	Hanked-on 21 m2 for inner forestay (2010, little used)
Genua	43 m2 / 140% overlap, Genoa track adjustable from cockpit
Rollreffanlage	Harken MKIII system
Spi	86 m2 cruising chute (little used) with snuffer.
Abnehmbare Inner Vorderstag	With tensioner (for hanked-on staysail/jib)
Sturmfock	Unused exept for testing
Reff Vorrichtung	Schnell-1-Lein-Reffsysteem Selden (reef 1 and 2)
Achterstag Spanner	Selden
Baumniederhohler	Gasdruckfeder Selden rod kicker
Primare Schot Winschen	2x Andersen 46ST self tailing

Sekundaire Schot Winschen	2x Andersen 12ST self tailing
Multifunktional Winschen	Fall/Schot winschen On mast, Andersen 16 two speed
Isolierte Heckstag	With grounding plate
Weitere Info	Removable stainless steel bowsprit (approx. 40 cm) for chute
Weitere Info	Harken blocks troughout


DE VALK
YACHT BROKERS


DE VALK
YACHT BROKERS


DE VALK
YACHT BROKERS


DE VALK
YACHT BROKERS
Tuadh Mumhan




DE VALK
YACHT BROKERS


DE VALK
YACHT BROKERS


DE VALK
YACHT BROKERS


DE VALK
YACHT BROKERS


DE VALK
YACHT BROKERS
Tuaah Mumhan
DUBLIN
HYC


DE VALK
YACHT BROKERS
179


DE VALK
YACHT BROKERS


DE VALK
YACHT BROKERS
330
0
SIDE-POWER
ON
ON
OFF


DE VALK
YACHT BROKERS



DE VALK
YACHT BROKERS
Malo 36


DE VALK
YACHT BROKERS


DE VALK
YACHT BROKERS


DE VALK
YACHT BROKERS


DE VALK
YACHT BROKERS


DE VALK
YACHT BROKERS


DE VALK
YACHT BROKERS


VALK
YACHT BROKERS



E VALK
ACHT BROKERS


DE VALK
YACHT BROKERS



DE VALK
YACHT BROKERS



DE VALK
YACHT BROKERS



DE VALK
YACHT BROKERS


DE VALK
YACHT BROKERS



DE VALK
YACHT BROKERS



DE VALK
YACHT BROKERS


DE VALK
YACHT BROKERS



DE VALK
YACHT BROKERS


DE VALK


DE VALK
YACHT BROKERS


DE VALK
YACHT BROKERS


DE VALK
YACHT BROKERS


DE VALK
YACHT BROKERS