



BROKERAGE | CHARTER | BERTHS | FINANCE | INSURANCE | YACHT MANAGEMENT

BROKER'S COMMENTS

Danish Rose 42, steel ketch sailing yacht. Comfortable for long stay on board due her specious layout, central heating, Rockwool insulation, large bathroom, a lot of storage and a washing machine. Completely painted 05-2025, constandly maintained by very experianced owner. Come over to our sales marina in Monnickendam for a viewing!

Arne Doodeman

SPECIFICATIONS

Dimensions	14.95 x 4.00 x 1.85 (m)	Builder	Zelfbouw
Built	2001	Cabins	1
Material	Steel	Berths	6
Engine(s)	1 x Vetus Deutz DT429H53A diesel	Hp/Kw	83.00 (hp), 61.09 (kw)
Asking price	€ 159.000 (VAT Paid)	Lying	contact Monnickendam

CONTACT

Sales off	ice De Valk Mo	nnickendam B.V.	Telephone	+31 (0)299 65 63 50
Address	Hoogedijk 6	5	E-mail	monnickendam@devalk.nl
	1145 PM K	atwoude		
	NL			

DISCLAIMER

These particulars are given in good faith as supplied but cannot be guaranteed.



GENERAL

Model DANISH ROSE 42

Type sailing yacht

 LOA (m)
 14,95

 LWL (m)
 11,00

 Beam (m)
 4,00

 Draft (m)
 1,85

 Year built
 2001

Builder Zelfbouw

Country The Netherlands

Designer Martin Bekebrede

Displacement (t) 21

Ballast (tonnes) 4 tonnes
CE norm NA
Hull material steel

Hull colour black | Painted 05-2025

Hull shape multi hard chine

Keel type long keel

Superstructure material steel

Superstructure (mm) | Painted 05-2025

Rubbing strake steel

Deck material steel

Deck finish non-skid paint | Painted 05-2025

Superstructure deck finish non-skid moulded in

Cockpit deck finish teak

Antifouling (year) | 05-2025

Deckhatch | 3 x Lewmar

Portholes stainless steel

Insulation rockwool

Fuel tank (litre) steel | Approx. 400 litre

Fuel tank 2 (litre) yes

Level indicator (fuel tank) | VDO

Fuel daytank (litre) stainless steel | Approx 25 litre

Freshwater tank (litre) polyethylene | Approx 600 litre (3 x HDPE water tank)

Level indicator (freshwater) | VDO | Wheel steering | hydraulic

Outside helm position yes

More info on hull | The length overall including bowsprit and windvane is approx.

14.95m, the lenght of the steel hull is approx. 12.50.

ACCOMMODATION

Cabins 1
Berths 6
Interior teak

Layout V-berth in front, bathroom, galley, dinette, two single berths in the

stern, navigation desk.

Floor wood
Open cockpit yes

Heating Spheros Thermo S 160 with 1 x Isothemp 20 litre

Slim buffer tank

Chart tableyesOpening door to cockpityesGalleyyesCountertopyes

Sink stainless steel

Cooker calor gas Force 10 Marine, 4 burner

Oven Force 10 Marine

Microwave Germatic

Fridge yes

Hot water system 220V/engine/heating 1 x Isothemp Basic 40
Water pressure system electrical Jabsco pump with hydrophore

Owners cabin v-bed
Bathroom shared



Toilet yes

Toilet system electric Jabsco

Wash basin yes Shower yes

Guest cabin 1 single bed
Guest cabin 2 single bed

Washing machine | Candy Aquamatic AA Class

MACHINERY

No of engines

Make Vetus Deutz
Type DT429H53A

HP 83
kW 61.09
Fuel diesel
Drive shaft

Engine controlsbowden cableGearboxZF25A-2.71R

Bowthruster electric | B.C.S. BT120 kgf

Exhaust watercooled
Thrust bearing | Phyton
Propeller type fixed
Propeller blades | 4 bladed
Propeller shaft material stainless ste

Propeller shaft material stainless steel

Manual bilge pump | Henderson

Electric bilge pump yes

Start battery | 1 x 80 ah Sportline

Service battery | 4 x for 24V

Bowthruster battery | 2 x 105 ah Sportline

Battery monitor | Victron Multi control and digital display

Battery charger | Victron Blue Smart charger 24/16-3



Battery charger/inverter | Victron MultiPlus Compact 24/1600/40

Shorepower with cable

Extra info | 2 alternators on the main engine
Extra info | Windpilot windvane steering
Extra info | Engine service 05-2025

NAVIGATION

Depth sounder| NavmanLog| RaymarineWindset| Raymarine

VHF | Standart Horizon Eclips DSC+ Vhf

Autopilot | Garmin
Rudder angle indicator | VDO

Plotter/GPS Raymarine Axiom 9

EQUIPMENT

Sprayhood yes

Anchor CQR Plough | 50LB galvanized CQR anchor

Anchor chain | Galvanized chain Windlass | electrical | Lewmar

Deck wash yes

Sea railing stainless steel

Grab rail (superstructure) stainless steel

Life raft container | Need service

Fenders yes

Mooring lines yes

TV | Sony

Radio-cd player | Kenwood

Tradio-od player | Reliwood

Fire extinguisher yes



RIGGING

Rigging ketch
Standing rigging wire

Brand mast Seldén
Material mast aluminium

Spreaders yes

Mainsail Quantum High Aspect Dacron

Mainsail coveryesBattcarsyesFully battened mainsailyes

 Cutterstay
 Quantum High Aspect Cutter with Furling

 Mizzen
 Quantum Bazaan High aspect Dacron

Mizzen sailcover yes
Genoa furler | Fulex

Yankee Quantum Yankee High Aspect Dacron

Boomvang mechanical Selden

Extra info | 2x Meissner 30ST-53 winch, 1 xBarient model2 39 2speed

winch



























































































































