

DE VALK
YACHT BROKERS

BRONSVEEN 70 FT CENTERBOARD

DE VALK
YACHT BROKERS

BRONSVEEN 70 FT CENTERBOARD

BROKER'S COMMENTS

VALIENTE is the dream of a very experienced yacht owner brought into reality by Navyk Design & Engineering and the Bronsveen / Heerlien yard, very strong built, proven seaworthy gives you the opportunity to make safe, comfortable trips as a professional charter. Guests will enjoy their stay under all circumstances in 5 luxurious cabins and a spacious deck saloon with a very good view over the horizon. . With her sophisticated rigging and hydraulic systems, 7 tons shallow draft centerboard keel, engine, gen's and bow prop all kind of waters are accessible.

Ger Bayens

SPECIFICATIONS

Dimensions	21.00 x 5.85 x 3,80 / 1.80 (m)	**Builder**	Jachtwerf Bronsveen/Heerlien
Built	2010	**Cabins**	6
Material	Steel	**Berths**	12
Engine(s)	1 x Perkins Sabre M 185C diesel	**Hp/Kw**	185.03 (hp), 136.00 (kw)
Asking price	sold (VAT)	**Lying**	at sales office

CONTACT

Sales office	De Valk Sint Annaland B.V.	**Telephone**	+31 166 601 000
Address	Koelhuisweg 4	**E-mail**	sintannaland@devalk.nl
	4697 RM Sint Annaland		
	NL		

DISCLAIMER

These particulars are given in good faith as supplied but cannot be guaranteed.

BRONSVEEN 70 FT CENTERBOARD

GENERAL

Model	BRONSVEEN 70 FT CENTERBOARD
Type	sailing yacht
LOA (m)	21,00
LWL (m)	19,00
Beam (m)	5,85
Draft (m)	1,80
Draft min (m)	3,80
Air draft (m)	26,32
Headroom (m)	2,00
Year built	2010
Builder	Jachtwerf Bronsveen/Heerlien
Country	The Netherlands
Designer	NAVYK Design and Engeneering
Displacement (t)	54
Ballast (tonnes)	lead 8 ton
Gross tonnage	55
Net tonnage	16
CE norm	A
Hull material	steel
Hull colour	black
Hull thickness (mm)	5 / 6 / 8 /
Hull shape	round-bilged
Keel type	centreboard Hydraulic & seperate electro hydraulic driven between 1,80-3,80
Superstructure material	steel
Superstructure (mm)	4/5/6
Deck plate thickness (mm)	5
Rubbing strake	steel
Deck material	steel
Deck finish	anti-slip paint
Superstructure deck finish	paint

Cockpit deck finish	anti-slip paint
Antifouling (year)	2014-7
Dorades	Stainless steel
Window frame	aluminium
Window material	double glazing
Deckhatch	yes
Portholes	stainless steel
Insulation	foam
Fuel tank (litre)	steel 3610 together in 3 tanks
Level indicator (fuel tank)	yes
Fuel daytank (litre)	steel 200
Level indicator (daytank)	yes
Freshwater tank (litre)	steel 2200 in 2 tanks
Level indicator (freshwater)	yes
Blackwater tank (litre)	steel 1400
Level indicator (blackwater)	yes
Blackwater tank extraction	deck extraction + pump
Wheel steering	hydraulic
Inside helm position	Wheel
Outside helm position	mechanical
Emergency tiller	yes
More info on hull	Several watertight compartments and doors
More info on paintwork	Hull, deck and superstructure painted 9/2014
Extra info	Extensive safety gear, MCA Code of Safety for Small Commercial Vessels prepared, Stability Information booklet available. Vessel is accepted as a comercial vessel by Dutch Tax authorities

ACCOMMODATION

Cabins	6
Berths	12
Crew cabin	1x

Crew berths	2
Interior	mahogany
Layout	1x owner stateroom, 4x guest cabin, 1x crew cabin, 5x head & shower
Floor	parquet Teak +
Aft deck	yes
Pilot house	1,98
Deck saloon	yes
Pilot house/deck saloon	yes
Saloon	yes
Headroom saloon (m)	1,99
Heating	central heating Maritime Booster met 14 radiators
Air-conditioning	reverse cycle airco
Navigation center	yes
Chart table	yes
Aft Cabin	yes
Dining room	yes
Dinette	yes
Opening door to cockpit	Watertight door
Galley	yes
Countertop	wood
Sink	stainless steel
Cooker	ceramic
Oven	1x Combi oven / magnetron and 1x Steam oven all by SIEMENS
Microwave	Combi oven
Fridge	2x Bauknecht Cooling drawer fridge
Freezer	Siemens
Hot water system	2 boilers each 80 ltrs
Water pressure system	electrical
Dishwasher	Siemens
Kettle	via closed in boiler
Owners cabin	French bed Headroom 1,97

Bed length (m)	2,02 x 1,45
Wardrobe	hanging and drawers Walk in
Bathroom	en suite
Toilet	en suite
Toilet system	electric
Wash basin	in the bathroom
Shower	en suite
Guest cabin 1	bunk bed Headroom 2,05/2,30
Bed length (m)	2x 1,98 x 0,85
Wardrobe	hanging and drawers
Bathroom	en suite
Toilet	en suite
Toilet system	electric
Wash basin	in the bathroom
Shower	en suite
Guest cabin 2	double bed Headroom 2,00
Bed length (m)	2,00 x 1,45
Wardrobe	hanging and drawers
Bathroom	en suite
Toilet	en suite
Toilet system	electric
Wash basin	in the bathroom
Shower	en suite
Guest cabin 3	double bed Headroom 2,05
Bed length (m)	2,00 x 1,50
Wardrobe	hanging and drawers
Toilet	en suite
Toilet system	electric
Wash basin	in the bathroom
Shower	en suite
Guest cabin 4	double bed Headroom 2,05
Bed length (m)	2,00 x 1,40

Wardrobe	hanging and drawers
Toilet	en suite
Toilet system	electric
Wash basin	in the bathroom
Shower	en suite
Crew cabin(s)	2 single berth 2x 1,90 x 0,80
Extra info	Headroom 1,97 / 2,30
Washing machine	MIELE W 664
Dryer	MIELE T 8703
Extra info	Lott off stowage space 2x desk and benches 2x seperate desk & bench

MACHINERY

No of engines	1
Make	Perkins
Type	Sabre M 185C
HP	185,03
kW	136,00
Fuel	diesel
Year installed	2010
Maximum speed (kn)	12
Cruising speed (kn)	10
Consumption (l/hr)	8
Range (nm)	2500
Engine hours	475
Engine cooling system	closed keelcooling
Drive	shaft
Engine controls	bowden cable
Gearbox	hydraulic
Bowthruster	hydraulic
Propeller type	fixed

Propeller blades	3
Propeller shaft material	stainless steel
Shaft lubrication	grease
Electric bilge pump	Bilgepump 24V & Bilgepump on Engine for all locked compartments
Bilge alarm	yes
Electrical installation	12/24/220/380
Generator	dry exhaust Perkins 19KW
Running hours generator	750
Generator 2	wet exhaust Farymann 7KW
Running hours generator 2	250
Batteries	12/24V
Start battery	2x
Service battery	4x
Generator battery	2x12V
Battery monitor	Victron
Battery charger	Victron Skylla-TG 24/80
Inverter	Victron Phoenix 24/5000
Shorepower	with cable 220V or 380V
Insulation transformer	Victron 3600W 230-115V 115-230V
Watermaker	Schenker 100 ltr/hour. needs recurrent inspection

NAVIGATION

Compass	Spare compass, not usable as steering compass
Electric compass	Raymarine ST 60+
Depth sounder	Raymarine ST 60+
Log	Raymarine ST 60+
Windset	Raymarine ST 60+
Repeater	yes
VHF	Raymarine 240 E
Autopilot	Raymarine

Rudder angle indicator	yes
Radar/GPS/plotter	Raymarine E-80
Weather receiver	yes
Navtex	yes
PC connection	yes
Electronic chart(s)	Navionics
AIS receiver	yes
AIS transponder	yes
EPIRB	yes
Extra info	Raytheon Full function rermote keyboard

EQUIPMENT

Bimini	yes
Cockpit table	yes
Cockpit chairs	yes
Boarding ladder	stainless steel
Transom door	yes
Gangway	yes
Deck shower	yes
Anchor	Pool On the bow
Anchor chain	100m 13mm
Anchor 2	Pool On the bow
Anchor chain	100m 13mm
Other ground tackle	Pool On the stern 10m chain + rope
Windlass	hydraulic DATA DZC 1001/2H
Windlass aft	electrical Primary genoa winch
Deck wash	yes
Dinghy	rigid inflatable
Outboard	yes
Davits	aluminum Spi-pole on mast
Davits controls	electrical 40 STE Multi function winches

Deck crane	electric With Spi pole
Sea railing	stainless steel
Grab rail (superstructure)	stainless steel
Railing side opening gates	2x
Pushpit	yes
Pulpit	yes
Life raft	container 2x RDF
Lifejackets	14
Lifebuoy	3
Danbuoy	yes
Safety lines on deck	yes
Wiper	yes
Horn	electric
Radar reflector	yes
Fenders	yes
Mooring lines	yes
TV	yes
iPod connection	yes
Clock - barometer	2x Clock (1x GMT & 1x BT)
Fire extinguisher	11x, including Water Sprinkler system all over.
Latest extinguisher survey	2013
Extinguisher in engine room	3
Auto extinguisher system	3x

RIGGING

Rigging	cutter
Standing rigging	wire
Brand mast	Nirvana
Material mast	aluminium coated
Spreaders	2 sets
Mainsail	96m2

BRONSVEEN 70 FT CENTERBOARD

Mainsail cover	In the boom
Fully battened mainsail	yes
Furling boom	Leisure Furl
Fisherman staysail	yes
Jib	yes
Genoa	107m2
Genoa furler	electric Admiral
Staysail furler	electric Admiral
Trysail	yes
Stormjib	yes
Reefing System	main in-boom furling Leisure Furl
Boomvang	hydraulic Bamar, remote controlled
Primary sheet winch	2 x Andersen 68 STE.
Halyard winches	2 x Harken 46 STE.
Multifunctional winches	2 x Harken 40 STE.
Spi-pole	aluminium
Isolated backstay	yes
Extra info	Antal / Spinlock / OH Danmark stainless steel sailing hardware


DE VALK
YACHT BROKERS
VALIENTE


DE VALK
YACHT BROKERS
VALIENTE


DE VALK
YACHT BROKERS
VALIENTE


DE VALK
YACHT BROKERS
NED
5623
VALIENTE


DE VALK
YACHTBROKERS


DE VALK






DE VALK
YACHT BROKERS


DE VALK
YACHT BROKERS


DE VALK
YACHT BROKERS


DE VALK
YACHT BROKERS


Raymarine
NIRVANA
DE VALK
YACHT BROKERS


DE VALK
YACHT BROKERS


DE VALK
YACHT BROKERS




DE VALK
YACHT BROKERS


DE VALK
YACHT BROKERS


DE VALK
YACHT BROKERS




DE VALK
YACHT BROKERS
Vallente


DE VALK
BROKERS


DE VALK
YACHT BROKERS


DE VALK
YACHT BROKERS




DE VALK
YACHT BROKERS


DE VALK
YACHT BROKERS


SIEMENS


DE VALK
YACHT BROKERS


DE VALK
YACHT BROKERS



DE VALK
YACHT BROKERS


DE VALK
YACHT BROKERS



DE VALK
YACHT BROKERS


DE VALK
YACHT BROKERS



DE VALK
YACHT BROKERS


DE VALK
YACHT BROKERS


DE VALK
YACHT BROKERS


VALIENTE 70 VOET


DE VALK
YACHT BROKERS
NAVIGATIE CONTROLE
Valiente
Dimmer
Test
TYPE HT1206Z
24Vdc


DE VALK
YACHT BROKERS


DE VALK
YACHT BROKERS


DE VALK
YACHT BROKERS


DE VALK
YACHT BROKERS
HYDRO-TANK