



ONJ 10.20

BROKER'S COMMENTS

ONJ Pilot 10.20. The tough appearance immediately reflects the distinctive character of ONJ. The famous sailing characteristics, the spacious interior and solid construction guarantee long and lots of boating pleasure.

Peter van Diggele

SPECIFICATIONS

Dimensions	10.20 x 3.45 x 1.05 (m)	Builder	Roel van Olst
Built	2005	Cabins	2
Material	GRP	Berths	6
Engine(s)	1 x Yanmar 6 LPA-STP diesel	Hp/Kw	315.00 (hp), 231.53 (kw)
Asking price	sold (VAT)	Lying	elsewhere / Not at sales office

CONTACT

Sales office	De Valk Loosdrecht B.V.	Telephone	+31 (0)35 582 90 30
Address	't Breukeleveense Meentje 6 1231LM Loosdrecht / Wijdmeren NL	E-mail	loosdrecht@devalk.nl

DISCLAIMER

These particulars are given in good faith as supplied but cannot be guaranteed.



GENERAL

Model	ONJ 10.20
Type	motor yacht
LOA (m)	10,20
Beam (m)	3,45
Draft (m)	1,05
Air draft (m)	2,35
Year built	2005
Builder	Roel van Olst
Country	The Netherlands
Designer	Willem Nieland
Displacement (t)	7,5
CE norm	B
Hull material	GRP
Hull colour	blue
Hull shape	deep-V
Superstructure material	GRP
Rubbing strake	rubber
Deck material	GRP
Cockpit deck finish	teak
Window frame	aluminum GEBO
Window material	double glazing
Mast can be lowered	hydraulic
Fuel tank (litre)	2x 350
Level indicator (fuel tank)	yes
Freshwater tank (litre)	350
Level indicator (freshwater)	yes
Blackwater tank (litre)	80
Wheel steering	hydraulic
Inside helm position	yes
Outside helm position	hydraulic



ACCOMMODATION

Cabins	2
Berths	6
Interior	teak
Floor	teak and holly
Heating	diesel ducted hot air Webasto
Aft Cabin	yes
Dinette to convert into berth	yes
Galley	yes
Cooker	TB
Microwave	Etna
Fridge	Coolmatic
Hot water system	220V + engine Boiler, 50 ltr.
Water pressure system	electrical
Owners cabin	yes
Bathroom	en suite
Toilet	en suite
Toilet system	electric

MACHINERY

No of engines	1
Make	Yanmar
Type	6 LPA-STP
HP	315,00
kW	231,53
Fuel	diesel
Year installed	2004
Maximum speed (kn)	20
Cruising speed (kn)	14
Engine hours	800
Engine cooling system	freshwater heat exchanger



Drive	V-drive
Gearbox	hydraulic ZF Hurth
Bowthruster	electric
Sternthruster	electric
Gearbox	+ Centaflex
Exhaust	watercooled
Propeller type	fixed 23"x24"
Propeller blades	4
Propeller shaft material	stainless steel
Electrical installation	12/230 Volt
Start battery	1x 225 Ah.
Service battery	1x 225 Ah.
Bowthruster battery	1x 105 Ah.
Sternthruster battery	1x 105 Ah.
Battery charger/inverter	Mastervolt Dakar 12/1500-65
Solar panel	yes
Shorepower	yes

NAVIGATION

Compass	Sylva 85
Depth sounder	Raymarine ST 60
Log	Raymarine
VHF	Simrad RS 87 DSC-D
Autopilot	Raymarine ST 6001
Radar	Raymarine RL 70C
GPS	Raymarine ST 6001
Plotter	Raymarine
Weather receiver	yes
Camera	yes

EQUIPMENT



Cockpit cover	yes
Bathing platform	yes
Deck shower	yes
Anchor	yes
Anchor chain	30 m.
Windlass	electrical Simpson Lawrence
Davits	stainless steel
Sea railing	stainless steel
Wiper	3x parallel





































