



BROKERAGE | CHARTER | BERTHS | FINANCE | INSURANCE | YACHT MANAGEMENT

BROKER'S COMMENTS

The Taswell 49 was built in two versions. This is the All Season version with the full deck saloon. Where many yacht claim to be a deck saloon yacht, they are often not. Fitting just bigger windows does not make a deck saloon. Ta Shing has been building boats since the late 1970s and is considered to be one of the higher-quality boat builders in the world. The Taswell is also both fast and seaworthy. Taswells are fantastic offshore boats and can be found cruising all over the world.

Ger Bayens

SPECIFICATIONS

Dimensions	14.88 x 4.57 x 1.78 (m)	Builder	Ta Shing Yacht Building Co Ltd.
Built	1991	Cabins	3
Material	GRP	Berths	7
Engine(s)	1 x Yanmar 4LH-TE diesel	Hp/Kw	110.00 (hp), 80.85 (kw)
Asking price	sold (VAT)	Lying	at sales office

CONTACT

Sales office	De Valk Sint Annaland B.V.	Telephone	+31 (0)166 601 000
Address	Koelhuisweg 4	E-mail	sintannaland@devalk.nl
	4697 RM Sint Annaland		
	NL		

DISCLAIMER

These particulars are given in good faith as supplied but cannot be guaranteed.



GENERAL

Model TASWELL 49

Type sailing yacht

LOA (m) 14,88

LWL (m) 12,41

Beam (m) 4,57

Draft (m) 1,78

Air draft (m) 21,50

Headroom (m) 2,00

Year built 1991

Builder Ta Shing Yacht Building Co Ltd.

Country Taiwan

Designer Bill Dixon

Displacement (t) 14,5

Ballast (tonnes) lead

Hull material GRP

Hull colour blue Paintjob Hull 2013

Hull shaperoundbilgedKeel typeScheel type

Superstructure material GRP
Rubbing strake wood
Deck material GRP

Deck finish teak Overhauled 2013

Superstructure deck finish moulded in

Cockpit deck finish teak

Antifouling (year) recent antifouling Coppercoat in epoxy from 1991 +

Dorades 2 x

Window frame stainless steel
Window material tempered glass
Portholes stainless steel
Fuel tank (litre) steel 2 x 500



Level indicator (fuel tank) yes

Freshwater tank (litre) stainless steel 2 x 400

Level indicator (freshwater) yes

Blackwater tank (litre) GRP 100 for forward head

Blackwater tank extraction deck extraction

Wheel steering cable steering Edson

Inside helm position Via Autohelm Joystick

Emergency tiller yes

Extra info Ground-Fault Protection Plate in hull

ACCOMMODATION

Cabins 3
Berths 7
Interior teak

Layout All Seasons version

Floor teak and holly
Pilot house Headroom 1,91

Deck saloon with U-shaped settee Headroom 1,91

Saloon forward with dinette

Headroom saloon (m) 1,94 / 2,10
Chart table L-shape
Dinette to convert into berth yes
Galley yes
Countertop plastic

Sinkstainless steel 2 xCookercalor gas Force 10

Oven Via Force 10

Microwave Samsung

Fridge 2 x Grunert via engine compressor and 220Volt

Hot water system 220V + engine Isothemp boiler

Water pressure system electrical



Manual and/or foot pump 2 x

Owners cabin double bed Headroom 1,92

Bed length (m) 2,05 x 1,60

Wardrobe hanging and drawers

Bathroom en suite
Toilet en suite

Toilet system manual Jabsco
Wash basin in the bathroom

Shower en suite

Guest cabin 1 v-bed Headroom 1,90

Bed length (m) 2,00 x 1,50

Wardrobe hanging and drawers

Bathroom shared Forward

Toilet shared
Toilet system Jabsco

Wash basin in the bathroom

Shower shared

Guest cabin 2 bunk bed Headroom 1,90

Bed length (m) 2,00 x 0,65 / 0,60

Wardrobe hanging
Bathroom shared
Toilet shared
Wash basin at the toilet
Shower shared

MACHINERY

No of engines

 Make
 Yanmar

 Type
 4LH-TE

 HP
 110

 kW
 80,85



FueldieselYear installed1991Maximum speed (kn)8Cruising speed (kn)7Consumption (l/hr)5Engine hours1530

Eligine flours 1530

Engine cooling system freshwater heat exchanger

Drive shaft

Engine controls bowden cable

Gearbox mechanical

Bowthruster electric Rheinstrom 24V

Exhaust watercooled

Propeller type feathering Maxprop

Propeller blades

Propeller shaft material stainless steel

Shaft lubricationwaterManual bilge pump1 xElectric bilge pump1 x

Electrical installation 12/24/220v

Generatorwet exhaust Emi 6kWStart battery1x 120amp (2011)Service battery3 x 120amp (2011)Bowthruster battery4 x 6v = 24V

Battery charger 2 x Newmar Shorepower with cable

NAVIGATION

Compass on wheelpedestal Sestrel

Electric compassVDO LogicDepth sounderVDO LogicLogVDO Logic



Windset VDO Logic

Repeater at chart table VDO Logic Multi

VHF Sailor RT2048

Autopilot Autohelm ST7000

Radar Raytheon R20X

GPS VDO Logic

Radar/GPS cockpit mounted Raymarine RC435i

Navtex Lokata Navtex

EQUIPMENT

Sprayhood with grab rail yes
Sun awning yes

Winter cover With mast rigged

Cockpit table yes
Bathing platform yes

Boarding ladderstainless steelDeck showerhot+coldAnchorCQR PloughAnchor chain70 mtr

Windlass electrical Maxwell

Capstan on anchor winch

Deck wash yes

Sea railing stainless steel

Railing side opening gates 2x **Pushpit** yes **Pulpit** yes Danbuoy yes Radar reflector yes **Fenders** yes **Mooring lines** yes Radio-cd player Pioneer



Extra info Window Cover for Deck house

RIGGING

Rigging cutter

Brand mast Seldén

Material mast aluminum

Spreaders Two sets

Keel stepped mast yes

Mainsail stoway in-mast furling Wittevrongel 2001m, 40 M2

Stoway mast yes

Genoa Wittevrongel 2001, 50 M2

Genoa furler Furlex

Booster with squeezer

Staysail Self tacking Wittevrongel 2001, 20 M2

Staysail furler Furlex

Reefing System main in-mast furling

Boomvang mechanical Seldén Rodkicker

Genoa sheetwinches2 x Lewmar 56CSTHalyard winches2 x Lewmar 43CSTReefing winch1 x Lewmar 40CST

Spi-pole aluminum

































































































































