



BROKERAGE | CHARTER | BERTHS | FINANCE | INSURANCE | YACHT MANAGEMENT

BROKER'S COMMENTS

"Build to perform" is the slogan for this excellent custom built Concord 55 deck salon yacht. Build with quality, craftsmanship, comfort and safety in mind as well. A true offshore sailing yacht in modern design, layout, performance and handling. Spacious 3 cabin layout with raised decksalon and lots of ligh and ventilation. Built for her first experienced owner, she has served her captain and family very well making several long distance cruises on the Atlantic. Now for sale due to a change in owners plans. Price is excluding VAT.

Nick Lanting

SPECIFICATIONS

Dimensions	17.15 x 4.85 x 2.65 (m)	Builder	Alumarine Sint Annaland
Built	2007	Cabins	3
Material	Aluminium	Berths	6
Engine(s)	1 x Volvo Penta D3-110 diesel	Hp/Kw	110.00 (hp), 80.00 (kw)
Asking price	sold (VAT)	Lying	at sales office

CONTACT

Sales office	De Valk Sint Annaland B.V.	Telephone	+31 (0)166 601 000
Address	Koelhuisweg 4	E-mail	sintannaland@devalk.nl
	4697 RM Sint Annaland		
	NL		

DISCLAIMER

These particulars are given in good faith as supplied but cannot be guaranteed.



GENERAL

Model CONCORD 55 DECKSALON

Type sailing yacht

LOA (m) 17,15

LWL (m) 14,85

Beam (m) 4,85

Draft (m) 2,65

Air draft (m) 27,00

Headroom (m) 1,94

Year built 2007

Builder Alumarine Sint Annaland

Country The Netherlands

Designer De Jong Design / B. Busman

Displacement (t) 20,8

Ballast (tonnes) lead in aluminum 8

CE norm A

Hull materialaluminiumHull colourblue

Hull thickness (mm)8-6 AIMg 4.5mnHull shaperound-bilgedKeel typefin keel with bulb

Superstructure material aluminium

Superstructure (mm) 5

Deck plate thickness (mm) 5

Rubbing strakealuminumDeck materialaluminiumDeck finishteak

Cockpit deck finish teak

Window material

Deckhatch Gebo with Ocean Air blinds

Portholes Gebo

double glazing

Insulation foam B2 fire retardent 5-7 cm

Fuel tank (litre) aluminium 975
Freshwater tank (litre) aluminium 975
Blackwater tank (litre) polyethylene

Blackwater tank extraction deck extraction + uw line
Wheel steering mechanical 2 x Jefa

Emergency tiller yes

More info on paintwork International Paint hull painted 2019

Extra info Sensatank monitor

Extra info Leather covered steeringwheels

ACCOMMODATION

Cabins 3
Berths 6

Interior mahogany

Floor wood Beach/beuken/Beiche

Deck saloon yes
Headroom saloon (m) 1,94

Heating central hot water Eberspaecher Hydronic (overhaul 2019)

Air-conditioning single cycle airco 2 x Webasto in front cabins

Chart table yes
Dinette yes
Sliding door to cockpit yes
Galley yes
Countertop plastic

Sink stainless steel 2 x

Cooker ceramic Force 10 3-burn

Oven Force 10

Friezer Frigonautic (24v)
Freezer Frigomatic (24v)

Hot water system 220V + engine 40 ltrs



Water pressure system electrical

Owners cabin double bed

Bed length (m) 2,00 x 1,50 (2,00 mtr headroom)

Wardrobe hanging/drawers/shelves

Bathroom en suite I
Toilet en suite

Toilet system electric Tecma
Wash basin in the bathroom

Shower en suite

Guest cabin 1 twin single

Bed length (m) 2,00 x 0,70 (with fill-in piece)

Wardrobe hanging and shelves

Bathroom shared II
Toilet shared

Toilet system electric Tecma
Wash basin in the bathroom

ShowersharedGuest cabin 2twin singleBed length (m)2,10 x 0,60

Wardrobe hanging and shelves

Bathroom shared III
Toilet shared

Toilet system electric Tecma
Wash basin in the bathroom

Washing machine/dryer combi

Extra info

Candy 4kg/1000rpm

Breadmaker (220v)

Extra info Plisse fold-down curtains in decksalon

MACHINERY

No of engines

Make Volvo Penta



Type D3-110 HP 110 kW 80 Fuel diesel Year installed 2007 Maximum speed (kn) 8,00 Cruising speed (kn) 7 Consumption (I/hr) 4,00 **Engine hours** 1825

Engine cooling system freshwater heat exchanger

Drive shaft

Engine controls bowden cable

Gearbox PRM260

Bowthruster Maxpower VIP150 retractable

Exhaust watercooled

Thrust bearing yes

Propeller type feathering Maxprop

Propeller blades 3

Propeller shaft material stainless steel

Shaft lubricationwaterManual bilge pump1 xElectric bilge pump1 x

Electrical installation 12/24/220v

Generator silent separator Onan 4kW (115/220v 50hz)

Running hours generator 1650

Start battery 1 x (2016)

Service battery 12 x 2v (2007) 500ah Gel

Bowthruster battery 2 x 100ah Gel
Battery monitor Mastervolt

Inverter Mastervolt 24-12v DC-DC converter

Battery charger/inverter 2 x Mastervolt Combi 24v/2000watt/60amp

Diode battery combiners yes



Shorepower with cable

Insulation transformer Mastervolt Gi3.5

Watermaker (serviced 08-2021) HRO Seafari Escape

Extra info Hull insulation tester

NAVIGATION

Compass 2 x Plastimo Horizon 135

Electric compass

Via autopilot

Depth sounder

Furuno Fi-30

Log

Furuno Fi-30

Windset

Furuno Fi-30

Repeater

3 x Furuno Fi-30

VHF Icom HM195B (USA type)
Autopilot Garmin GHC-20 (2015)

Rudder angle indicator Via autopilot

Radar Furuno
GPS Furuno

Plotter Furuno Navnet VX-2 (repeater in cockpit defect)

Navigation lights LED

Extra info Inmarsat

Extra info Pactor modem + tuner

EQUIPMENT

Bimini yes

Cockpit table Fixed

Bathing platform Folding (hydraulic)
Boarding ladder stainless steel

Transom door Combined bathingplatform

Deck shower Hot+cold

Anchor Rocna Stainless steel
Anchor chain 70mtr stainless steel



Windlass electrical Lewmar V4

CapstanLewmarDeck washyesOutboard supportyes

Davitsstainless steelSea railingwire (80cm)Grab rail (superstructure)stainless steel

Railing side opening gates 2 x

Pushpit With pensioner-seats

Pulpit yes

Life raft container Plastimo Offshore

Life raft (pers) 4

Last life raft survey New 2019

Lifejackets 4 x

LifebuoyLifeslingFendersyesMooring linesyes

TV Samsung

Radio-cd player yes

Cockpit speakers yes

Speakers in salon yes

Clock - barometer yes

Fire extinguisher 3 x

Latest extinguisher survey (2018)

RIGGING

Rigging cutter

Standing rigging Dyform (2007)
Brand mast Hallspars

Material mast aluminium coated

Mainsail cover + Lazy Bag



Battcars yes

Fully battened mainsailHagoort OffshoreHigh aspectHagoort OffshoreGenoaHagoort Offshore

Genoa furler Reckmann
Cutter furler Reckmann
Gennaker Hagoort
Staysail Hagoort

Reefing System quick-one-line-reefing

Backstay adjuster hydraulic Navtec

Boomvang hydraulic Navtec + outhaul

Primary sheet winch 2 x Andersen 58STE variospeed electric

Secondary sheet winch

2 x Andersen 58STE electric

Halyard winches

1 x Andersen 46STE electric

Reefing winch 1 x Andersen 46ST

Spi-pole carbon

Extra info Harken/Frederiksen hardware German mainsheet system

































































































































