



BROKERAGE | CHARTER | BERTHS | FINANCE | INSURANCE | YACHT MANAGEMENT

BROKER'S COMMENTS

Elegant in the way the bow splits the water surface, her refined hull lines, the wide beam especially in the aft sections, a subtle mixture of elements to meet the standards of blue water sailing with only a small crew on board.

Stef Struijk

SPECIFICATIONS

| Dimensions | 12.32 x 3.90 x 2.10 (m) | Builder | Dufour |
|--------------|-------------------------------|---------|------------------------|
| Built | 2003 | Cabins | 3 |
| Material | GRP | Berths | 7 |
| Engine(s) | 1 x Volvo Penta MD2040 diesel | Hp/Kw | 40.00 (hp), 29.40 (kw) |
| Asking price | sold (VAT) | Lying | at sales office |
| | | | |

CONTACT

| Sales office | De Valk Sint Annaland B.V. | Telephone | +31 (0)166 601 000 |
|--------------|----------------------------|-----------|------------------------|
| Address | Koelhuisweg 4 | E-mail | sintannaland@devalk.nl |
| | 4697 RM Sint Annaland | | |
| | NL | | |
| | | | |

DISCLAIMER

These particulars are given in good faith as supplied but cannot be guaranteed.



GENERAL

Model DUFOUR 40 PERFORMANCE

Type sailing yacht

LOA (m) 12,32 LWL (m) 11,99 Beam (m) 3,90 Draft (m) 2,10 Air draft (m) 18,50 Headroom (m) 1,99 Year built 2003 Builder Dufour Country France

DesignerUmberto Felci en Patrick Roséo

Displacement (t) 7,9

Ballast (tonnes) lead 2,815

CE norm A
Hull material GRP
Hull colour white

Hull shaperound-bilgedKeel typefin keelSuperstructure materialGRPDeck materialGRPDeck finishteak

Superstructure deck finish anti-slip moulded in

Cockpit deck finish teak

Antifouling (year) 2014

Window frame aluminium

Window material perspex

Deckhatch 3

Portholes 2

Fuel tank (litre) stainless steel 160



Level indicator (fuel tank) yes

Freshwater tank (litre) polyethylene 320

Blackwater tank (litre) polyethylene 2 x 20 ltr

Blackwater tank extraction deck extraction

Wheel steering cable steering

Emergency tiller yes

ACCOMMODATION

Cabins 3
Berths 7

InteriormahoganyFloorteak and holly

Headroom saloon (m) 1,99

Heating diesel ducted hot air Ebespacher

Chart table yes
Galley yes
Countertop corian

Sink stainless steel Double

Oven yes

Fridge Frigoboat

Hot water system 220V + engine

Water pressure system electrical

Manual and/or foot pump Sweet water

Owners cabin double bed

Bed length (m) 2,30

Wardrobe shelves and hanging

Bathroomen suiteToileten suiteToilet systemmanual

Wash basin in the bathroom

Shower yes



Guest cabin 1 double bed

Bed length (m) 1,94

Wardrobe shelves and hanging

BathroomsharedToiletsharedToilet systemmanual

Wash basin in the bathroom

Shower shared

Guest cabin 2 double bed

Bed length (m) 1,94

Wardrobe shelves and hanging

MACHINERY

No of engines

Make Volvo Penta Type MD2040 HP 40,00 kW 29,40 Fuel diesel Year installed 2003 Maximum speed (kn) 8 Cruising speed (kn) 6 **Engine hours** 720 Drive sail-drive

Propeller type fixed
Propeller blades 2
Electric bilge pump yes
Start battery 1
Service battery 2

Battery charger Christel 115/230

Shorepower with cable



Extra info Spare new foulding two bladed propeller

NAVIGATION

Compass Plastimo

Depth sounder Ramarine ST60

LogRaymarine ST 60, DoubleWindsetRaymarine ST60, double

Repeater Raymarine ST60 at charttable

VHF Icom IC-M601, at charttable

Autopilot Raymarine ST6001+

GPS Furuno

Radar/GPS/plotter Raymarine RL80C, at charttable

Navtex ICS Nav6

EQUIPMENT

Sprayhood 2014
Bathing platform yes

Boarding ladder stainless steel

Anchor yes

Windlass electrical Quick

Davits controls Removable

Sea railing wire

Life raft 6 pers, needs inspection

FendersyesMooring linesyesRadio-cd playerVDOCockpit speakersyesSpeakers in salonyesFire extinguisheryes



RIGGING

Rigging sloop
Standing rigging wire

Brand mastSparcraftMaterial mastaluminiumSpreaders2 pair

Mainsail Kemp 2012

Mainsail cover 2014

High aspect Sailstore 2014

Genoa Kemp 2012

Genoa cover 2014 Spinnaker yes

Reefing SystemslabreefingBackstay adjustermechanicalBoomvanggasspring

Primary sheet winch 2x Harken ST 48
Halyard winches 2x Harken ST 44

Spi-pole aluminium









































































































