



DE VALK
YACHT BROKERS

ETAP 30I



DE VALK
YACHT BROKERS

BROKERAGE | CHARTER | BERTHS | FINANCE | INSURANCE | YACHT MANAGEMENT

BROKER'S COMMENTS

Excellent little "pocket-yacht" with very good accommodations below decks, ample stowage space and easy to handle in many circumstances. Deep and safe cockpit with detable mainsheet traveller for extra space in port plus an ample sized lazarette. On deck she is fitted with a self tacking jib and one-line reef system. No need to go forward to the mast for reefing. This is the shallow draft version so suitable for all waters and areas. From first owner from new and no charter boat.

Marc Weijenberg

SPECIFICATIONS

Dimensions	9.32 x 3.16 x 1.42 (m)	Builder	Etap Yachting
Built	1996	Cabins	2
Material	GRP	Berths	6
Engine(s)	1 x Volvo Penta MD2020B diesel	Hp/Kw	19.00 (hp), 13.97 (kw)
Asking price	sold (VAT)	Lying	at sales office

CONTACT

Sales office	De Valk Sint Annaland B.V.	Telephone	+31 (0)166 601 000
Address	Koelhuisweg 4 4697 RM Sint Annaland NL	E-mail	sintannaland@devalk.nl

DISCLAIMER

These particulars are given in good faith as supplied but cannot be guaranteed.



GENERAL

Model	ETAP 30I
Type	sailing yacht
LOA (m)	9,32
LWL (m)	8,00
Beam (m)	3,16
Draft (m)	1,42
Air draft (m)	13,50
Headroom (m)	1,85
Year built	1996
Builder	Etap Yachting
Country	Belgium
Designer	Mortain & Mavrikios
Displacement (t)	3,6
Ballast (tonnes)	cast iron 1,2
Hull material	GRP
Hull colour	off-white
Hull shape	round-bilged
Keel type	bulb keel
Superstructure material	GRP
Rubbing strake	rubber
Deck material	GRP
Deck finish	anti-slip paint
Cockpit deck finish	anti-slip moulded in
Antifouling (year)	2014
Portholes	aluminium
Insulation	foam
Fuel tank (litre)	stainless steel 50
Freshwater tank (litre)	polyethylene 130
Tiller	steeringwheel/tiller combined Etap EVS system



Extra info

As usual with Etap yachts, the unique foamcore glass fibre construction of the hull has the advantage of extra rigidity and unsinkable plus excellent thermal insulation.

ACCOMMODATION

Cabins	2
Berths	6
Interior	beech
Floor	teak and holly
Saloon	good size windows, light interior
Headroom saloon (m)	1,85
Chart table	yes
Galley	yes
Countertop	plastic
Sink	stainless steel
Cooker	calor gas Eno 2 burner
Microwave	Moulinex 12v
Fridge	12v Frigoboat
Water pressure system	electrical
Owners cabin	double bed
Bed length (m)	with slatted mattress 2,00 x 1,51
Wardrobe	shelves and hanging
Bathroom	shared
Toilet	shared
Toilet system	manual Jabsco
Wash basin	in the bathroom
Guest cabin 1	double bed
Bed length (m)	1,95 x 1,55
Wardrobe	shelves

MACHINERY



No of engines	1
Make	Volvo Penta
Type	MD2020B
HP	19,00
kW	13,97
Fuel	diesel
Year installed	1996
Maximum speed (kn)	6
Cruising speed (kn)	5
Engine cooling system	freshwater heat exchanger
Drive	sail-drive
Engine controls	bowden cable
Exhaust	watercooled
Propeller type	fixed
Propeller blades	2
Manual bilge pump	yes
Start battery	1 x 65 amp (2005)
Service battery	1 x 125 amp (2013)
Battery charger	Philipi
Shorepower	with cable

NAVIGATION

Compass	Suunto
Depth sounder	Autohelm ST50
Log	Autohelm ST50 (transducer defect)
Windset	Autohelm ST50
Repeater	Autohelm ST50 Multi
Autopilot	Autohelm ST4000 + remote
GPS	Autohelm ST50

EQUIPMENT



Sprayhood	(2005)
Cockpit cover	yes
Sun awning	yes
Cockpit chairs	yes
Bathing platform	yes
Boarding ladder	stainless steel
Anchor	Fortress + line/lijn/Leine
Windlass	manual
Sea railing	stainless steel
Pushpit	yes
Pulpit	yes
Lifebuoy	Type Lifesling
Fenders	yes
Mooring lines	yes
Fire extinguisher	yes

RIGGING

Rigging	fractional
Standing rigging	wire
Brand mast	Seldén
Material mast	aluminium
Spreaders	1 set
Mainsail	Elvstrom (1996)
Mainsail cover	Lazy Bag (2010)
Jib	Wittevrongel (2001)
Genoa furler	Furlex type A
Booster	with squeezer De Vries Sails
Self tacking jib installation	yes
Reefing System	quick-one-line-reefing
Backstay adjuster	tackle
Boomvang	mechanical Seldén Rodkicker



Genoa sheetwinches

2 x Lewmar ST30

Halyard winches

2 x Lewmar ST16

Spi-pole

aluminium


Extra info

Halyards, sheets and self-tacking jib are lead aft into cockpit for easy and safe handling.





ETAP 30I





ETAP 30I





















