



BROKERAGE | CHARTER | BERTHS | FINANCE | INSURANCE | YACHT MANAGEMENT

#### **BROKER'S COMMENTS**

Heavy duty built aluminum offshore cruising yacht from the known Anne Wever yard. She has served her owner well during safe longer trips. The sheltered steering position and extra powerful diesel are added bonuses. She needs cosmetic work. Inside woodwork is nice and well crafted. Good size owner cabin with centerline double berth. With the use of hydraulics the rigging can be short handed in all conditions. With the centerboard she has a wide range of sailing areas from Atlantic crossings to coastal hops.

Marc Weijenberg

#### **SPECIFICATIONS**

Dimensions	14.97 x 4.70 x 3,00 / 1.70 (m)	Builder	Jachtwerf Anne Wever
Built	1987	Cabins	2
Material	Aluminium	Berths	4
Engine(s)	1 x Perkins 6.354M diesel	Hp/Kw	135.00 (hp), 99.22 (kw)
Asking price	sold (VAT )	Lying	at sales office

#### CONTACT

Sales office	De Valk Sint Annaland B.V.	Telephone	+31 (0)166 601 000
Address	Koelhuisweg 4	E-mail	sintannaland@devalk.nl
	4697 RM Sint Annaland		
	NL		

#### **DISCLAIMER**

These particulars are given in good faith as supplied but cannot be guaranteed.



1987

#### **GENERAL**

Model TRINTELLA 49A

Type sailing yacht

LOA (m) 14,97 LWL (m) 12,20 Beam (m) 4,70 Draft (m) 1,70 Draft min (m) 3,00 Air draft (m) 21,70 Headroom (m) 2,00 Year built

Builder Jachtwerf Anne Wever

Country The Netherlands Designer E.G. van de Stadt

Displacement (t) 17

Ballast (tonnes) lead in aluminum 6,5

**Hull material** aluminium Hull colour white

Hull shape round-bilged

Keel type centreboard Grp board

Superstructure material aluminium Rubbing strake wood Deck material aluminium Deck finish teak Cockpit deck finish teak

**Dorades** stainless steel 2 x Window frame aluminium Rhigo

Window material tempered glass Acrylate +

Deckhatch yes

Portholes aluminium

Insulation foam 15mm plates

Fuel tank (litre) aluminium 850
Freshwater tank (litre) aluminium 960

Blackwater tank (litre) aluminium 200 + 150

Inside helm position Lewman

Outside helm position mechanical Lewmar

Emergency tiller yes

Extra info teak deck and paint needs overhaul

Extra info

The fixed doghouse which is actually a pilothouse provides for

very comfortable and dry sailing and ideal shelter when at

anchor.

**Extra info** depht with centreboard down is 3,00 mtr.

#### **ACCOMMODATION**

Cabins 2
Berths 4
Interior teak

Floor teak and holly

DoghouseyesSaloonyesHeadroom saloon (m)2,00

Heating central heating Webasto

Navigation center yes
Aft Cabin yes

**Dinette** U-shaped

GalleyyesCountertopcorianSink2 x

Cooker calor gas Broadwater 4 burn

**Oven** Broadwater

**Extractor** yes

Fridge Frigoboat 24v
Freezer Frigoboat 24v



Hot water system 220V + engine

Water pressure system electrical

Owners cabin double bed Aft/achter/hinten

Bed length (m) 1,90 x 1,20

Wardrobe hanging and shelves

Bathroomen suite IToileten suiteToilet systemmanual

Wash basin in the bathroom

Shower en suite

Guest cabin 1 double bed Front/voor/vorne

Bed length (m) 1,90 x 1,30

Wardrobe hanging and shelves

Bathroomen suite IIToileten suiteToilet systemmanual

Wash basin in the bathroom

Shower en suite

Extra info Front cabin originally two separate cabin with two bunk beds.

Now a single cabin with large cupboard space and a double bed. With some effort this can be altered back into it's original two

cabin setup.

#### **MACHINERY**

No of engines

 Make
 Perkins

 Type
 6.354M

 HP
 135,00

 kW
 99,22

 Fuel
 diesel

 Year installed
 1987

 Maximum speed (kn)
 8



Cruising speed (kn) 6,5
Consumption (I/hr) 5
Engine hours 3650

Engine cooling system freshwater heat exchanger

**Drive** shaft

Engine controls bowden cable

Gearbox hydraulic Paragon

Bowthruster electric

Exhaust watercooled

Propeller type feathering Maxprop (2009)

Propeller blades

Propeller shaft material stainless steel

Shaft lubrication water (2015 Hollex seal)

Manual bilge pump yes
Electric bilge pump yes

Electrical installation 12-24-220v

Generator wet exhaust Fisher Panda 24v

Start battery 2 x

Service battery 4 x Victron AGM 160ah (2015)

Generator battery (2015)

Battery monitor (2015) Victron

### Battery charger + 24v/15amp (2016)

Inverter ### ### Mastevolt Mass 24v/4500watt

Solar panel 3 x 120watt
Shorepower with cable

#### **NAVIGATION**

Compass C. Plath

Electric compass VDO Navpac

Depth sounder (one display defect) VDO Navpac

Log VDO Navpac



Windset VDO Navpac
Repeater VDO Navpac

VHF (2009) Icom IC-M509
Autopilot Robertson AP200

Radar Koden
GPS yes

Navtex WIB (2012)
Personal computer Toshiba laptop

PC connection yes

Electronis chart(s) Nobeltech Jeppeson

AIS transponder wifi + gps Easy TRX2S (2015)

Radio receiver HF-150

EPIRB McMurdo E5 (406Mhz)

#### **EQUIPMENT**

Fixed windscreen fixed dodger/pilothouse

 Cockpit cover
 (2015)

 Bimini
 (2006)

 Sun awning
 2 x (2013)

Cockpit cushionsyesCockpit tableyesBathing platformyes

Boarding ladder stainless steel

Gangway yes
Deck shower yes

Anchor Rocna (2012) 55kg

Anchor chain yes

Windlass hydraulic Maxwell

CapstanMaxwellDeck washyesOutboard supportyes



**Davits** stainless steel

Davits controls manual

Sea railing stainless steel

Grab rail (superstructure) teak
Pushpit yes
Pulpit yes

Life raft container RFD Seasava

Life raft (pers) 4

Last life raft survey2014LifebuoyyesFendersyesMooring linesyes

Spare parts + gen set Perkins set + VDO Navpac

TV LG Flatron

TV receiver no liscence KPN Digitenne

DVD player Samsung

Speakers in salonyesFire extinguisheryesExtinguisher in engine roomyes

#### **RIGGING**

Rigging cutter
Standing rigging wire
Brand mast Rondal

Material mast aluminium coated

Spreaders 2 sets

Fully battened mainsail + 4 battens Furling hydraulic

Genoa furler hydraulic Rondal
Spinnaker with squeezer
Staysail with UV strip
Staysail furler hydraulic Rondal



hydraulic 2 x Lewmar 65ST

Reefing System main in-mast furling

Backstay adjuster hydraulic Navtec

Boomvang mechanical Proctor

Halyard winches 3 x Lewmar

Spinnaker winch2 x Lewmar 43STSpi-polealuminium Rondal

Isolated backstay yes

Genoa sheetwinches



































































































































