





BROKERAGE | CHARTER | BERTHS | FINANCE | INSURANCE | YACHT MANAGEMENT

#### **BROKER'S COMMENTS**

Charming and unique classic daysailer or weekender. She has been styled with the typical American Pilot Cutters in mind. Her hull design by Koopmans performs very well and one can sail anywhere with the shallow draft centre board keel. Reliable Yanmar diesel with ample power for cruising tidal waters or rivers. Short coastal hops are also possible. Low maintenance vacuum infusion built epoxy hull with Corecell for extra stiffness yet light weight for added sail performance. The interior offers two benches and a V-berth forward.

Marc Weijenberg

#### **SPECIFICATIONS**

Dimensions	9.00 x 2.95 x 2,10 / 0.90 (m)	Builder	Owner built
Built	2010	Cabins	1
Material	Composite	Berths	2
Engine(s)	1 x Yanmar 3YM30 diesel	Hp/Kw	30.00 (hp), 22.05 (kw)
Asking price	sold (VAT)	Lying	at sales office

#### CONTACT

Sales office	De Valk Sint Annaland B.V.	Telephone	+31 (0)166 601 000
Address	Koelhuisweg 4	E-mail	sintannaland@devalk.nl
	4697 RM Sint Annaland		
	NL		

#### **DISCLAIMER**

These particulars are given in good faith as supplied but cannot be guaranteed.



#### **GENERAL**

Model KOOPMANS FOXX 30

Type sailing yacht

LOA (m) 9,00 LWL (m) 7,61 Beam (m) 2,95 Draft (m) 0,90 Draft min (m) 2,10 Headroom (m) 1,30 Year built 2010 Launched 2011

Builder Owner built

CountryThe NetherlandsDesignerD. Koopmans

Displacement (t) 4,8

Ballast (tonnes) lead 2,8

CE norm

Hull materialcompositeHull colourblack

**Hull shape** round-bilged

Keel type centreboard Hydrolic pushbutton system

Superstructure materialcompositeDeck materialcompositeDeck finishteakCockpit deck finishteak

**Deckhatch** yes

Fuel tank (litre) polyethylene 30

**Tiller** yes

Extra info 2-comp DD de IJssel

Extra info

Benefits of an epoxy composite construction; Light weight in

comparison to aluminum and steel Very sturdy construction Adds insulation thus very little condensation and well suited for hot and colder climates Low maintenance (no corrosion or osmosis)

15mm Corecell vacuum infused hull

#### **ACCOMMODATION**

Cabins 1

Berths 2

InteriorModernOpen cockpityesHeadroom saloon (m)1,30

Owners cabin double bed

Bed length (m) 2,00 x 1,80

Extra info two single beds on seating 2,00 x 0,56

#### **MACHINERY**

No of engines

Make Yanmar Type 3YM30 HP 30 kW 22,05 Fuel diesel Year installed 2010 Maximum speed (kn) 6 Cruising speed (kn) 5 Consumption (I/hr) 2,5 **Engine hours** 109

Engine cooling system freshwater heat exchanger

**Drive** shaft

Engine controls bowden cable

Gearbox mechanical Hurth



Exhaust watercooled

Propeller type feathering

Propeller blades 3

Propeller shaft material stainless steel

Shaft lubricationwaterManual bilge pump1 xElectrical installation12vStart battery1 xService battery1 x

#### **NAVIGATION**

Compass on pedestal Ritchie

#### **EQUIPMENT**

Anchor Fortress
Anchor chain + line
Fenders yes
Mooring lines yes

#### **RIGGING**

Rigging gaff-rig
Standing rigging wire

Brand mast V/d Neut
Material mast wood

Keel stepped mast yes

Mainsail Molenaar Sails 34m2

Mainsail coveryesMizzen sailcoveryes

Jib Molenaar Sails 10,3m2

Genoa furler Antal



Yankee

Reefing System

Primary sheet winch

Secondary sheet winch

Halyard winches

Extra info

Molenaar Sails 10,4m2

slabreefing

2 x Antal W40 ss

2 x Antal W30.2 ss

1 x Antal W40 ss

Antal deck hardware





















































































