

The states of





BROKER'S COMMENTS

The Vripack Kotter 9.65 OK was designed by the world renowned Vripack Yacht Design Studio. She has a 50 hp Nanni diesel engine and a bow thruster. She sleeps 4 (2 in the forward cabin and 2 on the convertible saloon settee), has a separate galley and a spacious bathroom. She was recently painted and has fresh antifouling. With an air draft of 2,40 m you can go pretty much anywhere with this practical inland waterway cruiser.

Nick Lanting

SPECIFICATIONS

Dimensions	9.75 x 3.50 x 0.90 (m)	Builder	Selfbuilt	
Built	2003	Cabins	1	
Material	Steel	Berths	4	
Engine(s)	1 x Nanni 4-220ECO diesel	Hp/Kw	50.00 (hp), 36.75 (kw)	
Asking price	sold (VAT)	Lying	at sales office	

CONTACT

Sales office	De Valk Sint Annaland B.V.	Telephone	+31 (0)166 601 000
Address	Koelhuisweg 4	E-mail	sintannaland@devalk.nl
	4697 RM Sint Annaland		
	NL		

DISCLAIMER

These particulars are given in good faith as supplied but cannot be guaranteed.

GENERAL

Model	VRIPACK KOTTER 9.65 OK
Туре	motor yacht
LOA (m)	9,75
LWL (m)	8,55
Beam (m)	3,50
Draft (m)	0,90
Air draft min (m)	2,40
Headroom (m)	1,96
Year built	2003
Launched	2003
Builder	Selfbuilt
Country	The Netherlands
Designer	Vripack
Displacement (t)	8
CE norm	С
Hull material	steel
Hull colour	blue
Hull shape	hard chine
Keel type	long keel
Superstructure material	steel
Rubbing strake	fender rope
Deck material	steel
Deck finish	non-skid paint
Superstructure deck finish	non-skid paint
Cockpit deck finish	teak
Antifouling (year)	Hempel (2019) red
Window frame	aluminium
Window material	glass
Deckhatch	1 x
Portholes	aluminium

Insulation	rockwool
Mast can be lowered	manual
Fuel tank (litre)	steel 600
Level indicator (fuel tank)	Sight gauge
Freshwater tank (litre)	stainless steel 2 x 200
Level indicator (freshwater)	Sight gauge
Blackwater tank (litre)	polyethylene 213
Level indicator (blackwater)	yes
Blackwater tank extraction	
Wheel steering	hydraulic
Inside helm position	yes
Emergency tiller	yes
More info on hull	yes
More info on paintwork	yes

ACCOMMODATION

Cabins	1
Berths	4
Interior	teak
Floor	carpet
Open cockpit	yes
Saloon	yes
Headroom saloon (m)	1,96
Heating	diesel ducted hot air Webasto
Opening door to cockpit	yes
Galley	Headroom 1,87m
Countertop	plastic
Sink	stainless steel
Cooker	calor gas 4-burner
Gas alarm	yes
Fridge	Dometic



Hot water system

Water pressure system	electrical
Owners cabin	v-bed Headroom 1,88m
Bed length (m)	1,98 x 0,80m (2 x)
Wardrobe	hanging and shelves
Bathroom	separate
Toilet	shared
Toilet system	electric
Wash basin	in the bathroom
Shower	shared

MACHINERY

No of engines	1
Make	Nanni
Туре	4-220ECO
HP	50
kW	36,75
Fuel	diesel
Year installed	2003
Maximum speed (kn)	6,5
Cruising speed (kn)	5,5
Consumption (I/hr)	3
Engine hours	868
Engine cooling system	freshwater heat exchanger
Drive	shaft
Engine controls	bowden cable
Gearbox	hydraulic ZF HSW 250 1,88:1
Bowthruster	electric
Exhaust	watercooled
Thrust bearing	yes
Propeller type	fixed

stainless steel

12V & 220V

3 x 180 Ah

with cable

Victron VE Bus Multi Control Victron Multiplus 12/1600/70

4

water yes

4 x 1 x

Propeller blades
Propeller shaft material
Shaft lubrication
Electric bilge pump
Electrical installation
Batteries
Start battery
Service battery
Battery monitor
Battery charger/inverter
Shorepower

NAVIGATION

Electric compass	In GPS/plotter
Depth sounder	In GPS/plotter
Fish finder	In GPS/Plotter
VHF	Icom IC-M401E
Rudder angle indicator	Vetus (needs adjusting)
Plotter/GPS	Lowrance LCX-25C
Electronis chart(s)	yes
Navigation lights	yes

EQUIPMENT

Fixed windscreen	yes
Cockpit cover	2005 blue
Winter cover	yes
Cockpit cushions	Blue
Cockpit table	yes
Anchor	Pool
Anchor chain	60 m
Windlass	electrical Vetus

Capstan	On anchor winch
Sea railing	stainless steel
Grab rail (superstructure)	stainless steel
Pulpit	yes
Lifejackets	4 x
Wiper	3 x
Window ventilator	Through Webasto heating
Horn	electric
Fenders	yes
Mooring lines	yes
Radio-cd player	Pioneer DEH-P6800MP
Speakers in salon	2 x
Fire extinguisher	2 x



























































































































