



BROKERAGE | CHARTER | BERTHS | FINANCE | INSURANCE | YACHT MANAGEMENT

BROKER'S COMMENTS

Dick Zaal 37 Lapwing, an aluminium (Sealium) center-boarder designed and equipped to sail all the seas of the world safely and in comfort. The fully retractable centreboard and swing-up rudder blade create a lot more cruising area than conventional fixed keel sailing yachts. Her owner has spared no expense in building and maintaining the yacht and she is therefore in top technical condition with, among other things, "up-to-date navigation". This Dick Zaal 37 Lapwing only sailed a little during 3 seasons, is new and ready for departure, taking on any adventure with the new owner!

Hans Visser

SPECIFICATIONS

Dimensions	11.15 x 3.68 x 2,50 / 0.70 (m)	Builder	Koopmans Kasko's
Built	2011	Cabins	
Material	Aluminium	Berths	6
Engine(s)	1 x Volvo Penta D2-40 diesel	Hp/Kw	40.00 (hp), 29.44 (kw)
Asking price	sold (VAT)	Lying	at sales office

CONTACT

Sales office	De Valk Hindeloopen B.V.	Telephone	+31 514 52 40 00
Address	Oosterstrand 1	E-mail	hindeloopen@devalk.nl
	8713 JS Hindeloopen		
	NL		

DISCLAIMER

These particulars are given in good faith as supplied but cannot be guaranteed.



GENERAL

Model DICK ZAAL 37 LAPWING

Type sailing yacht

LOA (m) 11,15 LWL (m) 10,36 Beam (m) 3,68 Draft (m) 0,70 Draft min (m) 2,50 Air draft min (m) 18,50 Headroom (m) 2,04 Year built 2011 Launched 2011

Builder Koopmans Kasko's Country The Netherlands

Designer Dick Zaal

Displacement (t) 9

Ballast (tonnes) lead in aluminum 3,5

Hull material aluminium

Hull colour Midnight Blue | Awlgrip

Hull thickness (mm) 10 - 8 - 6 mm Hull shape round-bilged Keel type centreboard Superstructure material aluminium Superstructure (mm) 5 mm Deck plate thickness (mm) 6 mm Rubbing strake aluminum Deck material aluminium Deck finish

Superstructure deck finish non-skid paint Ivory and Fighting Lady Yellow | Awlgrip

cork

Cockpit deck finish teak

Antifouling (year) 2022 | self polishing | International

Dorades 2x + one in anchor locker

Window frame aluminium

Window material tempered glass

Deckhatch 5x Goiot

Portholes 6x with 10mm Lexaan

Insulation Cellular dense polyurethane foam Cel dichte polyurethaan

schuim

Radar arch Stainless steel mast on stern (no radar)

Fuel tank (litre) aluminium 315 ltr.

Level indicator (fuel tank) Tank tender

Freshwater tank (litre) aluminium With Epoxy coating | 2x 315 ltr.

Level indicator (freshwater) Tank tender

Blackwater tank (litre) aluminium 100 ltr. | Above waterline

Blackwater tank extraction deck extraction + uw line

Tiller yes
Emergency tiller yes

More info on paintwork Awlgrip (painted by Klaver)

Extra info Interior by Rob Fritz Jachtbetimmering

ACCOMMODATION

Berths 6

Interior teak

Layout 1 room with enclosed toilet/shower room

Floor teak
Saloon yes

Headroom saloon (m) 2.04 mtr.

Heating diesel ducted hot air | Webasto 3900 Airtop/Evo

Navigation centeryesChart tableyesConvertible berth2GalleyYes



Countertop Teak

Sink stainless steel | double

Cooker methylated spirit | Origo 6000 | 2 burner

Oven In cooker

Fridge Vacuum gel insulation by Glacier Bay with stainless steel cooling

element

Hot water system 220V + engine

Water pressure system electrical And manual

Manual and/or foot pump Yes

Bed length (m) Forward bed | 2,15 mtr.

Wardrobe hanging and shelves

Bed length (m) Aft bed | 2.20 mtr.

BathroomsharedToiletYesToilet systemvacuumWash basinYesShowerYes

MACHINERY

No of engines

Make Volvo Penta
Type D2-40

 Type
 D2-40

 HP
 40

 kW
 29.44

FueldieselYear installed2010Maximum speed (kn)8,5

Cruising speed (kn) 7,5
Consumption (l/hr) 3
Range (nm) 1100

Engine hours 103,7



Engine cooling system freshwater heat exchanger

Drive shaft

Shaft seal Volvo seal

Engine controls bowden cable | spinlock removable handle

Gearbox mechanical

Bowthruster electric Max Power CT80 with wireless remote control

Exhaust watercooled
Thrust bearing AquaDrive

Propeller type feathering MaxProp

Propeller blades 3

Propeller shaft material stainless steel

Shaft lubricationwaterManual bilge pump2xElectric bilge pump2x

Electrical installation 12 / 220 V

Start batteryOptima Redtop 50Ah | newService battery2x Victron Gel 165Ah | newBowthruster battery2x Optima redtop 50Ah | new

Windlass battery Wing ESL 100-12 | also for the operation of the centreboard |

new

Battery monitor Mastervolt BTM III

Battery charger 1x Mastervolt 2x50A + 1x 5A + 1 x Mastervolt 10A

Inverter Mastervolt AC Master 12/350

Diode battery combinersMastervoltShorepowerwith cable

Insulation transformer High-frequency Mastervolt Mass GI 3.5

NAVIGATION

Compass Suunto

Electric compass Simrad Compass RFC35

Multi control display

B&G Triton II | at navigation center

Depth sounderData from: 4x B&G Triton ILogData from: 4x B&G Triton IWindsetData from: 4x B&G Triton I

VHF Simrad RS82

VHF handheld Icom

Autopilot Simrad tiller pilot WP32

Wind vane steering install.

WindPilot Pacific

Furuno drs4w wifi

GPS

ZG100 antenna

Radar/GPS/plotter Faytech ip65 15 inch touch screen sunreadable 1000 nits display

Navtex Furuno NX-300

Personal computer On-board computer with WinGps voyager

Wifi antenna Modum
Electronis chart(s) Stentec

AIS transponder EasyTRX2S intergrated spliter + GPS antenna

Navigation lights LED

EQUIPMENT

Sprayhood with grab rail

Cockpit cover

Pes

Bimini

Yes

Winter cover

Yes

Cockpit cushions

Yes

Cockpit table

Yes

Boarding ladder stainless steel

Bow ladder Yes
Deck shower Yes

Anchor Spade | Steel | 15kg
Anchor chain 60 mtr. | 10mm

Anchor 2 Spade | Aluminium | 9kg
Anchor chain Line + lead fore-end | 40 mtr.



Windlass electrical | Goiot 312.10 | 1000W

Capstan yes
Outboard support Yes

Deck crane On stainless steel mast Sea railing wire | stainless steel

Grab rail (superstructure) aluminium
Railing side opening gates Yes

Pushpit Yes | 30mm
Pulpit Yes | 30mm

Life raft valise (or bag) | Viking RescYou Pro 6

Life raft (pers) 6

Last life raft survey 2016 (must be checked)

Lifebuoy 2x

Danbuoy Yes

Safety lines on deck Wichard

Radar reflector Trem Navy Star

Fenders yes
Mooring lines yes
Spare parts yes

Radio Fusion MS-AV600 with dvd player

Speakers in salon Bose
Fire extinguisher yes

Extinguisher in engine room Mabo Flamark

RIGGING

Rigging sloop

Standing rigging wire With Gibb tensioners

Brand mast Hallspars

Material mast aluminium coated

Spreaders 2 pair
Mast lowering system Yes



Mainsail North sails | 36,4 m2

Mainsail coveryesBattcarsyesFully battened mainsailyes

Jib II North Sails | with Kevlar torsion free furler system | 17.4 m²

High aspect North sails | on furler | with cover | 30.11 m²

GennakerNorth Sails | 70 m²StormjibOrange | 9.2 m²Reefing Systemslabreefing | 3 xBackstay adjustermechanicalBoomvangtackle

Primary sheet winch 2x Andersen RVS ST 46
Secondary sheet winch 2x Andersen RVS ST 40

Halyard winches 2x Andersen RVS ST 40 on mast Reefing winch 1x Andersen RVS ST 28 on mast

Multifunctional winches1x Andersen RVS ST 28Spi-polealuminium | Hallspars

Isolated backstay yes























































































































