



BROKERAGE | CHARTER | BERTHS | FINANCE | INSURANCE | YACHT MANAGEMENT

BROKER'S COMMENTS

Charming and complete motorsailer with lots of possibilities for in and offshore cruising. Fine for long sailing or weekend trips with the family. The Mascot has a nice wooden interior, large cockpit and very important an enclosed helm position. So even when the weather is though, you can sail with the heating on. In the pilothouse you'll also find the galley and entrance to the spacious saloon. From the cockpit you have access to the aft cabin with room for 2 people. This stable and comfortable sailor is now sharp priced.

Eelco Schäffer

SPECIFICATIONS

Dimensions	9.95 x 3.40 x 1.50 (m)	Builder	Mascot
Built	1986	Cabins	2
Material	GRP	Berths	7
Engine(s)	1 x Volvo Penta 2003T diesel	Hp/Kw	43.00 (hp), 31.61 (kw)
Asking price	sold (VAT)	Lying	at sales office

CONTACT

Sales office	De Valk Sint Annaland B.V.	Telephone	+31 (0)166 601 000
Address	Koelhuisweg 4	E-mail	sintannaland@devalk.nl
	4697 RM Sint Annaland		
	NL		

DISCLAIMER

These particulars are given in good faith as supplied but cannot be guaranteed.



GENERAL

Model MASCOT 33

Type motorsailer

LOA (m) 9,95 LWL (m) 8,80 Beam (m) 3,40 Draft (m) 1,50 Air draft (m) 13,90 Headroom (m) 1,87 Year built 1986 Builder Mascot Country Denmark

Designer Palle Mortensen

Displacement (t) 6,0

Ballast (tonnes) 2,3

Hull material GRP

Hull colour white

Hull shaperound-bilgedKeel typefin keelSuperstructure materialGRPRubbing strakerubberDeck materialGRP

Deck finishnon-skid moulded inSuperstructure deck finishnon-skid moulded in

Cockpit deck finish paint
Antifouling (year) 2016
Dorades yes

Window frame aluminium
Window material perspex
Deckhatch yes

Radar arch non collapsible

Fuel tank (litre) stainless steel 250
Freshwater tank (litre) stainless steel 250

Level indicator (freshwater) yes

Wheel steering cable steering

Inside helm positionyesOutside helm positionyesTilleryes

ACCOMMODATION

Cabins 2
Berths 7
Interior teak

Floor teak and holly

Aft deck yes Pilot house yes Saloon yes Headroom saloon (m) 1,87 Aft Cabin yes Dinette yes Sliding door to cockpit yes Galley yes Countertop wood

Sink stainless steel

Cooker calor gas SMEV 2 burner

OvenyesFridgeWaecoWater pressure systemelectrical

Owners cabinv-bed 2 p (2.00 x 1.85 m)Wardrobehanging/drawers/shelves

Bathroom shared
Toilet shared



Toilet system manual

Wash basin in the bathroom

Guest cabin 1 single bed 2 x 1 p (2.00 x 0.75 m)

Wardrobe shelves

MACHINERY

No of engines

Make Volvo Penta

 Type
 2003T

 HP
 43,00

 kW
 31,61

 Fuel
 diesel

 Year installed
 1986

 Maximum speed (kn)
 7,2

 Cruising speed (kn)
 6,1

Engine hours 2672 (11-10-2016)

Engine cooling system freshwater heat exchanger

Engine controls bowden cable

Gearbox mechanical

Gearbox

Exhaust watercooled

Propeller type fixed Propeller blades 3

Propeller shaft material stainless steel

Shaft lubricationwaterManual bilge pumpyesElectric bilge pumpyes

Start battery Correct Auto & Marine 12v/108Ah

Service battery 2 x

Battery monitor yes

Battery charger Bosch



Shorepower with cable

NAVIGATION

Compass Plastimo Contest 130

Depth sounder Silva 300
Log Silva 200

VHF Icom IC-M120 / Dantronik RT5000S

Autopilot Autohelm 3000

GPS Philips Dantronik MK9

Plotter Raymarine A70D

EQUIPMENT

Fixed windscreen yes
Cockpit cover yes
Winter cover yes
Cockpit cushions yes
Bathing platform yes

Boarding ladder stainless steel
Anchor CQR Plough

Anchor chain yes

Anchor 2 Danforth
Windlass manual
Sea railing wire
Grab rail (superstructure) teak
Lifebuoy yes
Wiper yes

Horn air pressure

Radar reflectoryesFendersyesMooring linesyesSpare partsyes



TV Reflexion

Radio-cd player Sony (old)

Clock - barometer yes
Fire extinguisher yes

Latest extinguisher survey Expired

RIGGING

Rigging sloop
Standing rigging wire

Material mast aluminium

Spreaders 2

Mainsail Bang Sails

Mainsail coveryesGenoayesGenoa IyesGenoa furleryesGenoa coveryesStormjibyes

Reefing System slabreefing
Backstay adjuster tackle

Genoa sheetwinches2 x Meissner 23Halyard winches1 x Messner 18 STSpi-polealuminium Pfeiffer

























































































































