



DE VALK
YACHT BROKERS



CONTEST 48CS



DE VALK
YACHT BROKERS

BROKERAGE | CHARTER | BERTHS | FINANCE | INSURANCE | YACHT MANAGEMENT

BROKER'S COMMENTS

Beautiful Contest 48 CS in Saudade green with Oyster white waterline. She has all the gadgets needed to sail with just the husband and his wife, while at the same time offers the potential to be the fastest of them all thanks to her Proctor hydraulic in mast furling system.

Henri van Eelen

SPECIFICATIONS

Dimensions	14.75 x 4.25 x 1.80 (m)	Builder	Contest Yachts Medemblik
Built	2000	Cabins	3
Material	GRP	Berths	6
Engine(s)	1 x Perkins M135 diesel	Hp/Kw	135.00 (hp), 99.22 (kw)
Asking price	sold (VAT)	Lying	contact Hindeloopen

CONTACT

Sales office	De Valk Hindeloopen B.V.	Telephone	+31 514 52 40 00
Address	Oosterstrand 1 8713 JS Hindeloopen NL	E-mail	hindeloopen@devalk.nl

DISCLAIMER

These particulars are given in good faith as supplied but cannot be guaranteed.



GENERAL

Model	CONTEST 48CS
Type	sailing yacht
LOA (m)	14,75
Beam (m)	4,25
Draft (m)	1,80
Year built	2000
Builder	Contest Yachts Medemblik
Country	The Netherlands
Designer	Dick Zaal
Displacement (t)	19,3
Ballast (tonnes)	lead 6,5
CE norm	A
Hull material	GRP
Hull colour	green
Hull shape	round-bilged
Keel type	wing keel
Superstructure material	GRP
Rubbing strake	wood With Stainless steel
Cockpit deck finish	teak
Antifouling (year)	2013
Window frame	aluminium Gebo
Window material	double glazing
Deckhatch	6
Fuel tank (litre)	stainless steel 580
Level indicator (fuel tank)	yes
Freshwater tank (litre)	stainless steel 750
Level indicator (freshwater)	yes
Blackwater tank (litre)	2 x 45
Wheel steering	mechanical
Outside helm position	yes



Emergency tiller yes

ACCOMMODATION

Cabins	3
Berths	6
Interior	teak
Layout	Classic
Floor	teak and holly Carpet
Open cockpit	yes
Heating	diesel ducted hot air Webasto
Navigation center	yes
Chart table	yes
Aft Cabin	yes
Dinette	yes
Galley	yes
Countertop	corian
Sink	stainless steel Double
Cooker	calor gas Force - 10
Oven	yes
Microwave	Siemens
Fridge	with freezer compartment 2
Hot water system	220V + engine
Water pressure system	electrical
Manual and/or foot pump	yes
Owners cabin	French bed
Wardrobe	shelves and hanging
Bathroom	en suite
Toilet	yes
Toilet system	manual
Wash basin	at the toilet
Shower	separate



Guest cabin 1	v-bed
Wardrobe	shelves and hanging
Bathroom	separate
Toilet	en suite
Wash basin	at the toilet
Shower	separate
Guest cabin 2	bunk bed
Wardrobe	shelves and hanging

MACHINERY

No of engines	1
Make	Perkins
Type	M135
HP	135
kW	99,22
Fuel	diesel
Year installed	2000
Cruising speed (kn)	8
Engine cooling system	freshwater heat exchanger
Drive	shaft
Engine controls	bowden cable
Gearbox	hydraulic
Bowthruster	electric
Propeller type	feathering Max prop
Propeller blades	3
Propeller shaft material	stainless steel
Shaft lubrication	water
Manual bilge pump	yes
Electric bilge pump	yes
Bilge alarm	yes
Electrical installation	yes



Generator	wet exhaust Does not work
Start battery	2
Service battery	5
Battery charger/inverter	yes

NAVIGATION

Compass	yes
Depth sounder	B & G
Log	B & G
Windset	B & G
Repeater	B & G
VHF	Sailor
Radar	Furuno
GPS	Garmin GPS 128
Plotter	Simrad CP 31

EQUIPMENT

Fixed windscreen	yes
Sprayhood	yes
Cockpit cover	yes
Cockpit table	yes
Bathing platform	yes
Boarding ladder	yes
Deck shower	yes
Anchor	Delta 25 kg
Anchor chain	50 m. - 10 mm
Windlass	electrical Simpson & Lawrence
Capstan	yes
Sea railing	wire
Grab rail (superstructure)	stainless steel
Railing side opening gates	yes



Pushpit	yes
Pulpit	yes
TV	yes
Radio-cd player	yes
Cockpit speakers	yes
Speakers in salon	yes
Fire extinguisher	yes

RIGGING

Rigging	sloop
Standing rigging	wire
Brand mast	Proctor
Material mast	aluminium coated White
Spreaders	2
Mainsail	yes
Stoway mast	yes
Genoa	yes
Genoa furler	yes
Reefing System	main in-mast furling Hydraulisch
Backstay adjuster	mechanical Nemo
Boomvang	mechanical
Primary sheet winch	2 x Lewmar 58 ST electric
Secondary sheet winch	1 x 44 ST + 1 x 46 ST
Multifunctional winches	1 x lewmar ST 40 and 1 x Lewmar 43 ST on mast
Spi-pole	aluminium



CONTEST 48CS



CONTEST 48CS



CONTEST 48CS



CONTEST 48CS




CONTEST 48CS



CONTEST 48CS




CONTEST 48CS



CONTEST 48CS



CONTEST 48CS



CONTEST 48CS



CONTEST 48CS



CONTEST 48CS



