



DE VALK  
YACHT BROKERS



CONTEST 48CS



DE VALK  
YACHT BROKERS

BROKERAGE | CHARTER | BERTHS | FINANCE | INSURANCE | YACHT MANAGEMENT

# CONTEST 48CS

## BROKER'S COMMENTS

The Contest 48CS is a well designed spacious and comfortable long distance cruising yacht. Her balanced sailing performance and deck layout makes her easy to handle with a small crew. The interior is spacious with ample headroom, stowage space and has three separate cabins for full privacy. Up to today's standards, this 48CS has four electric winches, bow thruster, furling sails, integrated electronics.

*Henk Sijbranda*

## SPECIFICATIONS

<b>Dimensions</b>	14.75 x 4.25 x 2.00 (m)	<b>Builder</b>	Conyplex
<b>Built</b>	2000	<b>Cabins</b>	3
<b>Material</b>	GRP	<b>Berths</b>	6
<b>Engine(s)</b>	1 x Perkins M135 diesel	<b>Hp/Kw</b>	134.97 (hp), 99.20 (kw)
<b>Asking price</b>	sold (VAT )	<b>Lying</b>	contact Hindeloopen

## CONTACT

<b>Sales office</b>	De Valk Hindeloopen B.V.	<b>Telephone</b>	+31 514 52 40 00
<b>Address</b>	Oosterstrand 1 8713 JS Hindeloopen NL	<b>E-mail</b>	hindeloopen@devalk.nl

## DISCLAIMER

These particulars are given in good faith as supplied but cannot be guaranteed.



## GENERAL

Model	CONTEST 48CS
Type	sailing yacht
LOA (m)	14,75
LWL (m)	12,40
Beam (m)	4,25
Draft (m)	2,00
Air draft (m)	24,50
Headroom (m)	2,00
Year built	2000
Launched	05-2000
Builder	Conyplex
Country	The Netherlands
Designer	Dick Zaal & Georg Nissen
Displacement (t)	18,3
Ballast (tonnes)	cast iron 6,5
CE norm	A
Hull material	GRP
Hull colour	blue
Hull shape	round-bilged
Keel type	wing keel
Superstructure material	GRP
Rubbing strake	wood
Deck material	GRP
Deck finish	teak
Superstructure deck finish	non-skid moulded in Teak &
Cockpit deck finish	teak
Antifouling (year)	2013
Window frame	aluminium
Window material	tempered glass
Deckhatch	5



Fuel tank (litre)	stainless steel 570
Level indicator (fuel tank)	yes
Freshwater tank (litre)	polyethylene 2x 370
Level indicator (freshwater)	yes
Blackwater tank (litre)	polyethylene 2x 30
Blackwater tank extraction	deck extraction + uw line
Wheel steering	mechanical Whitlock
Emergency tiller	yes
More info on paintwork	Awlgrip

## ACCOMMODATION

Cabins	3
Berths	6
Interior	teak
Floor	teak and holly
Open cockpit	yes
Saloon	yes
Headroom saloon (m)	2
Heating	diesel ducted hot air Webasto
Chart table	yes
Aft Cabin	1x
Dinette	yes
Galley	yes
Countertop	corian
Sink	stainless steel Double
Cooker	calor gas Force10
Oven	In cooker
Microwave	Siemens 800w
Fridge	with freezer compartment
Hot water system	220V and webasto
Water pressure system	electrical



Owners cabin	French bed Aft cabin
Bed length (m)	2
Wardrobe	hanging/drawers/shelves
Bathroom	en suite
Toilet	Vetus
Toilet system	electric
Wash basin	yes
Shower	yes
Guest cabin 1	v-bed
Bed length (m)	2
Wardrobe	drawers and shelves
Guest cabin 2	bunk bed
Bed length (m)	2
Wardrobe	hanging
Bathroom	shared
Toilet	Vetus
Toilet system	electric
Wash basin	yes
Shower	yes
Washing machine/dryer combi	Eumenia Sparmmeister 802

## MACHINERY

No of engines	1
Make	Perkins
Type	M135
HP	134,97
kW	99,20
Fuel	diesel
Year installed	2000
Maximum speed (kn)	9
Cruising speed (kn)	7,5



Consumption (l/hr)	7
Range (nm)	550
Engine hours	3905
Engine cooling system	freshwater heat exchanger
Drive	shaft
Engine controls	bowden cable
Gearbox	hydraulic
Bowthruster	electric Side Power
Exhaust	watercooled
Propeller type	Gori adjustable propeller
Propeller blades	3
Propeller shaft material	stainless steel
Shaft lubrication	water
Manual bilge pump	yes
Electric bilge pump	yes
Electrical installation	12 / 220 volt
Generator	wet exhaust Fischer Panda AGT 4000 PMS/12
Start battery	2x Optima 50Ah
Service battery	5x Accu VDC31m Wilco 105 Ah
Generator battery	Numax CXV24MF Sealed Leisure Battery 12V 86Ah
Battery monitor	Mastervolt inverter charger control and Magneton DCC 4000
Battery charger/inverter	Mass Combi 12/1600-60 (230 V) - 2015
Shorepower	with cable

## NAVIGATION

Compass	Whitlock compass
Depth sounder	Raymarine ST60
Log	Raymarine ST60
Windset	Raymarine ST60 WIND + Raymarine ST60 CH WIND
Repeater	3x Raymarine ST60 Multi display (owners cabin, cockpit and chart table)



<b>VHF</b>	Sailor C4901 - inside and outside
<b>VHF handheld</b>	Cobra MR HH325
<b>Autopilot</b>	Raymarine ST7002 smart pilot
<b>Rudder angle indicator</b>	On autopilot
<b>Radar</b>	Raymarine
<b>Radar/GPS/plotter</b>	Raymarine E120 inside and E80 outside
<b>Navtex</b>	ICS nav 4
<b>Personal computer</b>	Asus (windows XP)
<b>Electronic chart(s)</b>	Navionics (years vary)
<b>AIS transponder</b>	Watcheye B Class AIS
<b>EPIRB</b>	Jotron tron 45s epirb
<b>Extra info</b>	Satellite iridium phone + antenna in mast

## EQUIPMENT

<b>Sprayhood</b>	yes
<b>Cockpit cover</b>	yes
<b>Bimini</b>	yes
<b>Cockpit cushions</b>	yes
<b>Bathing platform</b>	yes
<b>Boarding ladder</b>	stainless steel
<b>Deck shower</b>	yes
<b>Anchor</b>	Delta
<b>Anchor chain</b>	50
<b>Windlass</b>	electrical Operated from cockpit and foredeck
<b>Capstan</b>	yes
<b>Deck wash</b>	yes
<b>Dinghy</b>	inflatable
<b>Outboard</b>	Yamaha 5hp - 2000 - hardly used
<b>Outboard support</b>	+ crane for outboard
<b>Sea railing</b>	stainless steel Wire
<b>Railing side opening gates</b>	yes



Pushpit	yes
Pulpit	yes
Life raft	valise (or bag)
Life raft (pers)	6
Last life raft survey	2015
Lifejackets	8
Safety harness	yes
Lifebuoy	yes
Danbuoy	yes
Safety lines on deck	yes
Horn	air pressure
Binocular	yes
Radar reflector	yes
Fenders	yes
Mooring lines	yes
Tools	yes
Alarm system	yes
TV	With DVD player
Radio-cd player	Kenwood KDC-4070R
Cockpit speakers	yes
Speakers in salon	yes
Clock - barometer	yes
Fire extinguisher	3x
Latest extinguisher survey	2015
Extinguisher in engine room	yes
Auto extinguisher system	yes

## RIGGING

Rigging	sloop-cutter
Standing rigging	wire 2015
Brand mast	Proctor





<b>Material mast</b>	aluminium coated
<b>Spreaders</b>	2 pair
<b>Mainsail</b>	NorthSails - 2015
<b>Stoway mast</b>	Hydraulic
<b>Cutterstay</b>	yes
<b>Jib</b>	De Vries - 2007
<b>Genoa</b>	NorthSails - 2013
<b>Genoa furler</b>	yes
<b>Cutter furler</b>	yes
<b>Gennaker</b>	Original - not much used - in a snuffer
<b>Reefing System</b>	main in-mast furling
<b>Backstay adjuster</b>	hydraulic
<b>Boomvang</b>	mechanical
<b>Primary sheet winch</b>	2x Lewmar 58 electric
<b>Secondary sheet winch</b>	2x Lewmar 44 electric
<b>Halyard winches</b>	1x Lewmar 43 and 1x Lewmar 40 on mast
<b>Multifunctional winches</b>	2x Lewmar 40 ST
<b>Spi-pole</b>	aluminium



# CONTEST 48CS



# CONTEST 48CS







# CONTEST 48CS









# CONTEST 48CS





# CONTEST 48CS



# CONTEST 48CS





# CONTEST 48CS



# CONTEST 48CS





# CONTEST 48CS




## CONTEST 48CS





# CONTEST 48CS



# CONTEST 48CS







# CONTEST 48CS

