

EIGHT METRE YACHT DICK ZAAL

DE VALK
YACHT BROKERS

EIGHT METRE YACHT DICK ZAAL

BROKER'S COMMENTS

The eight meter yacht 'Lady in Red' is elegant and sturdy at the same time. Whether racing regattas or family cruising, the eight meter yacht will bring her crew everywhere safely, swiftly and in great comfort. The yacht can be easily sailed by a couple. The interior joinery work is of teak and the salon features two benches. the owners took a lot of effort in the production of the yacht. Now is she is launched, brandnew condition and ready for her new owner. You are invited for an inspection / visit 7 days a week.

Henk Sijbranda

SPECIFICATIONS

Dimensions	14.84 x 2.90 x 2.00 (m)	**Builder**	Jachtbouw van Benthem Zwartsluis
Built	2020	**Cabins**	1
Material	Aluminium	**Berths**	4
Engine(s)	1 x Craftsman Marine CM 4.42 diesel	**Hp/Kw**	42.00 (hp), 30.87 (kw)
Asking price	sold (VAT)	**Lying**	at sales office

CONTACT

Sales office	De Valk Hindeloopen B.V.	**Telephone**	+31 514 52 40 00
Address	Oosterstrand 1	**E-mail**	hindeloopen@devalk.nl
	8713 JS Hindeloopen		
	NL		

DISCLAIMER

These particulars are given in good faith as supplied but cannot be guaranteed.

EIGHT METRE YACHT DICK ZAAL

GENERAL

Model	EIGHT METRE YACHT DICK ZAAL
Type	sailing yacht
LOA (m)	14,84
LWL (m)	9,92
Beam (m)	2,90
Draft (m)	2,00
Air draft (m)	21,50
Year built	2020
Builder	Jachtbouw van Benthem Zwartsluis
Country	The Netherlands
Designer	Dick Zaal yacht design
Displacement (t)	10
Ballast (tonnes)	lead 4.625 t.
Hull material	aluminium
Hull colour	red -
Hull thickness (mm)	8 & 6 mm
Hull shape	round-bilged
Keel type	fin keel with bulb
Superstructure material	aluminium
Superstructure (mm)	4 mm
Deck plate thickness (mm)	5 mm
Rubbing strake	Rubrail - teak
Deck material	aluminium
Deck finish	non-skid paint
Superstructure deck finish	non-skid paint
Cockpit deck finish	teak
Antifouling (year)	yes
Window frame	aluminium - Gebo
Window material	tempered glass
Deckhatch	6x Gebo

Insulation	foam - fire-resistant
Fuel tank (litre)	aluminium - 70 ltr.
Level indicator (fuel tank)	Yes
Freshwater tank (litre)	aluminium - 70 ltr. - coated
Level indicator (freshwater)	yes
Blackwater tank (litre)	aluminium 80 ltr.
Blackwater tank extraction	deck extraction + uw line
Tiller	yes
Emergency tiller	yes

ACCOMMODATION

Cabins	1
Berths	4
Interior	teak
Floor	teak and holly
Saloon	yes
Headroom saloon (m)	2 mtr.
Heating	diesel ducted hot air Webasto Air Top Evo 5500
Navigation center	yes
Chart table	yes
Galley	yes
Countertop	plastic
Sink	stainless steel
Cooker	calor gas - 3 burner - Eno
Oven	In cooker
Hot water system	Quick boiler
Water pressure system	electrical
Owners cabin	double bed
Bed length (m)	2 mtr.
Wardrobe	shelves
Bathroom	shared

Toilet	Jabsco
Toilet system	manual
Wash basin	
Shower	

MACHINERY

No of engines	1
Make	Craftsman Marine
Type	CM 4.42
HP	42
kW	30,87
Fuel	diesel
Year installed	2013
Engine cooling system	freshwater heat exchanger
Drive	shaft
Shaft seal	Volvo
Engine controls	bowden cable
Gearbox	mechanical - Twin Disc TMC 60 P
Bowthruster	electric - retractable - Lewmar
Exhaust	watercooled
Propeller type	Kiwiprops™
Propeller blades	3
Propeller shaft material	stainless steel
Shaft lubrication	water
Manual bilge pump	yes
Electric bilge pump	yes
Bilge alarm	yes
Electrical installation	12 volt
Start battery	1x Optima - 12V - 50Ah
Service battery	2x Mastervolt AMG - 6V - 400 Ah
Battery monitor	Philippi LCM Display Panel

Battery charger	Mastervolt Chargemaster 12/35-3
Shorepower	with cable
Insulation transformer	Mastervolt Mass GI 3.5

NAVIGATION

Compass	Plastimo Contest 130
Multi control display	3x Garmin GMI20
VHF	Silva S10
Autopilot	Garmin GHC™ 20 Display
Plotter/GPS	Garmin GPS map 721
AIS transceiver	Garmin AIS™ 600
Navigation lights	yes

EQUIPMENT

Anchor	Bruce
Anchor chain	Line weighted with lead - 14mm - 40 mtr.
Capstan	Electric - 900W
Sea railing	Dyneema
Grab rail (superstructure)	aluminium
Fenders	yes
Mooring lines	yes

RIGGING

Rigging	sloop-cutter
Standing rigging	wire
Brand mast	Sparcraft
Material mast	aluminium
Spreaders	2 pair
Removable innerforestay	Dyneema
Self tacking jib installation	yes

Backstay adjuster	Fixt - dyneema - 10mm
Boomvang	gasspring
Secondary sheet winch	2x Andersen 46ST two speed
Genoa sheetwinches	2x Andersen 50
Halyard winches	1x electric 900 watt
Extra info	yes


DE VALK
YACHT BROKERS


DE VALK
YACHT BROKERS


DE VALK
YACHT BROKERS



DE VALK


DE VALK
YACHT BROKERS


DE VALK
YACHT BROKERS


DE VALK
YACHT BROKERS


DE VALK
YACHT BROKERS


DE VALK
YACHT BROKERS


DE VALK
YACHT BROKERS


DE VALK
YACHT BROKERS


DE VALK
YACHT BROKERS


DE VALK
YACHT BROKERS


DE VALK
YACHT BROKERS


DE VALK
YACHT BROKERS



DE VALK
YACHT BROKERS



DE VALK
YACHT BROKERS


DE VALK
YACHT BROKERS



DE VALK
YACHT BROKERS



DE VALK
YACHT BROKERS



DE VALK
YACHT BROKERS



DE VALK
YACHT BROKERS



DE VALK
YACHT BROKERS


DE VALK
YACHT BROKERS


DE VALK
YACHT BROKERS


DE VALK
YACHT BROKERS



DE VALK
YACHT BROKERS



DE VALK
YACHT BROKERS


DE VALK
YACHT BROKERS



DE VALK
YACHT BROKERS


DE VALK
YACHT BROKERS



DE VALK


DE VALK
YACHT BROKERS


DE VALK
YACHT BROKERS




DE VALK
YACHT BROKERS


DE VALK
YACHT BROKERS