



BROKERAGE | CHARTER | BERTHS | FINANCE | INSURANCE | YACHT MANAGEMENT

BROKER'S COMMENTS

The eight meter yacht 'Lady in Red' is elegant and sturdy at the same time. Whether racing regattas or family cruising, the eight meter yacht will bring her crew everywhere safely, swiftly and in great comfort. The yacht can be easily sailed by a couple. The interior joinery work is of teak and the salon features two benches. the owners took a lot of effort in the production of the yacht. Now is she is launched, brandnew condition and ready for her new owner. You are invited for an inspection / visit 7 days a week.

Henk Sijbranda

SPECIFICATIONS

Dimensions	14.84 x 2.90 x 2.00 (m)	Builder	Jachtbouw van Benthem Zwartsluis

Built 2020 Cabins 1

Material Aluminium Berths 4

Engine(s) 1 x Craftsman Marine CM 4.42 diesel Hp/Kw 42.00 (hp), 30.87 (kw)

Asking price sold (VAT) Lying at sales office

CONTACT

Sales office De Valk Hindeloopen B.V. Telephone +31 514 52 40 00

Address Oosterstrand 1 E-mail hindeloopen@devalk.nl

8713 JS Hindeloopen

NL

DISCLAIMER

These particulars are given in good faith as supplied but cannot be guaranteed.



GENERAL

Model EIGHT METRE YACHT DICK ZAAL

Type sailing yacht

 LOA (m)
 14,84

 LWL (m)
 9,92

 Beam (m)
 2,90

 Draft (m)
 2,00

 Air draft (m)
 21,50

 Year built
 2020

Builder Jachtbouw van Benthem Zwartsluis

Country The Netherlands

Designer Dick Zaal yacht design

Displacement (t) 10

Ballast (tonnes) lead 4.625 t.

Hull material aluminium

Hull colour red
Hull thickness (mm) 8 & 6 mm

Hull shape round-bilged

Keel type fin keel with bulb

 Superstructure material
 aluminium

 Superstructure (mm)
 4 mm

 Deck plate thickness (mm)
 5 mm

Rubbing strakeRubrail - teakDeck materialaluminiumDeck finishnon-skid paintSuperstructure deck finishnon-skid paint

Cockpit deck finish teak
Antifouling (year) yes

Window frame aluminium - Gebo
Window material tempered glass

Deckhatch 6x Gebo

Insulation foam - fire-resistant Fuel tank (litre) aluminium - 70 ltr.

Level indicator (fuel tank) Yes

Freshwater tank (litre) aluminium - 70 ltr. - coated

Level indicator (freshwater) yes

Blackwater tank (litre) aluminium 80 ltr.

Blackwater tank extraction deck extraction + uw line

Tiller yes **Emergency tiller** yes

ACCOMMODATION

Oven

Cabins 1 **Berths** 4 Interior teak

Floor teak and holly

Saloon yes Headroom saloon (m) 2 mtr.

Heating diesel ducted hot air Webasto Air Top Evo 5500

Navigation center yes Chart table yes Galley yes Countertop plastic

Sink stainless steel

Cooker calor gas - 3 burner - Eno

In cooker Hot water system Quick boiler Water pressure system electrical Owners cabin double bed Bed length (m) 2 mtr. Wardrobe shelves **Bathroom** shared



Toilet Jabsco
Toilet system manual

Wash basin

Shower

MACHINERY

No of engines 1

Make Craftsman Marine

Type CM 4.42

 HP
 42

 kW
 30,87

 Fuel
 diesel

 Year installed
 2013

Engine cooling system freshwater heat exchanger

Drive shaft
Shaft seal Volvo

Engine controls bowden cable

 Gearbox
 mechanical - Twin Disc TMC 60 P

 Bowthruster
 electric - retractable - Lewmar

ExhaustwatercooledPropeller typeKiwiprops™

Propeller blades 3

Propeller shaft material stainless steel

Shaft lubricationwaterManual bilge pumpyesElectric bilge pumpyesBilge alarmyesElectrical installation12 volt

Start battery 1x Optima - 12V - 50Ah

Service battery 2x Mastervolt AMG - 6V - 400 Ah

Battery monitor Philippi LCM Display Panel



Battery charger Mastervolt Chargemaster 12/35-3

Shorepower with cable

Insulation transformer Mastervolt Mass GI 3.5

NAVIGATION

CompassPlastimo Contest 130Multi control display3x Garmin GMI20

VHF Silva S10

AutopilotGarmin GHC™ 20 DisplayPlotter/GPSGarmin GPS map 721AIS transceiverGarmin AIS™ 600

Navigation lights yes

EQUIPMENT

Anchor Bruce

Anchor chain Line weighted with lead - 14mm - 40 mtr.

Capstan Electric - 900W

Sea railing Dyneema
Grab rail (superstructure) aluminium

Fenders yes
Mooring lines yes

RIGGING

Rigging sloop-cutter

Standing rigging wire

Brand mastSparcraftMaterial mastaluminiumSpreaders2 pairRemovable innerforestayDyneemaSelf tacking jib installationyes



Backstay adjuster

Boomvang

Secondary sheet winch

Genoa sheetwinches

Halyard winches

Extra info

Fixt - dyneema - 10mm

gasspring

2x Andersen 46ST two speed

2x Andersen 50

1x electric 900 watt

yes

















































































































