



BROKERAGE | CHARTER | BERTHS | FINANCE | INSURANCE | YACHT MANAGEMENT

BROKER'S COMMENTS

Ready to sail to any place in the world in comfort and safety. This Koopmans 48 is built for long term sailing. Designed by the famous Dutch naval architect Dick Koopmans and built by Aluminum specialist Folmer in Rijs, The Netherlands. She is very well isolated, this in combination with her 'protective' doghouse and double heating-system makes her very suitable for arctic cruising. She has a large sail wardrobe (8 sails in total) and comes with all equipment on board. Long range cruiser, 2 cabins, very spacious saloon and a safe and sheltered cockpit. Viewing is highly recommended!

Henk Sijbranda

SPECIFICATIONS

Dimensions	14.90 x 4.20 x 1.70 (m)	Builder	Folmer Rijs (Hull)
Built	2010	Cabins	2
Material	Aluminium	Berths	7
Engine(s)	1 x Perkins M65 diesel	Hp/Kw	67.00 (hp), 49.00 (kw)
Asking price	sold (VAT)	Lying	contact Hindeloopen

CONTACT

Sales office	De Valk Hindeloopen B.V.	Telephone	+31 514 52 40 00
Address	Oosterstrand 1	E-mail	hindeloopen@devalk.nl
	8713 JS Hindeloopen		
	NL		

DISCLAIMER

These particulars are given in good faith as supplied but cannot be guaranteed.



GENERAL

Model KOOPMANS 48

Type sailing yacht

LOA (m) 14,90 LWL (m) 11,20 Beam (m) 4,20 Draft (m) 1,70 Air draft (m) 20,00 Air draft min (m) 18,90 Headroom (m) 2,00 Year built 2010

BuilderFolmer Rijs (Hull)CountryThe Netherlands

Designer Koopmans

Displacement (t) 17

Ballast (tonnes) lead 8
Hull material aluminium

Hull colour Blank aluminium

Hull thickness (mm)6 to 10 mmHull shapeV-shaped hullKeel typelong keelSuperstructure materialaluminium

Rubbing strake aluminum With anti-drip frame

Deck material aluminium

Deck finishnon-skid paint - international Interdeck - new 2022Superstructure deck finishnon-skid paint - international Interdeck - new 2022

Cockpit deck finish non-skid paint And teak

Dorades 4x

Window frame aluminium - Gebo
Window material tempered glass

Deckhatch 3x Gebo

Portholes aluminium - some can be opened

Insulation foam plates - 65 mm

Fuel tank (litre) aluminium - 2x 360 ltr. with manhole and gauge glass

Fuel daytank (litre) aluminium 75 ltr.- with gauge glass

Freshwater tank (litre) aluminium - Approx. 2x 350 ltr. both with manhole

Blackwater tank (litre) aluminium - Approx. 100 ltr. with manhole

Blackwater tank extraction deck extraction + uw line

Greywater tank (litre) aluminium - Approx 350 ltr. - shower, washing machine and dish

water.

Wheel steering - Jefa - Ø100 - leather covered

Emergency tiller yes

More info on hull watertight bulkhead in forward cabin

ACCOMMODATION

Cabins 2
Berths 7

Interior mahogany

Floor teak and holly And carpet

Aft deck yes

Doghouse yes

Saloon yes

Headroom saloon (m) 2 mtr.

Heating diesel ducted hot air Webasto Airtop 3500
Heating 2 stove diesel Kabola Old Dutch 8,5kw

Chart table yes

Aft Cabin Owners cabin

Convertible berth + pilot bed

Galley yes

Countertop wood - Maple / Ahorn
Sink stainless steel - double

Cooker petroleum / kerosine - Taylor's 030L - 2 burner

Oven In Taylor's

Microwave Sharp

Fridge Isotherm asu

Hot water system 220V + engine - Boiler 40 ltr.

Water pressure system electrical
Manual and/or foot pump yes
Coffee maker yes
Crockery yes

Owners cabin French bed Aft cabin

Bed length (m) 1,95 mtr.

Wardrobe drawers and shelves

Guest cabin 1 bunk bed - forward cabin

Bed length (m) 2 mtr.

Wardrobe hanging

Bathroom shared

Toilet Lavac

Toilet system vacuum

Wash basin in the bathroom

Shower Shower cabin in bathroom

Washing machine Eumenia BabyNova 1000

MACHINERY

No of engines 1

Make Perkins Type M65 HP 67 kW 49 Fuel diesel Year installed 2005 Maximum speed (kn) 7,5 Cruising speed (kn) 6,5



Range (nm) 1850 Engine hours 1295

Engine cooling system freshwater heat exchanger

Drive shaft

Engine controls bowden cable

Gearbox mechanical - Hurth ZF25M

Thrust bearing Python drive

Propeller type feathering - Autostream - stainless steel

Propeller blades

Propeller shaft material stainless steel - 35mm

Shaft lubrication water

Manual bilge pump yes

Electric bilge pump

1 electric bilge pump switchable to 5 bilges via manifold

Electrical installation 12 & 220 Volt
Start battery 1x - new 2019

Service battery 4x 105Ah - new 2019

Windlass battery 1x - new 2019

Battery monitor 2x Sterling power management panel + Victron Phoenix Multi

control with amp hour counter

Inverter Victron Phoenix 12/350

Battery charger/inverter Victron Phoenix Multiplus 12/2500/120Ah

Wind generator Ampair windgenerat

Solar panel 4 solar panels of 50W plus 1x 45W

Shorepower with cable

Insulation transformeryesWatermaker65 ltr/hr

Extra info Ampair tow generator

NAVIGATION

CompassPlastimo Contest 130Depth sounderRaymarine ST60 DEPT



Log Raymarine ST60 SPEED Windset Raymarine ST60 WIND

VHF standard horizon plus repeater

VHF handheld Nexus NX1500

Autopilot Simrad dd15 drive unit with Garmin control display.

Wind vane steering install. Windpilot Pacific

Radar Furuno 1623 display

GPS Furuno GP-32

Plotter/GPS On-board computer

Navtex LO-KATA navtex1

Electronis chart(s) yes
AIS transceiver yes

Radio receiver HF Transceiver TS-50

EPIRB yes
Navigation lights yes

Extra info Inmarsat satellite telephone

EQUIPMENT

Fixed hardtop with grab rail and thermally toughened clear glass - one window

can be opened

Bimini Fixed bimini

Cockpit cushionsyesCockpit tableyesBathing platformyesGangwayyes

Deck showerin the cockpitAnchorBruce - 50kg

Anchor chain 60 mtr. (+ 50mtr. reserve in bilge)

Anchor 2 Delta + Bruce and Fortress as reserve

Windlass electrical Quick

Capstan yes



Deck washJohnson - seawater plus fresh waterDinghyNestaway with sailing equipment

Sea railing wire

Grab rail (superstructure) aluminium

Railing side opening gates Both sides

Pushpit yes
Pulpit yes

Life raft valise (or bag) RFD Seasava +

Life raft (pers) 4

Last life raft survey Must be inspected this year

LifejacketsyesFendersyesMooring linesyesSpare partsyesDVD playeryes

Clock - barometer Georg Jensen

Fire extinguisher yes

Extra info + Drogue

RIGGING

Rigging sloop-cutter

Standing rigging wire - diamond rigging

Brand mastNeutmastMaterial mastaluminiumSpreaders2 pair

Mainsail With orange top

Mainsail coveryesBattcars2xCutterstayyesJib17,5 m²

Jib I 52,9 m² on facnor LS290 furler system



Genoa on detachable extra forestay

Gennaker yes

Staysail 26 m² - in sail bag on deck

Trysail on backstay

Stormjib 8 m²

Reefing System slabreefing - 3x

Backstay adjuster mechanical - Harken

Boomvang tackle

Primary sheet winch2x Andersen 52ST two speedSecondary sheet winch4x Andersen 46ST two speedHalyard winches2x Andersen 40ST two speed

Winchcovers yes

Spi-pole 2x telescopic spi-boom

















































































































