



BROKERAGE | CHARTER | BERTHS | FINANCE | INSURANCE | YACHT MANAGEMENT

BROKER'S COMMENTS

This more than beautiful -classic Lunstroo Schooner was built and launched in Finland and is special designed for ocean crossings in every weather condition. Her spacious and comfortable interior offers maximum comfort. She is kept in excellent condition by her owner since 1991. With her interior steering position and sailplan she can be sailed single handed. Tree cabins, spacious interior, new teakdeck and paintjob. This Lunstroo Schooner is lying in Hindeloopen and can be visit 7 days a week. Have a look and you will be astonished.

Henk Sijbranda

SPECIFICATIONS

| Dimensions | 16.80 x 4.35 x 1.85 (m) | Builder | Rover Polar Werf |
|--------------|--------------------------------|---------|------------------------|
| Built | 1990 | Cabins | 3 |
| Material | Steel | Berths | 9 |
| Engine(s) | 1 x Ford Lehman S156815 diesel | Hp/Kw | 80.00 (hp), 58.00 (kw) |
| Asking price | sold (VAT) | Lying | at sales office |
| | | | |

CONTACT

| Sales office | De Valk Hindeloopen B.V. | Telephone | +31 514 52 40 00 |
|--------------|--------------------------|-----------|-----------------------|
| Address | Oosterstrand 1 | E-mail | hindeloopen@devalk.nl |
| | 8713 JS Hindeloopen | | |
| | NL | | |
| | | | |

DISCLAIMER

These particulars are given in good faith as supplied but cannot be guaranteed.



GENERAL

Model LUNSTROO SCHOONER

Type sailing yacht

LOA (m) 16,80 LWL (m) 10,80 Beam (m) 4,35 Draft (m) 1,85 Air draft (m) 21,50 Headroom (m) 2,00 Year built 1990

Builder Rover Polar Werf

Country Finland Designer Lunstroo Displacement (t) 18 CE norm NA

Hull material steel

Hull colour grey 2019 - International 2 component

Hull shape round-bilged

Keel type fin keel Superstructure material steel Rubbing strake steel Deck material steel Deck finish teak Superstructure deck finish teak Cockpit deck finish teak Antifouling (year)

Dorades 6x stainless steel

Window frame Wood and stainless steel Window material tempered glass - Tinted

Deckhatch 3x stainless steel

Insulation foam

2019

Radar arch non collapsible

Fuel tank (litre) steel 2x 750 ltr.

Level indicator (fuel tank) yes

Freshwater tank (litre) stainless steel 500 ltr.

Blackwater tank (litre) steel 250 ltr. / not in use

Blackwater tank extraction deck extraction

Wheel steering

Inside helm positionhydraulicOutside helm positionhydraulic

More info on hull 2019 hull painted gray

More info on paintwork International (2-componenten)

ACCOMMODATION

Cabins 3
Berths 9
Interior teak

Floor teak and holly

Open cockpityesPilot house/deck saloonyesSaloonyesHeadroom saloon (m)2 mtr.

Heating diesel ducted hot air Webasto airtop

Navigation centeryesChart tableyesGalleyyesCountertopcorian

Sink 2x stainless steel

Cooker calor gas 3 burner - MobiLife Marin

Oven In cooker

Fridge In kitchen counter, Isotherm 3000

Hot water system 220V + engine Boiler Quick B3 - 40 ltr. - 2019



Water pressure system electrical Jabsco pump with pressure tank - 2019

Manual and/or foot pump 2x foot pump system disconnected

Owners cabin double bed Owners cabin

Bed length (m) 2.00 x 1.30 mtr

Wardrobe drawers and shelves

Bathroom shared

Toilet Jabsco - 2019 - including pipes

Toilet system manual

Wash basin

Shower separate

Guest cabin 1 bunk bed Gast cabin

Bed length (m) 2.00 mtr

Guest cabin 2 v-bed Gast cabin

Bed length (m) 2.00 mtr.

Wardrobe hanging and shelves 2x

Extra info 3 sleeping places in Pilot house/deck saloon

MACHINERY

No of engines

Make Ford Lehman
Type S156815

HP 80 kW 58,00

Fuel diesel

Year installed 1989

Maximum speed (kn) 8,50

Cruising speed (kn) 7,00

Consumption (I/hr) 8,00

Range (nm) 1200

Engine hours 3853

Engine cooling system freshwater heat exchanger



Drive shaft

Engine controls bowden cable

Gearbox hydraulic Paragon

Bowthruster electric Cupa

Exhaust watercooled

Propeller type fixed
Propeller blades 3

Propeller shaft material stainless steel

Shaft lubricationgreaseManual bilge pumpyesElectric bilge pumpyes

 Start battery
 1x 140 Amp - 2019

 Service battery
 2x 230 Amp - 2019

 Bowthruster battery
 2x 140 Amp - 2019

Battery monitor BMV-501

Battery charger/inverter Victron Atlas Combi 12/800/30

Shorepower with cable

Extra info 2x dynamo on motor for fast charging of batteries

NAVIGATION

Compass Suunto Type D-165

Depth sounder/log Furuno F1-30 Multi Control

Windset Furuno F1-30 Wind Data & Furuno F1-30 Trim

VHF Sipmate RS 8300
Autopilot Autohelm ST7000
GPS Autohelm GPS

Radar/GPS/plotter Furuno Navnet C-map NT & Furuno Navnet / navionics

Navtex Vecom electronics K41 Navtex receiver

Navigation lights yes

EQUIPMENT



Sprayhood with grab rail yes
Bimini yes

Boarding ladder stainless steel

Gangway yes
Deck shower yes

Anchor CQR Plough 2x

Anchor chain 80 mtr.

Windlass electrical

Capstan yes

Deck wash yes

Davits steel

Davits controls manual

Sea railing

Grab rail (superstructure) teak
Railing side opening gates yes
Pushpit yes
Pulpit yes

Life raft

Clock - barometer

Safety harness 2x
Lifebuoy yes
Wiper 2x
Horn electric
Radar reflector yes
Fenders 6x

Mooring lines6xSpare partsyesTVSaloraRadio-cd playerSenergyDVD playerIn TVCockpit speakersyesSpeakers in salonyes



yes

RIGGING

Rigging schooner
Standing rigging wire

Material mast aluminium

Spreaders yes

Mainsail40,3 m² - in Facnor stoway system.GenoaDe Vries Sails - 38,5 m² - 2003

Genoa furler Furlex 300E - 2017

Cutter furler Facnor - 2017 - with De Vries Sails - 16.8 m² - 2003

Gennaker Ca. 60 m²

Staysail De Vries Sails - 16.8 m² - 2003

Staysail furler Facnor - 2011

Reefing System Facnor system on mast

Primary sheet winch 2x Lewmar 48
Genoa sheetwinches 2x Lewmar 52

Halyard winches 1x Lewmar 30 and 3x lewmar 25 on masts

Winchcovers yes

Spi-pole aluminium















































































































