



MALO 106 AK



DE VALK
YACHT BROKERS

MALO 106 AK

BROKER'S COMMENTS

This Malo 106 AK is a tough, strong and powerful sailing yacht, built by the famous Malo Yachts AB from Sweden. The "roots" of this ship are in the offshore yachts. In all respects she is well balanced and predictable, so you will not be faced with any surprises. The Malo 106 AK is easy to handle, both under sail and on the engine and can be visited 7 days a week at our office in Hindeloopen!

Henri van Eelen

SPECIFICATIONS

Dimensions	10.60 x 3.30 x 1.60 (m)	Builder	Malo Yachts AB Schweden
Built	1984	Cabins	2
Material	GRP	Berths	6
Engine(s)	1 x Volvo Penta DS- 40F diesel	Hp/Kw	38.00 (hp), 27.93 (kw)
Asking price	sold (VAT)	Lying	contact Hindeloopen

CONTACT

Sales office	De Valk Hindeloopen B.V.	Telephone	+31 514 52 40 00
Address	Oosterstrand 1 8713 JS Hindeloopen NL	E-mail	hindeloopen@devalk.nl

DISCLAIMER

These particulars are given in good faith as supplied but cannot be guaranteed.



GENERAL

Model	MALO 106 AK
Type	sailing yacht
LOA (m)	10,60
Beam (m)	3,30
Draft (m)	1,60
Air draft (m)	15,80
Headroom (m)	1,95
Year built	1984
Builder	Malo Yachts AB Schweden
Country	Sweden
Designer	Olsoners Batbyggen
Displacement (t)	6,1
Ballast (tonnes)	lead in GRP
CE norm	NA
Hull material	GRP
Hull colour	white
Hull shape	S-bilged
Keel type	fin keel
Superstructure material	GRP
Rubbing strake	stainless steel
Deck material	GRP
Deck finish	teak
Superstructure deck finish	teak
Cockpit deck finish	teak
Window frame	aluminium
Window material	tempered glass
Portholes	aluminium
Radar arch	Scanstrut
Fuel tank (litre)	stainless steel 220L
Level indicator (fuel tank)	yes



Freshwater tank (litre)	stainless steel 220L
Blackwater tank (litre)	stainless steel 80L
Level indicator (blackwater)	yes
Blackwater tank extraction	deck extraction + pump
Wheel steering	cable steering

ACCOMMODATION

Cabins	2
Berths	6
Interior	mahogany
Floor	teak and holly Vloerbedekking
Saloon	yes
Headroom saloon (m)	1,95m
Heating	calorgas ducted hot air Trumatic
Galley	yes
Countertop	wood
Sink	stainless steel
Cooker	yes
Oven	Optimus
Fridge	yes
Water pressure system	electrical
Owners cabin	v-bed
Bed length (m)	2,10m
Wardrobe	hanging
Bathroom	en suite
Toilet	en suite Jabsco
Toilet system	manual
Wash basin	in the bathroom
Guest cabin 1	twin single
Bed length (m)	2,10m
Wardrobe	hanging



MACHINERY

No of engines	1
Make	Volvo Penta
Type	DS- 40F
HP	38
kW	27,93
Fuel	diesel
Year installed	2009
Maximum speed (kn)	7,5
Engine hours	600
Engine cooling system	freshwater heat exchanger
Drive	sail-drive
Engine controls	bowden cable
Gearbox	mechanical
Bowthruster	electric
Exhaust	watercooled
Propeller type	reversible
Propeller blades	3 blads variprop
Propeller shaft material	yes
Shaft lubrication	oilbath
Manual bilge pump	yes
Start battery	60 AH 2017
Generator battery	2x 130 AH 2013
Bowthruster battery	105 AH 2016
Battery monitor	Sterling
Inverter	Sterling Pro 40 Amp
Battery charger/inverter	yes
Diode battery combiners	yes
Shorepower	with cable

NAVIGATION



Compass	Silva
Depth sounder	Raymarine I70
Log	Raymarine I70
Windset	Raymarine I70
VHF	Standard Horizon GX1500E met 2e
Autopilot	Raymarine ACU 200 met EV1
Rudder angle indicator	Raymarine
Radar	Quantum
Radar/GPS/plotter	Raymarine a95
AIS transceiver	Comar CSB 200

EQUIPMENT

Fixed windscreen	5 stuks
Sprayhood	yes
Cockpit cover	yes
Winter cover	yes
Cockpit table	yes
Boarding ladder	stainless steel
Anchor	Bruce
Anchor chain	10mm ISO 20m + 30m
Sea railing	wire
Grab rail (superstructure)	teak
Pushpit	yes
Pulpit	yes
Life raft	container
Radar reflector	Echomax Activ X + optisch
Mooring lines	4x 12m
Radio-cd player	JVC
iPod connection	yes
Fire extinguisher	yes



RIGGING

Rigging	sloop-cutter
Standing rigging	wire
Material mast	aluminium
Mainsail	2020 De Vries 30,4m2
Mainsail cover	Dutchmen system 2020
Jib	27m2
Genoa	2015 De Vries 38m2
Genoa furler	Furlex
Genoa cover	yes
Stormjib	yes
Backstay adjuster	mechanical
Boomvang	tackle
Primary sheet winch	Lewmar
Genoa sheetwinches	Lewmar
Halyard winches	Lewmar ST30
Spinnaker winch	Lewmar ST30
Reefing winch	Barbarossa 6
Spi-pole	aluminium



MALO 106 AK



MALO 106 AK



MALO 106 AK



MALO 106 AK



MALO 106 AK




MALO 106 AK



MALO 106 AK



MALO 106 AK



MALO 106 AK



MALO 106 AK




MALO 106 AK



MALO 106 AK



MALO 106 AK



MALO 106 AK





MALO 106 AK



MALO 106 AK



MALO 106 AK



MALO 106 AK



