



BROKERAGE | CHARTER | BERTHS | FINANCE | INSURANCE | YACHT MANAGEMENT

BROKER'S COMMENTS

The McIntosh 47 by Hansa Yacht und Schiffbau is designed to be a fast sailing cruiser and build for serious off-shore use. She has an abundance of luxurious live-aboard accommodation space in solid teak, advanced utility systems including 4.5 KW generator on main engine, and long-range water and fuel supply. High quality Lewmar and Harken fittings, including self-tacking jib, makes her easy to handle short-handed while hull-shape contributes to both speed and easy motion. Privately owned, in very good condition and continuously upgraded, she is ready to go..

Reinier van der Wolf

SPECIFICATIONS

Dimensions	14.38 x 4.37 x 1.80 (m)	Builder	Hansa Yacht and Schiffbau
Built	1987	Cabins	2
Material	GRP	Berths	6
Engine(s)	1 x Mercedes Nanni Diesel	Hp/Kw	72.00 (hp), 52.92 (kw)
Asking price	sold (VAT)	Lying	at sales office

CONTACT

Sales office	De Valk Monnickendam B.V.	Telephone	+31 (0)299 65 63 50
Address	Hoogedijk 6	E-mail	monnickendam@devalk.nl
	1145 PM Katwoude		
	NL		

DISCLAIMER

These particulars are given in good faith as supplied but cannot be guaranteed.



GENERAL

Model MCINTOSH 47

Type sailing yacht

LOA (m) 14,38

LWL (m) 12,19

Beam (m) 4,37

Draft (m) 1,80

Air draft (m) 21,00

Headroom (m) 2,00

Year built 1987

Builder Hansa Yacht and Schiffbau

Country Taiwan

Designer Tim Kings

Displacement (t) 14

Ballast (tonnes) 6

Hull material GRP

Hull colour white

Hull shaperound-bilgedKeel typefin keelSuperstructure materialGRPDeck materialGRP

Deck finishanti-slip moulded inSuperstructure deck finishanti-slip moulded in

Cockpit deck finish teak

Antifouling (year) June 2015 - two layer

Window frame aluminium
Window material polycarbonate

Deckhatch 2x Lewmar Ocean (replaced)

Portholes aluminium

Fuel tank (litre) stainless steel 950

Level indicator (fuel tank) VDO

Freshwater tank (litre) stainless steel 750

Level indicator (freshwater) VDO

Blackwater tank (litre) 150

Level indicator (blackwater) 1x VDO (meter installed, incl. cabling, sensor still to be installed)

Blackwater tank extraction deck extraction

Wheel steering mechanical Edson (replaced)

More info on hull Replaced most through hull fittings. All fixed windows removed

and re-glued.

Extra info Instruments and cabling for black water tank are all installed.

However, sensor (available) still need to be build-in.

ACCOMMODATION

Cabins2Berths6InteriorteakFloorteakSaloonyes

Headroom saloon (m) 1,90 - / +/-2,00

Heating Wallas SS air heater 4,5kW

Chart table yes
Dinette yes

Galley L-shaped LED-lamps

Countertop plastic

Sinkstainless steel 2xCookercalor gas EnoOvenEno (+ grill)MicrowaveSamsung

Fridge Grunert (compressor renewed)

Freezer compressor has been removed, only cabinet remains.

Hot water system Isoltherm Slim 25L boiler (renewed)

Water pressure system electrical



Manual and/or foot pump Renovated main seawater intake manifold including new valves.

Replaced fresh water pump; Sensor Max 14. Replaced kitchen foot pump; Whale Gusher Galley MKIII (still to be installed).

Owners cabin French bed

Bed length (m) 2,00

Wardrobe hanging and drawers

Bathroom en suite
Toilet Jabsco
Toilet system electric
Wash basin yes
Shower yes
Guest cabin 1 v-bed
Bed length (m) 2,00

Wardrobe hanging and drawers

Bathroomen suiteToiletyesToilet systemelectricWash basinyesShoweryes

Extra info Interior re-varnished throughout with International 2-components.

Fabric wall covering renewed throughout. Cushions and fabrics replaced throughout - Alcantara.. Mattresses in multi layer foam. Flexible gas hoses need renewal. Wallas heater needs routine

servicing.

MACHINERY

No of engines

Make Mercedes Nanni

 HP
 72,00

 kW
 52,92

 Fuel
 diesel

 Year installed
 1987



Year of overhaul Total engine revision 2003; renewed bearings, cylinders, re-

boring, cylinder top overhaul, waterpump with impeller, hoses

and all hose clamps, glow plugs.

Maximum speed (kn) 8

Cruising speed (kn) 7

Range (nm) 6557

Engine cooling system freshwater heat exchanger

Drive shaft

Engine controls bowden cable Morse

Gearbox mechanical

Propeller type folding Maxprop (20" - renewed)

Propeller blades

Propeller shaft material stainless steel (renewed)

Shaft lubrication grease
Manual bilge pump yes

Electric bilge pump Johnson (renewed)

Electrical installation 12V/230V

Batteries 720 Amp.hrs C20 Mastervolt 2V gel cells (2005)

Start battery 44 Amp.hrs Optima 12V AGM 2V gel cels (2005)

Battery monitor Mastervolt with main fuse at battery (2005)

Battery charger/inverter Victron Energy Phoenix Combi 12V/1600W/70 Amps + RM

(2005)

Shorepower with cable

Extra info

Rewired engine and battery system complete. Isolated engine

and service system as independant systems with dual

alternators. Balmar solid state computerised charge regulator. Dynamo: 1x 50A and 1x Balmar 310A on engine. Renewed engine instrument panel; -VDO RPM meter with hour counter, -VDO temperature meter (alarm), -VDO oil pressure meter (alarm), -Vetus ignition key. -Vetus exhaust alarm system (meter/cabling installed, sensor still to be installed. Armatech flexible engine coupling. Renewed water cooled stuffing box. Installed custom made alarm system; -gas, -high water level bilge, -alternator/batteries/voltage, -service battery discharge & voltage, -low fresh water tank level, -high waste tank level, -

Compass Danforth

Depth sounder Stowe Navsounder - in-and outside

Log Stowe (log sensor renewed)

Windset Stowe Navigator 2 - close hauled/VMG, in- and outside, needs

smoke in engine room.

service. Masthead unit needs service.

VHF Hunsun 60 (Atis)

Autopilot Autohelm 6000 (2009) + RM, in- and outside

Rudder angle indicator Via autopilot

Radar Virgil + remote control (needs service)

GPS Garmin handheld

Plotter Shipmate Simrad CP32 colour

Navtex K41 Navtex receiver + tidal calculator

EQUIPMENT

NAVIGATION

Sprayhood with grab railDe Vries (+ old one)Cockpit coverDe Vries (+ old one)

Cockpit table yes
Bathing platform yes

Boarding ladder stainless steel



Deck showeryesAnchoryesAnchor chainyes

Windlass electrical Maxwell Nilsson

Sea railing stainless steel

Railing side opening gates port- and starboard

Pushpit S/S
Pulpit S/S

Life raft valise (or bag) Avon
Last life raft survey 2004 - needs inspection

Radar reflector yes
Fenders yes
Mooring lines yes
Radio-cd player JVC
Speakers in salon JVC

Fire extinguisher must be inspected

Extra info yes

RIGGING

Rigging cutter Top

Standing rigging wire

Material mast aluminium coated

Spreaders 2x

Mainsail cover De Vries (2005)

Battcars Harken, type A-CB (replaced)

Fully battened mainsail 47m2, De Vries Cruising offshore 10 oz Dacron, 3 reefing points,

6 full battens with fittings (2005). Only used for two seasons -

they are as new.

Genoa 130% - 70m2, De Vries Cruising offshore 10 oz Dacron, shape

tape along forstay, UV-protection strips (2005). Only used for two

seasons - they are as new.



Genoa furler Harken MK III Unit 2.5 med StaLok fitting + forstay 1x 19 12 mm

('06-'07)

Cutter furler Harken MK III Unit 2.0 med StaLok fitting + cutter stay 1x 19 10

mm ('06-'07)

Spinnaker approx. 180m2 - little use

Staysail 24m2, De Vries Cruising offshore 9,3 oz Dacron, UV protection

strip, 3 vertical battens (2005). Only used for two seasons - they

are as new.

Self tacking jib installation yes

Reefing System quick-one-line-reefing

Backstay adjuster hydraulic

Boomvang mechanical Easykick 3

Secondary sheet winch2x Lewmar 43STGenoa sheetwinches2x Lewmar 55ST

Halyard winches 1x Enkes ST two speed 1x Enkes 12 2x Lewmar 40ST 1x

Lewmar 16

Multifunctional winches 1x Lewmar 40ST

Spi-pole aluminium

Extra infoLazy Dutchman system, type 60-3. Backstays - removable.

Easykick boomvang renovated; new hydraulic cylinder, blocks

and control line. Stays has to be checked due to age.





















































































































