





BROKERAGE | CHARTER | BERTHS | FINANCE | INSURANCE | YACHT MANAGEMENT

BROKER'S COMMENTS

The Alubat Sonate Ovni 36 from the famous AluBat yard is renown for their solid construction, fully retractable keel and swing-up rudder blade. This boat is one of the best on the market in an excellent condition by her second German owner since 1998. Ready to sail around the world. Please contact De Valk Monnickendam to make an appointment if you would like to see her.

Sander van der Voorn

SPECIFICATIONS

Dimensions	11.55 x 3.75 x 0,55 / 2.05 (m)	Builder	Alubat - Les Sables-Dolonne

Built 1994 Cabins 2

Material Aluminium Berths 7

Engine(s) 1 x Yanmar 4JH2E diesel Hp/Kw 50.00 (hp), 36.75 (kw)

Asking price sold (VAT) Lying at sales office

CONTACT

Sales office	De Valk Monnickendam B.V.	Telephone +31 (0)299 65 63	50
--------------	---------------------------	-----------------------------------	----

Address Hoogedijk 6 E-mail monnickendam@devalk.nl

1145 PM Katwoude

NL

DISCLAIMER

These particulars are given in good faith as supplied but cannot be guaranteed.



GENERAL

Model ALUBAT SONATE OVNI 36

Type sailing yacht

LOA (m) 11,55 LWL (m) 9,00 Beam (m) 3,75 Draft (m) 2,05 Draft min (m) 0,55 Air draft (m) 15,50 Headroom (m) 2,00 Year built 1994

Builder Alubat - Les Sables-Dolonne

Country France

Designer Philipp Briand

Displacement (t) 5,6

Ballast (tonnes) lead in aluminum 2,5

CE norm

Hull material aluminium

Hull colour grey Aluminium

Hull shapehard chineKeel typecentreboardSuperstructure materialaluminiumSuperstructure (mm)Ca. 5 mmDeck plate thickness (mm)Ca 5 mmRubbing strakerubberDeck materialaluminium

Deck finish paint Parts non-skid paint

Superstructure deck finish paint

Cockpit deck finish teak

Antifouling (year) April 2017
Window frame aluminium



Window material polycarbonate

Deckhatch 2

Portholes aluminium 5

Flybridge suncover yes

Radar arch non collapsible

Fuel tank (litre) aluminium 180 litre

Level indicator (fuel tank) yes

Freshwater tank (litre) aluminium 330 litre

Blackwater tank (litre) polyethylene 70 litre

Level indicator (blackwater) yes

Wheel steering rack & pinion Whitlock

Emergency tiller yes

More info on hull perfect suitable for sailing in shallow waters

More info on paintwork deck, hull and underwatership sandblasted and totally repainted

in 2016

ACCOMMODATION

Cabins 2
Berths 7
Interior Elm

Floor teak and holly

Open cockpit yes
Saloon yes
Headroom saloon (m) 2,00 mtr

Heating electric 220V 4 x 300 Ah
Heating 2 stove diesel Newport

Navigation centeryesChart tableyesAft Cabin1

Convertible berth Port side
Opening door to aft deck yes



Galley yes
Countertop plastic

Sinkstainless steel 2Cookercalor gas 3 burner

Oven yes Fridge yes

Hot water system 220V + engine
Water pressure system electrical

Manual and/or foot pump in Galley and Bathroom

Owners cabin double bed

Wardrobe hanging and shelves

Bathroom separate
Toilet shared

Toilet system manual Jabsco
Wash basin at the toilet
Shower shared
Guest cabin 1 double bed
Bed length (m) 2,00 mtr

Wardrobe hanging and shelves

Extra info Safe in aft cabine, 4 x ventilators

Extra info Manual pump in galley can be switched: fresh > outboard water

MACHINERY

No of engines 1

 Make
 Yanmar

 Type
 4JH2E

 HP
 50,00

 kW
 36,75

 Fuel
 diesel

 Year installed
 1994

 Maximum speed (kn)
 6,5



Cruising speed (kn) 6
Consumption (I/hr) 3
Range (nm) 360
Engine hours 9150

Engine cooling system freshwater heat exchanger

Drive shaft
Shaft seal yes

Engine controlsbowden cableGearboxmechanicalExhaustwatercooled

Propeller type fixed
Propeller blades 2

Propeller shaft material stainless steel

Shaft lubricationwaterManual bilge pumpyesElectric bilge pumpyes

Electrical installation 12 V / 220 V

Start battery70 Ah new 5-2017Service battery5 x 70 Ah new 5-2017

Battery monitor Clipper VME1

Battery charger 1 x TBB Trident 40 A 1x Mobytronic 15A

Wind generator Aero 6gen

Solar panel yes
Diode battery combiners yes

Shorepower with cable FI-Installation

Insulation transformer yes

Extra info Spare propeller

Extra info Yearly maintained. History present

NAVIGATION

Compass yes



Depth sounderAuthelm ST50LogAutohelm ST50WindsetClipper (2017)

Repeater Nav VHF yes

Autopilot Raymarine ST70

Radar Furuno

GPS Philips - Dantronic

Plotter Loranz

Weather receiver Radio telex weatherman

Navtex Target Navtex pro+

Electronis chart(s) C-map Northsee + Oostsee (megawide 2017)

Radio receiver UKW Worldreceiver

Navigation lights yes

EQUIPMENT

Sprayhood with grab rail front window can be opened

Cockpit cover yes

Bimini yes

Window cover yes

Cockpit cushions yes

Cockpit table yes

Bathing platform yes

Boarding ladder stainless steel

Deck shower Warm and Cold water

Anchor Buegel

Anchor chain 70 mtr 10 mm

Anchor 2 Bruce

Anchor chain 10 mtr 8 mm + 25 mtr rope
Windlass electrical Loftrans Tiger

Sea railing wire



Railing side opening gates yes

Pushpit Stainless Steel + Seat

Pulpit Stainless Steel

Life raft container

Life raft (pers) 4

Last life raft survey2017DanbuoyyesSafety lines on deckyesRope cutteryes

Radar reflector On the mast

Fenders yes
Mooring lines yes

Spare parts engine, toilet and electrical

TV receiver yes Satellite yes Radio-cd player yes Cockpit speakers yes Speakers in salon yes Clock - barometer yes Fire extinguisher 2 Latest extinguisher survey 2013

Extra info Spare CQR bow anchor

Extra info Spare Patent Alu stern anchor

Extra info Spare 20 + 50 M anchor rope on roll

RIGGING

Rigging cutter With Backstays

Standing rigging wire

Brand mast Isomat

Material mast aluminium

Spreaders 2



Mainsail yes Stoway mast yes Cutterstay yes Jib yes Genoa yes Genoa II yes Genoa furler Profurl **Cutter furler** Profurl Booster yes Stormjib yes Self tacking jib installation yes

Reefing System main in-mast furling Seldén

Backstay adjustermechanicalBoomvanggasspring

Primary sheet winch 2 x Harken ST 48

Secondary sheet winch 1 x Harken ST 16

Halyard winches 1 x Harken 16

Multifunctional winches 2 x Harken ST 32

Spi-pole aluminium 3 x

Isolated backstay yes

























































