



BROKERAGE | CHARTER | BERTHS | FINANCE | INSURANCE | YACHT MANAGEMENT

BROKER'S COMMENTS

Mermaid is a fine example of a great, no nonsense blue water cruiser. The 46 Maramu is truly a classic ready to circumnavigate shorthanded or singlehanded. Safe, strong and easy to maintain. The genoa furler, main sail are electric, sheetwinches oversized and thus easy to handle in all conditions. The interior joinery work is beautiful dark mahogany, mostly solid, with a real teak and holly floor. All the way forward is a V-berth that provides two sea berths with lee boards. The suite aft consists of a characteristic U-shaped berth, excellent storage, and headroom. She is ready for inspection.

Harald Padberg

SPECIFICATIONS

Dimensions	13.80 x 4.00 x 1.90 (m)	Builder	Chantiers Amel
Built	1986	Cabins	2
Material	GRP	Berths	6
Engine(s)	1 x Perkins Sabre 4.154M diesel	Hp/Kw	63.00 (hp), 46.31 (kw)
Asking price	sold (VAT)	Lying	at sales office

CONTACT

	Sales office	De Valk Monnickendam B.V.	Telephone	+31 (0)299 65 63 50
4	Address	Hoogedijk 6	E-mail	monnickendam@devalk.nl
		1145 PM Katwoude		
		NL		

DISCLAIMER

These particulars are given in good faith as supplied but cannot be guaranteed.



GENERAL

Model AMEL MARAMU 46

Type sailing yacht

 LOA (m)
 13,80

 LWL (m)
 10,90

 Beam (m)
 4,00

 Draft (m)
 1,90

 Year built
 1986

Builder Chantiers Amel

Country France

Designer Henry Amel & J. Carteau

Displacement (t) 12,9

Ballast (tonnes) 3,6

CE norm A

Hull material GRP

Hull colour white

Hull shaperound-bilgedKeel typefin keelSuperstructure materialGRP

Rubbing strake Teak + stainless steel

Deck material GRP

Deck finish synthetic teak

Superstructure deck finish non-skid moulded in

Cockpit deck finish synthetic teak

Antifouling (year) 2019

Window frame stainless steel
Window material polycarbonate

Deckhatch 4 X

Fuel tank (litre) stainless steel 485 L

Level indicator (fuel tank) buoyant stick
Freshwater tank (litre) GRP 1.000 L



Blackwater tank (litre) 50 L

Outside helm position cable steering

Emergency tiller yes

More info on hull No expenses are spared. Invoices over 35.000,- EURO

regarding the extensive osmosis treatment 2018 / 2019 are present. In short. The gelcoat has been removed, the hull washed and dried out. Last stage was that the hull is recoated with epoxy. Total amount of time took over 4 months to assure the hull is better than when it left the yard. Photos of the

treatment upon request.

ACCOMMODATION

Cabins 2
Berths 6

InteriormahoganyFloorteak and holly

Headroom saloon (m) 2,00

Heating diesel ducted hot air Eberspächer

Air-conditioning single cycle airco Coolmate 5000 & 10000 BTU

Navigation center yes Chart table yes Aft Cabin yes Dinette yes Convertible berth yes Sliding door to cockpit yes Galley yes Countertop wood

Sink stainless steel

Cooker calor gas EON 3 burner

 Oven
 EON 3

 Fridge
 Bosch 220V

 Freezer
 Waeco 60 L

Hot water system 220V + engine 45 L boiler



Water pressure system electrical
Manual and/or foot pump yes

Owners cabin double bed

Bed length (m) 2,00

Wardrobe hanging and shelves

Bathroom en suite
Toilet en suite

Toilet system manual Jabsco
Wash basin in the bathroom

Shower en suite
Guest cabin 1 v-bed
Bed length (m) 2,00

Wardrobe hanging and shelves

Bathroom en suite
Toilet en suite

Toilet system

Lavac vacuum / elec.

Wash basin

in the bathroom

Shower en suite

Extra info

Both Air-Con systems need service

Extra info

possibility to create 2 extra beds

MACHINERY

No of engines

Make Perkins Sabre

Type 4.154M

HP 63
kW 46,31
Fuel diesel
Year installed 1986
Maximum speed (kn) 8

Cruising speed (kn) 6,5



Engine hours 4250

Engine cooling system freshwater heat exchanger

Drive shaft

Shaft seal Volvo seal

Engine controls bowden cable

Gearbox hydraulic

Bowthruster electric MAX Power VIP150

Propeller type fixed
Propeller blades 3

Propeller shaft material stainless steel

Shaft lubrication water

Manual bilge pump yes

Electric bilge pump PAR 36600

Bilge alarm yes

Generator Mastervolt Whisper 3500

Running hours generator 200

Start battery 2 X 105Ah Xantrax True Charge - 2006

Service battery 8 X 1025Ah AGM - 2008

Bowthruster battery yes
Battery monitor Link 20

Inverter Prosine 1000, 1 Kw output

Wind generator Air Breeze

Solar panel 2 X Sunware 35Wp

Diode battery combiners West Marine 50A / 12V

Shorepower with cable

Extra info Propshaft generator; 20A at 6,5 kts

Extra info Engine service 2018 - max. 6 extra hours after service

NAVIGATION

Compass Plastimo Marco Polo

Depth sounder B&G



Log B&G Windset B&G

VHF Marine Micom M601
Autopilot Neco NM69/2 MK 3
Radar Raython R80 Pathfinder

GPS Furuno GP32
Radar/GPS Garmin 128
Weather receiver Furuno 208 A/N

AIS transponder AIT 250 Class B AIS

Radio receiver Furuno FS1550 SSB 150W + Pactor III modem SCS PTC-IIe

EPIRB GME MT403G

Searchlight yes

Extra info B&G Hornet 4 sailing monitor

EQUIPMENT

Fixed windscreen yes
Fixed hardtop yes

Cockpit cover to use during winter

Cockpit cushionsyesCockpit tableyes

Boarding ladder stainless steel

Gangway yes
Deck shower yes

Anchor Delta 20kg

Anchor chain 62m

Windlass electrical Vetus Tiger

Deck washyesOutboard support2 XDeck cranemanual

Sea railingstainless steelGrab rail (superstructure)stainless steel



Pulpit yes

Life raft (pers) RFD - 6

Last life raft survey Needs survey

Lifejackets yes
Safety lines on deck 2 X

Radar reflector on Main mast + Sea-me electronic on Mizzen mast

TV yes

Radio-cd player yes
DVD player yes

Cockpit speakers 2 X Bose

Clock - barometer yes

Extinguisher in engine room Kidde Fyrewatch autom.

RIGGING

Rigging ketch
Standing rigging wire

Brand mast Nirvana

Material mast aluminium coated

Spreaders 2 X

Mainsail North Sails 27m2 - 2005

Stoway mast Amel electr.

Mizzen Schokker Volendam 14m2 - 2008

Genoa North Sails 55m2 - 2006

Genoa furler Amel electr.

Staysail furler Profurl NDE-42 electr.

Genoa staysail Schokker Volendam 18m2 - 2008

Reefing System main in-mast furling
Secondary sheet winch 4 x Lewmar 30ST

Genoa sheetwinches 2 X Andersen 52ST Manual

Halyard winches 4 X Lewmar 40ST

Spi-pole aluminium 2 X Amel system



Jockey-pole

aluminium 2 X Amel system





























































































































