

BOARNCRUISER 40 CLASSIC LINE

DE VALK
YACHT BROKERS

BOARNCRUISER 40 CLASSIC LINE

BROKER'S COMMENTS

The Boarncruiser 40 Classic Line is a compact steel motor yacht. Very suitable for sailing the European coastal waters or inland waterways. Often bought by ex-sailors. Some highlights: in- and outside steering position, powerful Perkins diesel, bow thruster, Fischer Panda diesel generator, solor panels, double glazing and a central heating system. The spacious salon and aft owners cabin with its private bathroom and toilet + the well equipped kitchen with cozy dinette make a long-term stay on board possible. Her hull is painted in 2018. Located in our sales marina and ready for an inspection.

Harald Padberg

SPECIFICATIONS

Dimensions	12.40 x 4.35 x 1.10 (m)	**Builder**	Jachtwerf De Boarnstream
Built	2004	**Cabins**	2
Material	Steel	**Berths**	5
Engine(s)	1 x Perkins - Sabre M135 diesel	**Hp/Kw**	135.00 (hp), 99.22 (kw)
Asking price	sold (VAT)	**Lying**	at sales office

CONTACT

Sales office	De Valk Monnickendam B.V.	**Telephone**	+31 (0)299 65 63 50
Address	Hoogedijk 6	**E-mail**	monnickendam@devalk.nl
	1145 PM Katwoude		
	NL		

DISCLAIMER

These particulars are given in good faith as supplied but cannot be guaranteed.

BOARNCRUISER 40 CLASSIC LINE

GENERAL

Model	BOARNCRUISER 40 CLASSIC LINE
Type	motor yacht
LOA (m)	12,40
Beam (m)	4,35
Draft (m)	1,10
Air draft (m)	2,75
Air draft min (m)	5,60
Headroom (m)	1,95
Year built	2004
Builder	Jachtwerf De Boarnstream
Country	The Netherlands
Designer	Werner Yacht Design
Displacement (t)	14
CE norm	B
Hull material	steel
Hull colour	blue
Hull shape	multi hard chine
Superstructure material	GRP
Deck material	steel
Deck finish	teak
Superstructure deck finish	paint
Dorades	stainless steel
Window material	double glazing
Portholes	aluminium 12 X
Insulation	rockwool
Mast can be lowered	manual
Fuel tank (litre)	steel 400 L.
Fuel tank 2 (litre)	steel 400 L.
Level indicator (fuel tank)	yes
Freshwater tank (litre)	stainless steel 2 x 300 L.

Level indicator (freshwater)	yes
Greywater tank (litre)	stainless steel 250 L.
Level indicator (greywater)	yes
Inside helm position	hydraulic
Outside helm position	hydraulic
Emergency tiller	yes

ACCOMMODATION

Cabins	2
Berths	5
Interior	cherry
Floor	carpet
Aft deck	yes
Headroom saloon (m)	1.95 m
Heating	central heating
Dinette to convert into berth	2,03 X 1,07
Opening door to cockpit	yes
Galley	yes
Countertop	plastic
Sink	stainless steel
Cooker	calor gas
Microwave/oven combi	yes
Fridge	yes
Hot water system	220V + engine Boiler
Water pressure system	electrical
Owners cabin	twin single
Bed length (m)	2,00 X 1,05
Wardrobe	hanging and shelves
Bathroom	en suite
Toilet	en suite
Toilet system	electric

Wash basin	at the toilet
Shower	en suite
Guest cabin 1	single bed
Bed length (m)	2,00 X 0,80
Wardrobe	hanging and shelves
Bathroom	en suite
Toilet	en suite
Toilet system	electric
Wash basin	at the toilet

MACHINERY

No of engines	1
Make	Perkins - Sabre
Type	M135
HP	135
kW	99,22
Fuel	diesel
Year installed	2004
Maximum speed (kn)	9
Cruising speed (kn)	7
Consumption (l/hr)	4
Engine cooling system	freshwater heat exchanger
Drive	shaft
Engine controls	electrical Morse
Gearbox	hydraulic Hurth
Bowthruster	electric
Propeller blades	4-bladed + spare
Propeller shaft material	stainless steel
Shaft lubrication	water
Electric bilge pump	yes
Generator	silent separator

Batteries	4 x Varta 12V/180 Ah - 2019
Battery monitor	yes
Battery charger/inverter	Victron Energy Multiplus 12/2000/100
Solar panel	2 X Victron Energy Blue Power 80W/12V MonoCrystalline
Shorepower	with cable

NAVIGATION

Depth sounder	in- and outside Raytheon ST60 Tridata
Log	in- and outside Raytheon ST60 Tridata
VHF	Raymarine inside and outside
VHF handheld	Raymarine 101E
Autopilot	Raytheon ST6001AP
Rudder angle indicator	Raytheon ST60
Radar	Raymarine
Radar/GPS/plotter	Raymarine C80 with 2 kW antenna
Navtex	ICS NAV6

EQUIPMENT

Fixed windscreen	Foldable
Sprayhood	yes
Sun awning	yes
Cockpit cushions	yes
Bathing platform	yes
Boarding ladder	stainless steel
Gangway	yes
Deck shower	Warm & Cold water
Anchor	Pool 30 Kg
Anchor chain	50 m
Windlass	electrical
Deck wash	Front and rear
Davits	stainless steel

Davits controls	manual
Sea railing	stainless steel
Grab rail (superstructure)	stainless steel
Railing side opening gates	stainless steel 2 X
Radar reflector	yes
Fenders	8 X
Mooring lines	yes
Spare parts	yes
TV	Akai + electric lift system


DE VALK
YACHT BROKERS


DE VALK
YACHT BROKERS


DE VALK
YACHT BROKERS


DE VALK
YACHT BROKERS