



DE VALK
YACHT BROKERS



SCHIONNING G-FORCE 1500 C CATAMARAN



DE VALK
YACHT BROKERS

SCHIONNING G-FORCE 1500 C CATAMARAN

BROKER'S COMMENTS

She is built under CE and capable to cross every water on the planet. Fast but very easy to handle catamaran. Good upwind performance with dagger-boards. She will be an effortless mile-munching cruiser, easily running 300 mile days in the trade winds. Very comfortable to live on. Spacious kitchen to make a large diner even while sailing. All soles (floors) are fiber-glassed in dividing the areas under the soles into 56 watertight compartments, which makes the yacht very rigid. Can be delivered with VAT invoice and survey report available on request.

Reinier van der Wolf

SPECIFICATIONS

Dimensions	15.45 x 7.90 x 0,80 / 1.75 (m)	Builder	Precat VOF
Built	2018	Cabins	5
Material	Epoxy and foam core	Berths	10
Engine(s)	2 x Yanmar 3YM30AE diesel	Hp/Kw	2 x 29.10 (hp), 21.39 (kw)
Asking price	sold (VAT)	Lying	elsewhere / Not at sales office

CONTACT

Sales office	De Valk Monnickendam B.V.	Telephone	+31 (0)299 65 63 50
Address	Hoogedijk 6 1145 PM Katwoude NL	E-mail	monnickendam@devalk.nl

DISCLAIMER

These particulars are given in good faith as supplied but cannot be guaranteed.



SCHIONNING G-FORCE 1500 C CATAMARAN

GENERAL

Model	SCHIONNING G-FORCE 1500 C CATAMARAN
Type	Catamaran sailing yacht
LOA (m)	15,45
LWL (m)	15,45
Beam (m)	7,90
Draft (m)	1,75
Draft min (m)	0,80
Air draft (m)	23,00
Headroom (m)	2,00
Year built	2018
Builder	Precat VOF
Country	The Netherlands
Designer	Schionning Design Australia
Displacement (t)	8
CE norm	A
Hull material	epoxy and foam core
Hull colour	white
Hull thickness (mm)	20
Hull shape	round-bilged
Keel type	2x dagger-board
Superstructure material	Airex foam/fiberglass/epoxy with vacuum infusion
Superstructure (mm)	20 and 25
Deck plate thickness (mm)	20
Deck material	Airex foam/fiberglass/epoxy with vacuum infusion
Deck finish	non-skid paint
Superstructure deck finish	non-skid paint
Cockpit deck finish	non-skid paint
Antifouling (year)	2018, copper coat
Window frame	Composite
Window material	10mm shaded Perspex bonded with SikaFlex



SCHIONNING G-FORCE 1500 C CATAMARAN

Deckhatch	6x Gebo flush line
Portholes	8x Gebo ecoline opening
Insulation	foam Composite hull, no extra insulation
Mast can be lowered	No, only with crane
Fuel tank (litre)	350
Level indicator (fuel tank)	VDO ultrasone
Freshwater tank (litre)	350
Level indicator (freshwater)	VDO ultrasone
Blackwater tank (litre)	2x 75
Level indicator (blackwater)	yes
Blackwater tank extraction	Deck + pump
Wheel steering	hydraulic
Emergency tiller	2x engine, no tiller
More info on hull	Hull: Corecell/foam/fiberglass/epoxy with vacuum infusion
More info on paintwork	Double coat, De IJssel
Extra info	Bridge deck clearance 0,95
Extra info	Fuel and freshwatertank material Plastic (HDPE)
Extra info	Wheelst.: Vetus HTP4210R, MTC72 cyl., Leather cov.SS wheel 90cm.

ACCOMMODATION

Cabins	5
Berths	10
Floor	carpet Infinity vinyl
Open cockpit	With composite fixed roof
Saloon	3 x 5
Headroom saloon (m)	2
Heating	diesel ducted hot air Dickinson Lofoten heater with heat exchangers
Navigation center	yes
Chart table	At nav. station
Aft Cabin	port and starboard, double berth 1,3 x 2 mtr.



SCHIONNING G-FORCE 1500 C CATAMARAN

Dinette	2x teak folding tables
Opening door to cockpit	Composite / Aluminium sliding door
Galley	yes
Countertop	Composite top
Sink	SS GN Espace Gastronorm sink type 600
Cooker	SS GN Espace Oceanchef XL 5 burners with grill and oven
Oven	SS GN Espace Oceanchef XL5 with grill and oven
Gas alarm	2x with auto shutt-off
Fridge	2x 135 ltr. Liebherr IKP 1650, 220 V.
Freezer	103 ltr. Liebherr GP 1482, 220 V.
Hot water system	60 ltr., 1200 W
Water pressure system	electrical Hot and cold, 12 V.
Coffee maker	yes
Crockery	for 10 persons
Owners cabin	double bed
Bed length (m)	1,6 x 2 SB
Bathroom	
Toilet	
Toilet system	electric 3x Jabsco
Wash basin	
Shower	
Guest cabin 1	double bed Aft cabine port
Bed length (m)	1,3 x 2,00
Wardrobe	shelves
Bathroom	
Toilet	Shared
Toilet system	
Guest cabin 2	double bed Aft cabin SB
Bed length (m)	1,3 x 2,00
Wardrobe	shelves
Wash basin	
Shower	



SCHIONNING G-FORCE 1500 C CATAMARAN

Guest cabin 3	double bed Forward port
Bed length (m)	1,3 x 2,00
Guest cabin 4	Middle port
Bed length (m)	1,6 x 2,00
Extra info	all seacocks composite (TruDesign), All lights led
Extra info	There are 2 bathrooms for guests. In each hull, both with toilet/wash basin and shower. Can be shared by all guests.

MACHINERY

No of engines	2
Make	Yanmar
Type	3YM30AE
HP	29,10
kW	21,39
Fuel	diesel
Year installed	2018
Maximum speed (kn)	10
Cruising speed (kn)	7,00
Consumption (l/hr)	3 ltr/hr
Range (nm)	750
Engine hours	250/240
Drive	sail-drive
Propeller type	folding 2x Flex-O-Fold
Propeller blades	3
Electric bilge pump	6x Johnson UltimaBilge
Bilge alarm	yes
Electrical installation	Victron Lithium battery system with solar panels.
Start battery	2x Dynac 74Ah
Service battery	2x Victron Lithium 12,8V 300Ah, total 600 Ah 12,8V
Battery monitor	Victron Color contr. GX at nav.station + BMV 700 at batt. bank
Battery charger/inverter	Victron Multiplus 12/3000/120



SCHIONNING G-FORCE 1500 C CATAMARAN

Solar panel	8x100Wp panels + Victron Blue Solar MPPT 150/170 controller
Diode battery combiners	2x Victron ST800 DC/DC converter
Watermaker	1x Aqua-Base ES601, 65l/hr, with aut. flush and remote control
Extra info	With all equipm. on no shore power needed
Extra info	Lithium system completely self-supporting
Extra info	Wifi remote to Victron

NAVIGATION

Compass	Plastimo Contest 101 white
Depth sounder/log	Raymarine Tri-Data
Windset	Raymarine transducer in mast
Repeater	2x Raymarine i70 display at helm station
VHF	Standard Horizon GX 2200E (with GPS+AIS) +CMP31B at helm station
VHF handheld	Standard Horizon HX 851 (with GPS + AIS)
Autopilot	Evolution hydraulic autopilot Raymarine Evolution EV-200 Sail with P70 ACU-200EV1 (hydr.)
Rudder angle indicator	On P70 display at helm station
Radar	color Raymarine RD418HD color
GPS	Raymarine RayStar 130 GPS antenna
Plotter	Raymarine E140W with remote at helmstation
Radar/GPS	Overlay on E140W
AIS receiver	Raymarine AIS650 transceiver
Personal MOB transmitter	yes
Navigation lights	all led
Extra info	Complete integrated Raymarine ng system
Extra info	With Radar and AIS overlay on plotter

EQUIPMENT

Bimini	Fixed composite on carbon poles
Cockpit chairs	Seats for 10 persons



SCHIONNING G-FORCE 1500 C CATAMARAN

Anchor	ROCNA 40kg
Anchor chain	12 mm, 50 mtr.
Windlass	Lofrans X3 1700W with remote controle
Dinghy	AB Rib Lamina 9,5AL with bow locker aluminium 2018
Outboard	Yamaha 15HP
Davits	Composite
Sea railing	wire Stanchions Carbon with Dyform wire, supports laminated on deck
Life raft	New 2018
Life raft (pers)	10
Lifejackets	10x automatic lifejackets, new 2018
Fenders	10
Mooring lines	10
Radio-cd player	With speakers in saloon and cockpit
Cockpit speakers	yes
Speakers in salon	yes
Fire extinguisher	6x 2kg foam new 2018
Auto extinguisher system	2x MABO automatic exctinghuiser in each engine room
Extra info	6 smoke/CO detectors, fire blanket

RIGGING

Rigging	fractional All running rigging Dyneema and Brais on Braid
Standing rigging	All stainless steel Dyform, double shrouds and double diamonds
Material mast	aluminium coated RAL 9010
Mainsail	Contender Vectran 75 m2, trimlines adj. from steering position
Battcars	Antal
High aspect	Contender Vectran, 40m2, Profurl furler (2018)
Genoa furler	ProFurl
Primary sheet winch	1x Andersen ST 50 2-speed
Genoa sheetwinches	2x Andersen ST50 2-speed
Halyard winches	1x Andersen 2-speed ST40 (genua), 1x Andersen 2-speed ST50(main)



SCHIONNING G-FORCE 1500 C CATAMARAN

Reefing winch

1x Andersen 2-speed ST50

Multifunctional winches

2x furler, 2x dagger boards, 2x Andersen 2-speed ST46

Extra info

Carbon front and aft beam, all Karver blocks.

Extra info

Compositie boom type Park Avenue with lazy-bag



SCHIONNING G-FORCE 1500 C CATAMARAN



SCHIONNING G-FORCE 1500 C CATAMARAN



SCHIONNING G-FORCE 1500 C CATAMARAN



SCHIONNING G-FORCE 1500 C CATAMARAN



SCHIONNING G-FORCE 1500 C CATAMARAN



SCHIONNING G-FORCE 1500 C CATAMARAN



SCHIONNING G-FORCE 1500 C CATAMARAN



SCHIONNING G-FORCE 1500 C CATAMARAN





SCHIONNING G-FORCE 1500 C CATAMARAN




SCHIONNING G-FORCE 1500 C CATAMARAN



SCHIONNING G-FORCE 1500 C CATAMARAN





SCHIONNING G-FORCE 1500 C CATAMARAN



SCHIONNING G-FORCE 1500 C CATAMARAN





SCHIONNING G-FORCE 1500 C CATAMARAN



SCHIONNING G-FORCE 1500 C CATAMARAN





SCHIONNING G-FORCE 1500 C CATAMARAN




SCHIONNING G-FORCE 1500 C CATAMARAN



SCHIONNING G-FORCE 1500 C CATAMARAN



SCHIONNING G-FORCE 1500 C CATAMARAN



SCHIONNING G-FORCE 1500 C CATAMARAN



SCHIONNING G-FORCE 1500 C CATAMARAN



SCHIONNING G-FORCE 1500 C CATAMARAN

