



BROKER'S COMMENTS

Abim 108 XL built in 2009, a motor yacht in great condition and equipped to make a longer stay on board extremely comfortable. The owner has spared no expense to keep the Abim 108 XL in this condition. You can come and view this motor yacht seven days a week at our covered sales marina in Sneek.

Henk de Vries

SPECIFICATIONS

Dimensions	11.00 x 3.90 x 1.00 (m)	Builder	Abim Ossenzijl
Built	2009	Cabins	2
Material	Steel	Berths	4
Engine(s)	1 x Volvo Penta D3 diesel	Hp/Kw	110.00 (hp), 80.96 (kw)
Asking price	sold (VAT)	Lying	at sales office

CONTACT

Sales office	De Valk Sneek	Telephone	+31 (0)515 42 80 30
Address	Zwolsmanweg 7	E-mail	sneek@devalk.nl
	8606 KC Sneek		
	NL		

DISCLAIMER

These particulars are given in good faith as supplied but cannot be guaranteed.

GENERAL

Typemotor yachtLOA (m)1,00LWL (m)9,90Beam (m)3,90Draft (m)1,00Air draft (m)3,75Air draft min (m)2,45Headroom (m)2,00Year built2009Launched2009BuilderAbin OssenzijiCountryPeter OordDisplacement (t)11CF normCHull materialsteelHull schapeMulti mondust beige Superstructure: Oyster WhiteHull schapeMulti mondust beige Superstructure: Oyster WhiteSuperstructure materialsteelSuperstructure materialSteelSuperstructure (mm)4Aubing strakefender ropeDeck naterialsteelSuperstructure (mm)steelDeck naterialsteelDubing strakefender ropeDeck finishnon-skid paintSuperstructure deck finishpaintAuthouling (year)paintDoradespaintSuperstructure deck finishpaintSuperstructure deck finishpaint<	Model	ABIM CLASSIC 108 XL
LWL (m)9,90Beam (m)3,90Draft (m)1.00Air draft (m)3,75Air draft (m)2,45Headroom (m)2009Year built2009Launched2009BuilderAbin OssenzijlCountryThe NetherlandsDesignerPeter OordDisplacement (t)11CE normCHull naterlalsteelHull shapemulti hard chineSuperstructure materlalsteelSuperstructure (mm)4Deck plate thickness (mm)4Deck plate thickness (mm)steelDuest strikesteelSuperstructure (mm)steelDeck plate thickness (mm)steelDeck materialsteelDeck materialsteelDeck finishnon-skid paintSuperstructure deck finishpaintAutfoling (year)paintDeck finishpaintAutfoling (year)paintDeck finishpaintDeck finishpaint <td>Туре</td> <td>motor yacht</td>	Туре	motor yacht
Beam (m)3,90Draft (m)1,00Air draft (m)3,75Air draft mn (m)2,45Headroom (m)2009Year built2009Launched2009BuilderAbim OssenzijlCountryThe NetherlandsDesignerPeter OordDisplacement (t)11CE normCHull materialsteelHull shapemulti hard chineSuperstructure materialsteelSuperstructure (mm)4Deck plate thickness (mm)4Deck plate thickness (mm)4Deck plate thickness (mm)atelDusting strakefinder ropeDeck finishnon-skid paintSuperstructure deck finishpaintAutifoling (year)paintDeck plate finishpaint	LOA (m)	11,00
Draft (m)1,00Air draft (m)3,75Air draft (m)2,45Headroom (m)2,00Year built2009Launched2009BuilderAbim OssenzijlCountryThe NetherlandsDesignerPeter OordDisplacement (t)11CE normCHull materialsteelHull colourHull: moondust beige Superstructure: Oyster WhiteHull shapemulti hard chineSuperstructure materialsteelSuperstructure (mm)4Deck plate thickness (mm)4Rubbing strakefender ropeDeck materialsteelDeck finishnon-skid paintSuperstructure deck finishpaintAttifouling (year)paintAttifouling (year)paintAttifouling (year)paint	LWL (m)	9,90
Air draft (m)3,75Air draft min (m)2,45Headroom (m)2,00Year built2009Launched2009BuilderAbim OssenzijlCountryThe NetherlandsDesignerPeter OordDisplacement (t)11CE normCHull materialsteelHull shapemulti hard chineSuperstructure materialsteelSuperstructure materialsteelSuperstructure (mm)4Deck plate thickness (mm)4Rubbing strakefender ropeDeck finishnon-skid paintSuperstructure deck finishpaintArtifouling (year)paintAntifouling (year)paintDeck finishpaintAntifouling (year)paintDeck materialpaintSuperstructure finishpaintSuperstructure finishpaintSuperstructure finishpaintSuperstructure finishpaintSuperstructure finishpaintSuperstructure finishpaintCockpit deck finishpaintCockpi	Beam (m)	3,90
Air draft min (m)2,45Headroom (m)2,00Year built2009Launched2009BuilderAbim OssenzijlCountryThe NetherlandsDesignerPeter OordDisplacement (t)11CE normCHull materialsteelHull thickness (mm)4Hull shapemulti hard chineSuperstructure materialsteelSuperstructure (mm)4Deck plate thickness (mm)4Rubbing strakefender ropeDeck finishnon-skid paintSuperstructure deck finishpaintAutifouling (year)2023	Draft (m)	1,00
Headroom (m)2,00Year built2009Launched2009BuilderAbim OssenzijlCountryThe NetherlandsDesignerPeter OordDisplacement (t)11CE normCHull materialsteelHull shapemulti hard chineSuperstructure materialsteelSuperstructure (mm)4Deck plate thickness (mm)4Deck plate thickness (mm)4Bubling strakesteelDuek plate thickness (mm)4Superstructure (mm)steelDeck plate thickness (mm)steelDeck materialsteelDeck finishnon-skid paintSuperstructure deck finishpaintAutifouling (year)paintDeck finishpaintAutonpaintDeck finishpaintAutonpaintDeck finishpaintAutonpaintDeck finishpaintAutonpaintDeck finishpaintAutonpaintDeck finishpaintAutonpaintDeck finishpaintAutonpaintDeck finishpaintAutonpaintDeck finishpaintAutonpaintDeck finishpaintDeck finishpaintDeck finishpaintDeck finishpaintDeck finishpaintDeck finishpaint </td <td>Air draft (m)</td> <td>3,75</td>	Air draft (m)	3,75
Year built2009Launched2009BuilderAbim OssenzijlCountryThe NetherlandsDesignerPeter OordDisplacement (t)11CE normCHull materialsteelHull colourHull: moondust beige Superstructure: Oyster WhiteHull shapemulti hard chineSuperstructure materialsteelSuperstructure (mm)4Deck plate thickness (mm)4Bubbing strakefender ropeDeck materialsteelSuperstructure (mm)atelDeck finishnon-skid paintSuperstructure deck finishpaintAuttfouling (year)paintAuttfouling (year)paint	Air draft min (m)	2,45
Launched2009BuilderAbim OssenzijlCountryThe NetherlandsDesignerPeter OordDisplacement (t)11CE normCHull materialsteelHull colourHull: moondust beige Superstructure: Oyster WhiteHull shapemulti hard chineSuperstructure materialsteelSuperstructure (mm)4Deck plate thickness (mm)4Peter opesteelSuperstructure (mm)4Deck plate thickness (mm)steelDeck finishnon-skid paintSuperstructure deck finishpaintAntifouling (year)2023Deck finishpaint	Headroom (m)	2,00
BuilderAbim OssenzijlBuilderAbim OssenzijlCountryThe NetherlandsDesignerPeter OordDisplacement (t)11CE normCHull materialsteelHull colourHull: moondust beige Superstructure: Oyster WhiteHull thickness (mm)4Hull shapemulti hard chineSuperstructure materialsteelSuperstructure (mm)4Deck plate thickness (mm)4Rubbing strakefender ropeDeck finishnon-skid paintSuperstructure deck finishpaintSuperstructure deck finishpaintDeck plate thinshpaintSuperstructure deck finishpaintSuperstructure deck finishpaintBuilt deck finishpaintSuperstructure deck finishpaintSuperstruct	Year built	2009
CountryThe NetherlandsDesignerPeter OordDisplacement (t)11CE normCHull materialsteelHull colourHull: moondust beige Superstructure: Oyster WhiteHull thickness (mm)4Hull shapemulti hard chineSuperstructure materialsteelSuperstructure (mm)4Deck plate thickness (mm)4Rubbing strakefender ropeDeck finishsteelSuperstructure deck finishpaintSuperstructure deck finishpaintCockpit deck finishpaintParaciaepaintParaciaepaint	Launched	2009
DesignerPeter OordDisplacement (t)11CE normCHull materialsteelHull colourHull: moondust beige Superstructure: Oyster WhiteHull thickness (mm)4Hull shapemulti hard chineSuperstructure materialsteelSuperstructure (mm)4Deck plate thickness (mm)4Publing strakefender ropeDeck finishnon-skid paintSuperstructure deck finishpaintCockpit deck finishpaintPubling (year)2023	Builder	Abim Ossenzijl
Displacement (t)11Displacement (t)11CE normCHull materialsteelHull colour4Hull thickness (mm)4Hull shapemulti hard chineSuperstructure materialsteelSuperstructure (mm)4Deck plate thickness (mm)4Rubbing strakefender ropeDeck finishnon-skid paintSuperstructure deck finishpaintCockpit deck finishpaintCockpit deck finishpaintConstructure (main constructure)paintDeck finishpaintConstructure deck finishpaintConstructure deck finishpaintConstructure (main constructure)paintConstructure deck finishpaintConstructure deck finishpaintConstructur	Country	The Netherlands
CE normCHull materialsteelHull colourHull: moondust beige Superstructure: Oyster WhiteHull thickness (mm)4Hull shapemulti hard chineSuperstructure materialsteelSuperstructure (mm)4Deck plate thickness (mm)4Bubbing strakefender ropeDeck materialsteelDeck finishnon-skid paintSuperstructure deck finishpaintCockpit deck finishpaintPauriepaintSuperstructure finishpaintSuperstructure deck finishpaint<	Designer	Peter Oord
Hull materialsteelHull colourHull: moondust beige Superstructure: Oyster WhiteHull thickness (mm)4Hull shapemulti hard chineSuperstructure materialsteelSuperstructure (mm)4Deck plate thickness (mm)4Bubbing strakefender ropeDeck finishnon-skid paintSuperstructure deck finishpaintCockpit deck finishpaintAntifouling (year)2023	Displacement (t)	11
Hull colourHull: moondust beige Superstructure: Oyster WhiteHull thickness (mm)4Hull shapemulti hard chineSuperstructure materialsteelSuperstructure (mm)4Deck plate thickness (mm)4Rubbing strakefender ropeDeck finishsteelSuperstructure deck finishpaintCockpit deck finishpaintAntifouling (year)2023	CE norm	С
Hull thickness (mm)4Hull shapemulti hard chineSuperstructure materialsteelSuperstructure (mm)4Deck plate thickness (mm)4Rubbing strakefender ropeDeck materialsteelDeck finishnon-skid paintSuperstructure deck finishpaintCockpit deck finishpaintAntifouling (year)2023	Hull material	steel
Hull shapemulti hard chineSuperstructure materialsteelSuperstructure (mm)4Deck plate thickness (mm)4Rubbing strakefender ropeDeck materialsteelDeck finishnon-skid paintSuperstructure deck finishpaintCockpit deck finishpaintAntifouling (year)2023	Hull colour	Hull: moondust beige Superstructure: Oyster White
Superstructure materialsteelSuperstructure (mm)4Deck plate thickness (mm)4Rubbing strakefender ropeDeck materialsteelDeck finishnon-skid paintSuperstructure deck finishpaintCockpit deck finish2023	Hull thickness (mm)	4
Superstructure (mm)4Deck plate thickness (mm)4Rubbing strakefender ropeDeck materialsteelDeck finishnon-skid paintSuperstructure deck finishpaintCockpit deck finishpaintAntifouling (year)2023	Hull shape	multi hard chine
Deck plate thickness (mm)4Rubbing strakefender ropeDeck materialsteelDeck finishnon-skid paintSuperstructure deck finishpaintCockpit deck finishpaintAntifouling (year)2023	Superstructure material	steel
Rubbing strakefender ropeDeck materialsteelDeck finishnon-skid paintSuperstructure deck finishpaintCockpit deck finishpaintAntifouling (year)2023	Superstructure (mm)	4
Deck materialsteelDeck finishnon-skid paintSuperstructure deck finishpaintCockpit deck finishpaintAntifouling (year)2023	Deck plate thickness (mm)	4
Deck finishnon-skid paintSuperstructure deck finishpaintCockpit deck finishpaintAntifouling (year)2023	Rubbing strake	fender rope
Superstructure deck finishpaintCockpit deck finishpaintAntifouling (year)2023	Deck material	steel
Cockpit deck finish paint Antifouling (year) 2023	Deck finish	non-skid paint
Antifouling (year) 2023	Superstructure deck finish	paint
	Cockpit deck finish	paint
Dorades yes	Antifouling (year)	2023
	Dorades	yes

Window frame	aluminium
Window material	tempered glass
Deckhatch	yes
Portholes	yes
Insulation	foam 30mm PU
Mast can be lowered	electric
Fuel tank (litre)	steel 450
Level indicator (fuel tank)	VDO
Freshwater tank (litre)	stainless steel 400
Level indicator (freshwater)	VDO
Blackwater tank (litre)	stainless steel 175
Level indicator (blackwater)	VDO
Blackwater tank extraction	deck extraction + pump
Wheel steering	hydraulic
Outside helm position	hydraulic
More info on paintwork	Hull and superstructure painted: 2019 AWL Grip.

ACCOMMODATION

Cabins	2
Berths	4
Interior	cherry
Floor	teak and holly
Aft deck	yes
Saloon	yes
Headroom saloon (m)	1,92
Heating	diesel ducted hot air Eberspacher Airtronic & Outside helm position is heated
Aft Cabin	yes
Dinette to convert into berth	yes
Opening door to aft deck	yes
Galley	yes



Countertop	plastic
Sink	stainless steel
Cooker	calor gas 4-pits Gimeg
Extractor	yes
Microwave/oven combi	Daewoo Combi Power
Fridge	Waeco MDC-90(Itr)
Freezer	In the fridge
Hot water system	220V + engine Isotherm boiler 50 ltr.
Water pressure system	electrical Hydrofoor (2023)
Owners cabin	French bed
Bed length (m)	2,0 x 1,60
Wardrobe	hanging/drawers/shelves
Bathroom	shared
Toilet	shared
Toilet system	electric
Wash basin	at the toilet
Shower	shared
Guest cabin 1	v-bed
Bed length (m)	2,0 x 80 (2 x)
Wardrobe	drawers
Bathroom	shared
Toilet	shared
Wash basin	at the toilet
Shower	shared
Washing machine/dryer combi	Indesit

MACHINERY

No of engines	1
Make	Volvo Penta
Туре	D3
HP	110

kW	80.96
Fuel	diesel
Year installed	2009
Maximum speed (kn)	7
Cruising speed (kn)	6
Consumption (I/hr)	3,5
Engine hours	3.325
Engine cooling system	freshwater heat exchanger
Drive	shaft
Shaft seal	Volvo Seal
Engine controls	bowden cable
Gearbox	hydraulic ZF Hurth
Bowthruster	electric Vetus 75 Kgf
Sternthruster	electric Vetus 75 Kgf
Exhaust	watercooled
Propeller type	fixed
Propeller blades	4 / 520mm
Propeller shaft material	stainless steel 35 mm
Shaft lubrication	water
Manual bilge pump	yes
Electric bilge pump	2 x
Electrical installation	12 V / 230 V
Batteries	7 x
Start battery	1x RedTop Optima (2021)
Service battery	4 x 185 Amp (2020)
Bowthruster battery	1x RedTop Optima (2021)
Sternthruster battery	1x RedTop Optima (2021)
Battery monitor	Victron Multicontrol
Battery charger/inverter	Victron Phoenix Multi plus 12/3000/120
Diode battery combiners	Victron VDI.16
Shorepower	with cable
Insulation transformer	Victron Agrofet

NAVIGATION

Electric compass	Simrad CX33
Depth sounder/log	Volvo EVC & Simrad XC33
VHF	Icom-M50 + HM-162E
Rudder angle indicator	Volvo Penta
Plotter/GPS	Simrad CX33
Navigation lights	yes

EQUIPMENT

Fixed windscreen	yes
Sprayhood	yes
Dodger	yes
Bimini	yes
Cockpit cushions	yes
Bathing platform	yes
Boarding ladder	stainless steel
Transom door	yes
Anchor	Pool Stainless steel
Anchor chain	yes
Windlass	manual Lofrans RY 007608
Sea railing	yes
Grab rail (superstructure)	stainless steel
Railing side opening gates	With boarding lader
Wiper	3 x
Horn	electric
Fenders	8 x (2019)
Mooring lines	6 x
TV	LG Flatscreen
TV receiver	Digitenne ZXV7200
Radio-cd player	Pioneer
Cockpit speakers	yes

Speakers in salon	yes
Clock - barometer	Vetus
Fire extinguisher	2 x





















































































