



BROKERAGE | CHARTER | BERTHS | FINANCE | INSURANCE | YACHT MANAGEMENT

BROKER'S COMMENTS

This Dutch built steel motoryacht Doggersbank 13.00 is seagoing, but also very suitable for the European inland waterways. She is very strong built with a round bilged hull. Despite her age, she looks very good because of the maintenance she has had over the years. She looks sturdy with charming lines. This Doggersbank is equipped with a 6 cylinder Ford 125 hp. diesel engine, hydraulic bowthruster, diesel generator, heating and a comfortable and cosy interior. This sturdy motor yacht is definitely worth a visit!

Pieter Bosma

SPECIFICATIONS

Dimensions	12.95 x 3.85 x 1.25 (m)	Builder	van der Werf en Visser
Built	1984	Cabins	2
Material	Steel	Berths	6
Engine(s)	1 x Ford 2725E diesel	Hp/Kw	125.00 (hp), 91.88 (kw)
Asking price	sold (VAT)	Lying	at sales office

CONTACT

Sales office	De Valk Sneek	Telephone	+31 (0)515 42 80 30
Address	Zwolsmanweg 7	E-mail	sneek@devalk.nl
	8606 KC Sneek		
	NL		

DISCLAIMER

These particulars are given in good faith as supplied but cannot be guaranteed.



GENERAL

Model DOGGERSBANK 1300

Type motor yacht

 LOA (m)
 12,95

 Beam (m)
 3,85

 Draft (m)
 1,25

 Air draft (m)
 2,95

 Headroom (m)
 1,95

 Year built
 1984

Builder Van der Werf en Visser

Country The Netherlands

Designer Dick Boon Vripack

Displacement (t) 18
CE norm NA
Hull material steel
Hull colour blue
Hull thickness (mm) 5

Hull shaperound-bilgedKeel typelong keelSuperstructure materialsteelSuperstructure (mm)4

Rubbing strake stainless steel

Deck materialsteelDeck finishteakSuperstructure deck finishpaintDoradesyes

Window frame aluminium

Window material tempered glass

DeckhatchyesPortholesbrassInsulationairfoil



hydraulic

Mast can be lowered

Fuel tank (litre) steel Level indicator (fuel tank) yes

Freshwater tank (litre) stainless steel

Level indicator (freshwater) yes

Blackwater tank (litre) stainless steel

Level indicator (blackwater) yes

Wheel steering hydraulic Inside helm position yes Outside helm position

Extra info airdrift with standing windows

ACCOMMODATION

Cabins 2 **Berths** 6 Interior teak

Floor teak and holly

Aft deck yes Saloon yes Headroom saloon (m) 1.95 m.

Heating diesel ducted hot air Eberspacher

Aft Cabin yes **Dinette** yes Opening door to aft deck yes Galley yes Countertop corian Sink yes

Cooker calor gas Zanussi 4-burner

Extractor yes

Microwave/oven combi Moulinex Optimo Fridge Coolmatic 110 I.



Hot water system 220V + engine Boiler

Water pressure system electrical

Owners cabin double bed

Bed length (m) 2.00 m.

Wardrobe hanging and drawers

BathroomseparateToiletsharedToilet systemelectric

Wash basin in the bathroom

Guest cabin 1 bunk bed 4 beds

Bed length (m) 2.00 m.

Wardrobe hanging and shelves

MACHINERY

No of engines

 Make
 Ford

 Type
 2725E

 HP
 125

 kW
 91,88

 Fuel
 diesel

 Year installed
 1984

 Engine hours
 2339

Engine cooling system freshwater heat exchanger

Drive shaft

Engine controls bowden cable

Gearbox hydraulic Velvet 2,57:1

Bowthruster hydraulic
Exhaust watercooled

Propeller typefixedPropeller blades4-bladedPropeller shaft materialsteel



Shaft lubrication oilbath Electric bilge pump yes

Electrical installation 24V/220V

Generator wet exhaust PKF Marine 2 cyl. diesel 10 KW.

Batteries yes

Start battery 2x 165 aH. Service battery 2x 220 aH. Generator battery 1x 65 aH. **Battery monitor** Mastervolt

Battery charger Victron Centaur 24/40

Shorepower with cable

NAVIGATION

Electric compass Neco Depth sounder/log B&G Windset Target VHF yes Autopilot Neco Rudder angle indicator Neco

EQUIPMENT

Anchor

Fixed windscreen yes Bathing platform yes

Boarding ladder stainless steel

Bruce Anchor chain yes Windlass electrical Deck wash Rheinstrom Davits stainless steel Sea railing stainless steel Grab rail (superstructure) stainless steel



Railing side opening gates

Wiper

2x

Clearview window

yes

Horn air pressure

Fenders yes
Mooring lines yes
TV Salano

Radio-cd player Grundig Radio Casette player

Speakers in salon yes
Fire extinguisher yes



























































































