



GILLISSEN STEENVLET 1200

# GILLISSEN STEVENVLET 1200

## BROKER'S COMMENTS

This well maintained Gillissen Steenvlet is surprisingly spacious with a large forward cabin and aft guest cabin with two single berths. Her classic design is typical for the famous Dutch designer Th. Gillissen. The cockpit has a teak deck and a convenient second steering position. The interior has a warm atmosphere. Her shallow draft and low bridge clearance makes the Gillissen Steenvlet perfect for a trip through the European waters. Her Bow and stern thruster make her easy maneuverable. The engine has a closed cooling system.

*Pieter Bosma*

## SPECIFICATIONS

<b>Dimensions</b>	12.00 x 3.80 x 1.00 (m)	<b>Builder</b>	Jachtbouw Zevenhuizen - Franeker
<b>Built</b>	1993	<b>Cabins</b>	2
<b>Material</b>	Steel	<b>Berths</b>	6
<b>Engine(s)</b>	1 x Ford 2725 E diesel	<b>Hp/Kw</b>	143.00 (hp), 105.25 (kw)
<b>Asking price</b>	sold (VAT )	<b>Lying</b>	at sales office

## CONTACT

<b>Sales office</b>	De Valk Sneek	<b>Telephone</b>	+31 (0)515 42 80 30
<b>Address</b>	Zwolsmanweg 7 8606 KC Sneek NL	<b>E-mail</b>	sneek@devalk.nl

## DISCLAIMER

These particulars are given in good faith as supplied but cannot be guaranteed.



# GILLISSEN STEVENVLET 1200

## GENERAL

Model	GILLISSEN STEVENVLET 1200
Type	motor yacht
LOA (m)	12,00
Beam (m)	3,80
Draft (m)	1,00
Air draft (m)	4,65
Air draft min (m)	2,50
Headroom (m)	1,92
Year built	1993
Builder	Jachtbouw Zevenhuizen - Franeker
Country	The Netherlands
Designer	Th. Gillissen
Displacement (t)	14
CE norm	NA
Hull material	steel
Hull colour	blue
Hull thickness (mm)	5
Hull shape	round-bilged
Keel type	box keel
Bilge keels	yes
Superstructure material	steel
Superstructure (mm)	4
Deck plate thickness (mm)	4
Rubbing strake	rubber
Deck material	steel
Deck finish	teak
Superstructure deck finish	paint
Cockpit deck finish	teak
Window frame	aluminium
Window material	glass Gebo tinted in salon



# GILLISSEN STEVENVLET 1200

Deckhatch	yes
Portholes	aluminium With screens
Insulation	foam
Mast can be lowered	manual
Fuel tank (litre)	stainless steel 350
Fuel tank 2 (litre)	stainless steel 350
Level indicator (fuel tank)	Gauge Sight
Freshwater tank (litre)	polyethylene 600 (2x 300)
Level indicator (freshwater)	Gauge Sight
Blackwater tank (litre)	steel 200
Blackwater tank extraction	deck extraction + pump
Wheel steering	hydraulic
Inside helm position	yes
Outside helm position	hydraulic
Extra info	yes
Extra info	registered in the Dutch registry

## ACCOMMODATION

Cabins	2
Berths	6
Interior	teak
Floor	teak and holly
Open cockpit	with large storage lockers and floor hatch
Pilot house/deck saloon	yes
Headroom saloon (m)	in the hatch 2.03 1,92 m
Sliding roof	manual
Heating	diesel ducted hot air Eberspracher
Heating 2	yes
Chart table	yes
Aft Cabin	yes
Convertible berth	yes



# GILLISSEN STEVENVLET 1200

Sliding door to cockpit	Teak
Galley	yes
Countertop	wood
Sink	stainless steel
Cooker	calor gas Gimeg 4 burner
Gas alarm	yes
Fridge	with freezing compartment Isotherm FL115EL
Freezer	yes
Hot water system	220V + engine Vetus Boiler 55 liter
Water pressure system	electrical
Crockery	yes
Owners cabin	v-bed With filling piece
Bed length (m)	2.07 lang x 2.57 breed
Wardrobe	hanging/drawers/shelves
Bathroom	separate
Toilet	separate
Toilet system	manual Jabsco
Wash basin	at the toilet
Shower	separate Room with washbasin
Guest cabin 1	twin single Aftcabin
Bed length (m)	1x 1.87 x 0.73 1x 2.07 x .075
Wardrobe	hanging/drawers/shelves
Guest cabin 2	double bed In salon

## MACHINERY

No of engines	1
Make	Ford
Type	2725 E
HP	143
kW	105.25
Fuel	diesel



# GILLISSEN STEVENVLET 1200

Year installed	1993
Maximum speed (kn)	8
Cruising speed (kn)	5,5
Consumption (l/hr)	2,6
Engine hours	4401
Engine cooling system	closed keelcooling
Drive	shaft
Shaft seal	yes
Engine controls	bowden cable Morse
Gearbox	hydraulic Newage PRM
Bowthruster	electric Maxpower
Sternthruster	Maxpower
Exhaust	dry
Thrust bearing	yes
Propeller type	fixed
Propeller shaft material	stainless steel
Shaft lubrication	grease
Manual bilge pump	One fixed and two portable
Electric bilge pump	2x
Electrical installation	12/24/220V
Batteries	yes
Start battery	1x Wilco 230 Ah
Service battery	3x Victron AGM 200 Ah
Bowthruster battery	2x optima Redtop
Battery monitor	Victron BMV 702
Battery charger	Victron Blue Smart 12-7 + 12V 8a separate for bow thruster batteries
Battery charger/inverter	Victron Multiplus Compact 12/1600/70
Solar panel	With Sunware Fox 250 regulator
Diode battery combiners	yes
Shorepower	with cable
Extra info	above the propeller an inspection port (weed hatch)



## NAVIGATION

Electric compass	Autohelm
Depth sounder	VDO
VHF	Standard Horizon Explorer
Rudder angle indicator	yes
Navigation lights	yes

## EQUIPMENT

Cockpit cover	Sunbrella
Window cover	retractable cellular shades
Cockpit cushions	yes
Bathing platform	Stainless Steel and teak
Boarding ladder	stainless steel
Anchor	Bruce
Anchor chain	yes
Windlass	manual Lofrans
Sea railing	stainless steel
Grab rail (superstructure)	teak
Railing side opening gates	4x
Lifejackets	yes
Lifebuoy	yes
Wiper	yes
Horn	air pressure
Fenders	yes
Mooring lines	yes
Speakers in salon	yes
Clock - barometer	yes
Fire extinguisher	yes
Auto extinguisher system	yes
Extra info	USB ports throughout



# GILLISSEN STEVENVLET 1200





# GILLISSEN STEVENVLET 1200



# GILLISSEN STEVENVLET 1200






# GILLISSEN STEVENVLET 1200



# GILLISSEN STEVENVLET 1200





# GILLISSEN STEVENVLET 1200




# GILLISSEN STEVENVLET 1200






# GILLISSEN STEVENVLET 1200




# GILLISSEN STEVENVLET 1200





# GILLISSEN STEVENVLET 1200



# GILLISSEN STEVENVLET 1200





# GILLISSEN STEVENVLET 1200




# GILLISSEN STEVENVLET 1200






# GILLISSEN STEVENVLET 1200




# GILLISSEN STEVENVLET 1200





# GILLISSEN STEVENVLET 1200



## GILLISSEN STEVENVLET 1200

