





BROKERAGE | CHARTER | BERTHS | FINANCE | INSURANCE | YACHT MANAGEMENT

BROKER'S COMMENTS

Beautifull built and well maintained Billhammer 12,50, designed by Pieter Beeldsnijder and built in 2000 at shipyard Vroegh & Alblas BV. On board you will find a teak finished interior, 1 mastercabin with large v-bed and 1 guest cabin with double bed. The Bilhammer 12.50 has an open cockpit finished with teak deck. The equipment shows: Kabola central heating, doubleglazing, teak deck in the cockpit and an electric bowthruster. Second steering position by remote control.

Peter van Diggele

SPECIFICATIONS

Dimensions	12.33 x 4.12 x 1.00 (m)	Builder	VROEGH & ALBLAS
Built	2000	Cabins	2
Material	Steel	Berths	4
Engine(s)	1 x IVECO AIFO 8065 M 12.01 diesel	Hp/Kw	116.00 (hp), 85.00 (kw)
Asking price	sold (VAT)	Lying	at sales office

CONTACT

Sales office	De Valk Loosdrecht B.V.	Telephone	+31 (0)35 582 90 30
Address	't Breukeleveense Meentje 6	E-mail	loosdrecht@devalk.nl
	1231LM Loosdrecht / Wijdemeren		
	NL		

DISCLAIMER

These particulars are given in good faith as supplied but cannot be guaranteed.



GENERAL

Model BILHAMMER 1250

Type motor yacht

 LOA (m)
 12,33

 LWL (m)
 11,95

 Beam (m)
 4,12

 Draft (m)
 1,00

 Air draft (m)
 2,50

 Headroom (m)
 1,98

 Year built
 2000

Builder VROEGH & ALBLAS

CountryThe NetherlandsDesignerPieter Beeldsnijder

Displacement (t) 15
CE norm B
Hull material steel
Hull colour blue
Hull thickness (mm) 6 mm

Hull shape multi hard chine

Superstructure material steel

Rubbing strake fender rope

Deck material steel

Deck finish non-skid paint

Cockpit deck finish teak

Dorades Stainless steel
Window frame aluminium

Window material double glazing Gebo

Deckhatch Aluminium

Portholes yes
Mast can be lowered manual
Fuel tank (litre) 800



Level indicator (fuel tank) yes

Freshwater tank (litre) stainless steel 600

Level indicator (freshwater) yes

Blackwater tank (litre) stainless steel 200
Wheel steering hydraulic Sleipner

Inside helm position yes

Outside helm position with remote control

Extra info 3x opening windows in the front

ACCOMMODATION

Cabins 2
Berths 4
Interior teak

Floor teak and holly

Open cockpit yes
Saloon yes
Headroom saloon (m) 1,98

Heating central heating Kabola B 12

Opening door to cockpit 2x wooden doors

Galley yes
Countertop yes

Sink stainless steel

Cooker ceramic Wallas Marine ceramic 100, 2 burners

Oven Wallas Marine oven 150

Fridge Isotherm 111L

Hot water system 220V or central heating

Water pressure system electrical

Owners cabin v-bed

Bed length (m) 2,00

Wardrobe hanging/drawers/shelves

Bathroom shared



Toilet system shared electric

Wash basin in the bathroom
Shower shared Grohe
Guest cabin 1 double bed

Bed length (m) 2,00

Wardrobe hanging and shelves

MACHINERY

No of engines

 Make
 IVECO AIFO

 Type
 8065 M 12.01

 HP
 116,00

 kW
 85,00

 Fuel
 diesel

 Maximum speed (kn)
 8,00

 Cruising speed (kn)
 7,00

 Consumption (l/hr)
 8,00

 Engine hours
 1600

Engine cooling system freshwater heat exchanger

Drive shaft

Engine controls electrical MMC

GearboxPRM 500 D + ScatraBowthrusterelectric Cupa CP 90

Thrust bearing yes

Propeller type fixed 26" x 21"

Propeller blades 5

Propeller shaft material stainless steel Blokland, 50 m/m

Shaft lubrication water

Electrical installation 24/220 Volt

Batteries yes

Start battery yes
Service battery yes

Battery monitor Mastervolt combi control

Battery charger yes

Battery charger/inverter Mastervolt Combi

Shorepower yes

NAVIGATION

Electric compass Raytheon ST 60

Depth sounder/log Raytheon Tridata ST 60

VHF Shipmate RS 8300

Rudder angle indicator Raytheon ST 60

Plotter Raytheon RC 420

Navigation lights yes

EQUIPMENT

Fixed windscreen yes
Cockpit cover 2018

Bathing platform Teak finish

Boarding ladder stainless steel

Transom door yes
Anchor yes
Anchor chain yes

Windlass electrical Lofrans
Sea railing stainless steel

Wiper yes

Horn

Radio-cd player Pioneer DEH-3900BT

Speakers in salon Pioneer
Clock - barometer yes













































































































