



DE VALK  
YACHT BROKERS



## G-FORCE YACHTS X-TREME 37



DE VALK  
YACHT BROKERS

# G-FORCE YACHTS X-TREME 37

## BROKER'S COMMENTS

"X-Treme 37 is an extraordinary performer designed by the award-winning Yacht Designers Reichel/Pugh and built using technology previously only used for one-off custom yachts. Full carbon, including interior and spars by Southern Spars, the X-Treme 37 is at the cutting edge of performance racing!"

## SPECIFICATIONS

<b>Dimensions</b>	11,30 x 3,48 x 2,64 (m)	<b>Builder</b>	G-Force
<b>Built</b>	2013	<b>Cabins</b>	
<b>Material</b>	Carbon Fibre	<b>Berths</b>	2
<b>Engine(s)</b>	1 x Vetus Diesel diesel	<b>Hp/Kw</b>	13 (hp), 9,7 (kw)
	SOLD	<b>Lying</b>	not at sales office

## CONTACT

<b>Sales office</b>	De Valk Istria	<b>Telephone</b>	+386 (1) 600 2704
<b>Address</b>	Dantejeva Ulica 22	<b>Fax</b>	+385 13000722
	6310 Izola	<b>E-mail</b>	istria@devalk.nl
	Slovenia		

## DISCLAIMER

These particulars are given in good faith as supplied but cannot be guaranteed and cannot be used for contracts.



# G-FORCE YACHTS X-TREME 37

## GENERAL

<b>Model</b>	G-FORCE YACHTS X-TREME 37
<b>Type</b>	sailing yacht
<b>LOA (m)</b>	11,30
<b>LWL (m)</b>	10,06
<b>Beam (m)</b>	3,48
<b>Draft (m)</b>	2,64
<b>Year built</b>	2013
<b>Builder</b>	G-Force
<b>Country</b>	The Netherlands
<b>Designer</b>	Reichel / Pugh
<b>Displacement (t)</b>	3,55
<b>CE norm</b>	A
<b>Hull material</b>	carbon fibre
<b>Hull shape</b>	Fast Displacement Hull
<b>Keel type</b>	fin keel with bulb
<b>Superstructure material</b>	carbon fibre
<b>Deck material</b>	carbon fibre
<b>Deck finish</b>	non-skid paint
<b>Superstructure deck finish</b>	paint
<b>Cockpit deck finish</b>	non-skid paint
<b>Window frame</b>	aluminium
<b>Window material</b>	polycarbonate
<b>Wheel steering</b>	cable steering

## ACCOMMODATION

<b>Berths</b>	2
<b>Toilet</b>	yes
<b>Toilet system</b>	manual



## MACHINERY

<b>No of engines</b>	1
<b>Make</b>	Vetus
<b>Type</b>	Diesel
<b>HP</b>	13
<b>kW</b>	9,70
<b>Fuel</b>	diesel
<b>Drive</b>	sail-drive
<b>Propeller type</b>	folding
<b>Propeller blades</b>	2
<b>Manual bilge pump</b>	yes
<b>Electric bilge pump</b>	yes
<b>Start battery</b>	yes
<b>Service battery</b>	yes
<b>Battery charger</b>	yes

## NAVIGATION

<b>Electric compass</b>	yes
<b>Depth sounder</b>	yes
<b>Log</b>	yes
<b>Windset</b>	yes
<b>Repeater</b>	yes
<b>VHF</b>	yes

## RIGGING

<b>Rigging</b>	fractional
<b>Standing rigging</b>	Rod
<b>Brand mast</b>	Southern Spars



<b>Material mast</b>	carbon
<b>Spreaders</b>	2
<b>Keel stepped mast</b>	yes
<b>Mainsail</b>	One Sails
<b>Jib I</b>	North Sails
<b>Jib II</b>	North Sails
<b>Jib III</b>	One Sails
<b>Gennaker</b>	North Sails
<b>Backstay adjuster</b>	mechanical
<b>Boomvang</b>	yes
<b>Genoa sheetwinches</b>	yes
<b>Halyard winches</b>	yes
<b>Multifunctional winches</b>	yes
<b>Gennaker pole</b>	yes



\* )25&( <\$&+76 ; 75(0(































