



BROKERAGE | CHARTER | BERTHS | FINANCE | INSURANCE | YACHT MANAGEMENT

BROKER'S COMMENTS

Rob Humphreys was commissioned to design a fast, modern hull for good performance, with the stability and comfort for blue water cruising. The Southerly 42RS has a tall fractional rig with swept back double spreaders, combines a self tacking furling jib (for easy sailing), electric furling, large mainsail with single line reefing and two electric genoa winches. The Southerly 42RS features the highly developed Swing Keel which gives the freedom and versatility to sail in almost any waters. She is now lying in a winter storage in Germany and will be in Hindeloopen (NL) beginning of May.

Johan Schootstra

SPECIFICATIONS

Dimensions	12.86 x 4.03 x 0,84 / 2.72 (m)	Builder	Northshore Yachts
Built	2005	Cabins	2
Material	GRP	Berths	5
Engine(s)	1 x Yanmar 4JH4 diesel	Hp/Kw	54.00 (hp), 40.00 (kw)
Asking price	sold (VAT)	Lying	at sales office

CONTACT

Sales office	De Valk Hindeloopen B.V.	Telephone	+31 514 52 40 00
Address	Oosterstrand 1	E-mail	hindeloopen@devalk.nl
	8713 JS Hindeloopen		
	NL		

DISCLAIMER

These particulars are given in good faith as supplied but cannot be guaranteed.



GENERAL

Model SOUTHERLY 42RS

Type sailing yacht

LOA (m) 12,86 LWL (m) 11,11 Beam (m) 4,03 Draft (m) 2,72 Draft min (m) 0,84 Air draft min (m) 18,35 Headroom (m) 1,88 Year built 2005

BuilderNorthshore YachtsCountryUnited KingdomDesignerRob Humphreys

Displacement (t) 13

Ballast (tonnes) Ballast weight 2100kg kiel weight 1570 kg

CE norm A
Hull material GRP
Hull colour blue

Hull shape round-bilged

Keel type Swing keel - controled at wheel pedestal

Superstructure material GRP

Rubbing strake stainless steel

Deck material GRP
Deck finish teak

Superstructure deck finish non-skid moulded in

Cockpit deck finish teak

Dorades 2x

Window frame stainless steel and aluminium

Window material tempered glass

Deckhatch 6x Lewmar



Fuel tank (litre) polyethylene - 335 ltr.

Level indicator (fuel tank) yes

Freshwater tank (litre) polyethylene - two tanks total 303 ltr.

Level indicator (freshwater) yes

Wheel steering mechanical Lewmar Pedestal

Emergency tiller yes

More info on hull Hull Painted 2019

ACCOMMODATION

Cabins 2
Berths 5
Interior teak

Floor teak and holly

Open cockpit with standing height

Saloon Raised saloon

Headroom saloon (m) 1.88

Heating diesel ducted hot air Eberspächer - 7 Day Timer Controller

display

Navigation centeryesChart tableyesAft CabinyesGalleyyesCountertopcorian

Sink stainless steel - Double

Cooker calor gas Plastimo Neptune 3000

Oven In cooker

Fridge Front loading Vitrifrigo 130 ltr.

Freezer Top loading 51 ltr.

Hot water system 220V + engine New boiler 40 ltr. 2020

Water pressure system electrical

Owners cabin double bed Aft cabin



Bed length (m) 2 mtr.

Wardrobe hanging and shelves

Bathroom

Toilet Jabsco
Toilet system manual
Wash basin Yes

Shower Shower cabin in bathroom

Guest cabin 1 double bed

Bed length (m) 2.20 mtr.

Wardrobe hanging and shelves

Bathroom

Toilet Jabsco
Toilet system manual
Wash basin Yes

Shower Shower cabin in bathroom

Washing machine SOBA

MACHINERY

No of engines 1

MakeYanmarType4JH4HP54kW40,00FueldieselYear installed2005Engine hours1590

Engine cooling system freshwater heat exchanger

Drive shaft

Engine controls bowden cable

Gearbox mechanical

Bowthruster electric Vetus - 6 blades - 85kgf



Exhaust watercooled

Propeller type feathering

Propeller blades 3

Propeller shaft material stainless steel

Shaft lubricationwaterManual bilge pumpyesElectric bilge pumpyes

Electrical installation 12 / 220 volt

Batteries 1x 100 Ah for swingkeel

Start battery 1x AMG Service battery 4x 85Ah

Bowthruster battery 2x AMG for windlass, bow thruster and fridge.

Battery monitor Mastervolt Battery Monitor BTM-III

Battery charger Mastervolt Chargemaster 12/100-3

 Inverter
 Victron Phoenix 12V/2000W

 Wind generator
 Superwind on separable mast

Shorepower with cable

Extra info

Alpha Pro smart regulator on the alternator

NAVIGATION

Compass Lewmar / Plastimo Olympic 135

Multi control displayRaymarine ST70 (Insite)Depth sounder/logRaymarine ST60 Tridata

Windset Raymarine ST60

VHF 1x Raymarine Ray 54E 1x ICOM IC-7000

Autopilot 2x Raymarine ST6001 (Insite & outsite) with wireless remote

control

Radar Raymarine

Radar/GPS/plotter 1x Raymarine E120 (Insite) 1x Raymarine E 80 (outsite)

Wifi antenna LTE 9 (attached to the mast, one high and the

other somewhat lower, for perfect reception 10-15M from shore)

AIS transceiver Raymarine AIS 500



EPIRB GME MT 403G

Navigation lights Hella LED

Extra info Icom antenne tuner AT141, Pactor11 USB met Pactor 111

EQUIPMENT

Sprayhood with grab rail yes

Cockpit cover yes

Bow ladder Yes

Anchor Rocna - 25kg

Anchor chain 50 mtr.

Anchor 2 Danforth - stern anchor wiht chain and line

Windlass electrical Lewmar

Capstan On windlass

Fire extinguisher 2x 6 ltr. and 3x smaller in salon

RIGGING

Rigging Fractional sloop

Standing riggingwireBrand mastSeldénMaterial mastaluminiumSpreaders2 pair

Mainsail UK sails - 2015 - 42,35m2 Cruising Offshore

Stoway mast Seldén

Jib UK sails - 2015 - Cruising Offshore - on self tacking jib

installation - Manual furling

Genoa UK sails - 2015

Genoa furler Electric

Gennaker 118m2 - 2011 - 1.5oz Nylon

Self tacking jib installation yes

Reefing System quick-one-line-reefing
Backstay adjuster hydraulic Navtec



Boomvang

Genoa sheetwinches

Halyard winches

Winchcovers

Isolated backstay

Extra info

Seldén

2x Lewmar 48 electric

2x Lewmar 44 - one electric

2 for genoa winches

2x Failsafe 8mm

Dutchman systeem A40-3

















































































































