



WINNER 11.20



WINNER 11.20

BROKER'S COMMENTS

Undeniably the bigger version of the successfully Winner 9.50. The 11.20's longer lines and taller rig give even better course steadiness and windward performance. Her 7/8 rig with Sparcraft mast is powered by 40m2 mainsail and a 28m2 high aspect staysail.. Now to be admired and inspected 7 days a week in our salesharbour in Hindeloopen.

Johan Nooitgedagt

SPECIFICATIONS

Dimensions	11.20 x 3.60 x 1.95 (m)	Builder	Winner Yachts
Built	2001	Cabins	2
Material	GRP	Berths	6
Engine(s)	1 x Yanmar 3 GM30 diesel	Hp/Kw	27.00 (hp), 20.10 (kw)
Asking price	sold (VAT)	Lying	at sales office

CONTACT

Sales office	De Valk Hindeloopen B.V.	Telephone	+31 514 52 40 00
Address	Oosterstrand 1 8713 JS Hindeloopen NL	E-mail	hindeloopen@devalk.nl

DISCLAIMER

These particulars are given in good faith as supplied but cannot be guaranteed.



GENERAL

Model	WINNER 11.20
Type	sailing yacht
LOA (m)	11,20
LWL (m)	9,30
Beam (m)	3,60
Draft (m)	1,95
Headroom (m)	1,90
Year built	2001
Builder	Winner Yachts
Country	The Netherlands
Designer	Cees van Tongeren & Van de Stadt
Displacement (t)	6,7
Ballast (tonnes)	cast iron 2,9
CE norm	A
Hull material	GRP
Hull colour	blue
Hull shape	round-bilged
Keel type	fin keel with bulb
Superstructure material	GRP
Deck material	GRP
Deck finish	TBS non-skid profile mats
Superstructure deck finish	TBS non-skid profile mats
Cockpit deck finish	TBS non-skid profile mats - and Teak
Antifouling (year)	2019
Window frame	aluminium - Gebo
Window material	tempered glass
Deckhatch	Gebo
Fuel tank (litre)	stainless steel Approx. 80 ltr.
Freshwater tank (litre)	Approx. 250 ltr. in two Stainless steel tanks
Blackwater tank (litre)	Approx. 40 ltr. - 2011



Wheel steering
Emergency tiller

Whitlock
yes

ACCOMMODATION

Cabins	2
Berths	6
Interior	teak
Floor	teak and holly
Open cockpit	yes
Saloon	yes
Headroom saloon (m)	1.90 mtr.
Heating	diesel ducted hot air Eberspächer
Navigation center	yes
Chart table	yes
Aft Cabin	yes
Galley	yes
Sink	stainless steel
Cooker	calor gas - 3 burner
Oven	In cooker
Fridge	Frigomatic
Hot water system	220V + engine Boiler 20 ltr.
Water pressure system	electrical
Owners cabin	v-bed
Bed length (m)	2 mtr.
Wardrobe	hanging and shelves
Bathroom	en suite
Toilet	Jabsco
Toilet system	manual
Wash basin	
Guest cabin 1	double bed Aft cabin
Bed length (m)	2 mtr.



Wardrobe	hanging and shelves
Bathroom	shared
Toilet	Jabsco
Toilet system	manual
Wash basin	
Shower	

MACHINERY

No of engines	1
Make	Yanmar
Type	3 GM30
HP	27
kW	20,10
Fuel	diesel
Year installed	2001
Maximum speed (kn)	7
Cruising speed (kn)	6
Engine cooling system	freshwater heat exchanger
Drive	sail-drive
Saildrive seal	Replaced 2019
Engine controls	bowden cable
Gearbox	mechanical
Exhaust	watercooled
Propeller type	Maxprop (2005)
Propeller blades	3
Manual bilge pump	yes
Electric bilge pump	yes
Electrical installation	12 / 220 Volt
Start battery	1x 60Ah
Service battery	1x 140Ah
Battery charger	Stirling



Inverter
Shorepower

Portable

NAVIGATION

Compass
Depth sounder
Depth sounder/log
Log
Windset
VHF
Autopilot
Rudder angle indicator
GPS
Plotter
AIS receiver
Navigation lights

C. Plath
Raytheon ST60 Tridata
Raytheon ST60 Tridata
Raytheon ST60
Raytheon ST60
Navman 9200
Raytheon ST6000+
Raytheon ST6000+
Furuno GP31
Geonav 5 touring
New 2020
Yes

EQUIPMENT

Sprayhood
Cockpit cover
Cockpit table
Bathing platform
Boarding ladder
Deck shower
Anchor
Anchor chain
Anchor 2
Outboard support
Sea railing
Grab rail (superstructure)
Pushpit

New 2020
New 2020
yes
yes
stainless steel
Colt water
CQR Plough
With chain leader and line
Fortress aluminium
yes
wire
teak
yes



Pulpit	yes
Radar reflector	2007
Fenders	yes
Mooring lines	yes
Radio-cd player	JVC
Speakers in salon	4x

RIGGING

Rigging	sloop
Standing rigging	wire
Brand mast	Sparcraft
Material mast	aluminium
Spreaders	One pair
Mainsail	yes
Mainsail cover	yes
High aspect	2021
Genoa furler	Furlex 200
Gennaker	yes
Reefing System	quick-one-line-reefing 2 reefings
Backstay adjuster	tackle
Boomvang	gasspring
Primary sheet winch	2x 30 ST
Genoa sheetwinches	2x 48 ST
Halyard winches	1x 16 ST and 1x 16







































