



DE VALK  
YACHT BROKERS



STANDFAST 50



DE VALK  
YACHT BROKERS

BROKERAGE | CHARTER | BERTHS | FINANCE | INSURANCE | YACHT MANAGEMENT

# STANDFAST 50

## BROKER'S COMMENTS

Beautiful, fast and safe. These are the main keywords from the Standfast yard. Designed by the hand of Frans Maas, this Standfast 50 is the example of what this yard was capable of. She combines comfort, safety and speed as no other 50 foot yacht in her class. With her bowthruster, electric winches, modern navigation equipment, recent polishing works and antifouling she is ready for a new adventure! Come visit her now on shore in Sint Annaland.

*Joris van de Rijt*

## SPECIFICATIONS

<b>Dimensions</b>	14.98 x 4.35 x 2.05 (m)	<b>Builder</b>	Standfast Yachts
<b>Built</b>	1989	<b>Cabins</b>	3
<b>Material</b>	GRP	<b>Berths</b>	6
<b>Engine(s)</b>	1 x Volvo Penta TAMD 31A diesel	<b>Hp/Kw</b>	100.00 (hp), 73.50 (kw)
<b>Asking price</b>	sold (VAT )	<b>Lying</b>	at sales office

## CONTACT

<b>Sales office</b>	De Valk Sint Annaland B.V.	<b>Telephone</b>	+31 (0)166 601 000
<b>Address</b>	Koelhuisweg 4 4697 RM Sint Annaland NL	<b>E-mail</b>	sintannaland@devalk.nl

## DISCLAIMER

These particulars are given in good faith as supplied but cannot be guaranteed.



# STANDFAST 50

## GENERAL

Model	STANDFAST 50
Type	sailing yacht
LOA (m)	14,98
LWL (m)	11,60
Beam (m)	4,35
Draft (m)	2,05
Air draft (m)	21,50
Headroom (m)	2,00
Year built	1989
Builder	Standfast Yachts
Country	The Netherlands
Designer	Frans Maas
Displacement (t)	20
Ballast (tonnes)	6,5
CE norm	NA
Hull material	GRP
Hull colour	white
Hull shape	round-bilged
Keel type	fin keel
Superstructure material	GRP
Deck material	GRP
Deck finish	teak
Superstructure deck finish	teak
Cockpit deck finish	teak
Antifouling (year)	2021
Dorades	yes
Window frame	aluminium
Window material	perspex
Fuel tank (litre)	GRP 1000
Level indicator (fuel tank)	yes



Freshwater tank (litre)	GRP Circa 1000 in 3 tanks
Level indicator (freshwater)	yes
Blackwater tank (litre)	polyethylene
Blackwater tank extraction	deck extraction + uw line
Wheel steering	cable steering
Emergency tiller	(2014)
Extra info	Teak refit 2014
Extra info	Deckhatches new 2014
Extra info	Hull/cockpit/superstructure polished and waxed 09-2021

## ACCOMMODATION

Cabins	3
Berths	6
Interior	teak
Floor	teak
Aft deck	yes
Headroom saloon (m)	2,00
Heating	diesel ducted hot air 2 x Webasto (2014)
Air-conditioning	reverse cycle airco 2 x climma (2014), not functioning
Navigation center	yes
Chart table	yes
Dinette	yes
Galley	yes
Countertop	plastic
Sink	stainless steel
Cooker	calor gas Techimpex
Oven	Techimpex
Gas alarm	Vetus
Microwave	Miele
Fridge	2 x
Hot water system	220V + engine



# STANDFAST 50

Water pressure system	electrical
Owners cabin	double bed
Bed length (m)	1,95 x 1,35
Wardrobe	hanging/drawers/shelves
Bathroom	en suite
Toilet	en suite
Toilet system	manual New pump 2021
Wash basin	in the bathroom
Shower	en suite
Guest cabin 1	double bed
Bed length (m)	1,95 x 1,15
Wardrobe	hanging/drawers/shelves
Bathroom	shared
Toilet	shared
Toilet system	manual
Wash basin	in the bathroom
Shower	shared
Guest cabin 2	single bed
Bed length (m)	1,90
Wardrobe	drawers and shelves
Extra info	Interior LED (2014)

## MACHINERY

No of engines	1
Make	Volvo Penta
Type	TAMD 31A
HP	100
kW	73,50
Fuel	diesel
Year installed	1989
Engine hours	2957



# STANDFAST 50

Engine cooling system	freshwater heat exchanger
Drive	shaft
Engine controls	bowden cable
Gearbox	mechanical
Bowthruster	electric Sidepower 5,3 kw
Propeller type	feathering (2012)
Propeller blades	3
Propeller shaft material	stainless steel (2012)
Manual bilge pump	yes
Electric bilge pump	(2014)
Electrical installation	12V / 24V / 230V
Generator	Fischer panda
Running hours generator	769
Start battery	(2021)
Service battery	6 x 140 ah (2021)
Generator battery	yes
Battery monitor	Mastervolt
Battery charger	Victron 24/60
Inverter	Victron 200 Watt (2021)
Solar panel	(2014)
Shorepower	with cable
Extra info	Last engine service 11-2021

## NAVIGATION

Compass	yes
Depth sounder	Raymarine (2014)
Log	Raymarine (2014)
Windset	Raymarine (2014)
Repeater	Raymarine (2014)
VHF	Raymarine (2014)
Autopilot	Raymarine (2015)



Rudder angle indicator	On autopilot
Radar/GPS/plotter	4 x Raymarine hybrid touch (2014)
Navtex	Furuno NX-300 (2014)
Electronic chart(s)	yes
AIS receiver	Raymarine (2014)
Navigation lights	LED (2014)
Extra info	Satellite telephone

## EQUIPMENT

Sprayhood	yes
Cockpit table	yes
Bathing platform	yes
Boarding ladder	stainless steel
Gangway	yes
Anchor	Delta
Anchor chain	(2014)
Windlass	electrical Lewmar V6 (2014)
Capstan	yes
Deck wash	yes
Sea railing	wire
Grab rail (superstructure)	aluminium
Railing side opening gates	4 x
Life raft	container Needs survey
Lifebuoy	yes
Fenders	yes
Mooring lines	yes
Radio-cd player	Alpine
Speakers in salon	yes
Clock - barometer	yes
Fire extinguisher	yes



## RIGGING

Rigging	sloop
Standing rigging	wire (2014)
Material mast	aluminium
Spreaders	2 sets
Keel stepped mast	yes
Mainsail cover	yes
Battcars	yes
Fully battened mainsail	(2014)
Cutterstay	With jib (2014)
Genoa	(2014)
Genoa furler	Bamar GHI 12 hydraulic
Cutter furler	Furlex 300 E electric (2014)
Spinnaker	yes
Reefing System	slabreefing
Backstay adjuster	hydraulic (2014) + 1 x reserve
Boomvang	gasspring Selden (2014)
Primary sheet winch	1 x Barent 28+ ST
Secondary sheet winch	2 x Barent 28+ ST
Genoa sheetwinches	2 x Barent 36 ST electric
Halyard winches	2 x Barent 28+ ST
Reefing winch	2 x Barent 28+ ST
Multifunctional winches	2 x Barent 28+ ST
Spi-pole	aluminium 2 x





# STANDFAST 50



# STANDFAST 50







# STANDFAST 50




# STANDFAST 50





# STANDFAST 50




# STANDFAST 50





# STANDFAST 50





# STANDFAST 50





# STANDFAST 50






# STANDFAST 50




# STANDFAST 50





# STANDFAST 50




# STANDFAST 50






# STANDFAST 50



# STANDFAST 50






# STANDFAST 50






# STANDFAST 50




# STANDFAST 50







# STANDFAST 50



# STANDFAST 50





# STANDFAST 50

