



BROKER'S COMMENTS

The all-new Hallberg-Rassy 40C moves the limits for what is possible to achieve in a yacht up to 40 ft. The new 40C is equivalent to the 44c when it comes to saloon, aft cabin, galley and a cockpit that has exactly the same measurements as on the 44, fantastic sailing performance and the success is assured. With the enormous galley you get both increased work top area, increased galley storage and an additional, front opening, fridge. The interior has a lot of volume and is bright and airy, with large portlights for generous natural light. In like new conditions, ex HR demo boat.

Jörg Hellmich

SPECIFICATIONS

Dimensions	13.06 x 4.18 x 1.92 (m)	Builder	Hallberg Rassy
Built	2020	Cabins	2
Material	GRP	Berths	5
Engine(s)	1 x Volvo Penta D2-F60 diesel	Hp/Kw	60.00 (hp), 44.16 (kw)
Asking price	sold (VAT)	Lying	at sales office

CONTACT

Sales office	De Valk Almeria	Telephone	+34 950 497 825
Address	Puerto de Almerimar	E-mail	almeria@devalk.nl
	Darsena de la Batea Almerimar		
	ES		

DISCLAIMER

These particulars are given in good faith as supplied but cannot be guaranteed.

GENERAL

Model	HALLBERG RASSY 40C
Туре	sailing yacht
LOA (m)	13,06
LWL (m)	11,74
Beam (m)	4,18
Draft (m)	1,92
Air draft (m)	19,75
Air draft min (m)	4,37
Headroom (m)	1,94
Year built	2020
Launched	2020 (Demoboat)
Builder	Hallberg Rassy
Country	Sweden
Designer	German Frers
Displacement (t)	11
Ballast (tonnes)	3,65
Gross tonnage	18,7
Net tonnage	16,8
CE norm	А
Hull material	GRP
Hull colour	white
Hull shape	flat bottom
Keel type	fin keel with bulb
Superstructure material	GRP
Rubbing strake	stainless steel
Deck material	GRP
Deck finish	teak
Superstructure deck finish	teak
Cockpit deck finish	teak
Window frame	aluminium



Window material
Deckhatch
Portholes
Insulation
Fuel tank (litre)
Level indicator (fuel tank)
Freshwater tank (litre)
Level indicator (freshwater)
Blackwater tank (litre)
Blackwater tank extraction
Wheel steering
Emergency tiller
More info on hull

ACCOMMODATION

Headroom saloon (m)

Air-conditioning Chart table

Convertible berth

Cabins Berths Interior Layout Floor Saloon

Heating

Galley

Sink Cooker Oven

Countertop

perspex
Flush mounted
aluminium
yes
polyethylene 400
Gauge & Display
polyethylene 520 in 3 tanks
Gauge & Display
polyethylene
deck extraction + pump
rack & pinion
yes
In "like new" conditions

2
5
oak In silk finish
40c version with FW V-bed
carpet
With two single chairs (Alcantara) & upholstery in de luxe
1,94
diesel ducted hot air Webasto Airtop EVO 55
single cycle airco In Aft Cabin (04.2023)
FW facing
In saloon (2,10 m long)
Larger U-shape galley with 3 fridges
corian
stainless steel Double
calor gas 2 burner & induction
Calor gas



Gas alarm
Microwave/oven combi
Fridge
Freezer
Hot water system
Water pressure system
Dishwasher
Hot water tap
Crockery
Owners cabin
Bed length (m)
Wardrobe
Guest cabin 1
Bed length (m)
Wardrobe
Toilet
Toilet system
Wash basin
Shower
Washing machine/dryer combi
Extra info

MACHINERY

No of engines	1
Make	Volvo Penta
Туре	D2-F60
HP	60
kW	44.16
Fuel	diesel
Year installed	2020
Maximum speed (kn)	8,5

Smoke detector in saloon area SS (230V) 2 x Isotherm (front & top loader, extra fridge) Isotherm 220V + engine 40L. Boiler electrical SS front - 230V yes Original HR double bed Aft 2,02 x 1,56 hanging/drawers/shelves v-bed Spacious 2,11 x 1,60 hanging/drawers/shelves shared electric at the toilet separate

Electrolux EWC 1350 Interior in "like new" conditions

Consumption (l/hr)3,5Range (nm)700Engine hours780Engine cooling systemreshwater heat exchangerDrivesail-driveSaildrive sealyesEngine controlselectrical VolvoGearboxhydraulic VolvoBowthrusterelectric RetractableGearboxoutgrauticRopeller typefolding FlexifoldPropeller typestainless steelShaft lubricationwaterManual bilge pumpyesElectrical installation12V SystemGeneratorved exhaust Panda Plo0001 8kWRunning hours generator70Start battery12V / 240 Ah Lithium (2023)Bowthruster battery12V / 240 Ah AcidBattery monitorMaservolt DisplayBattery monitorStorent Mass CombiStora panelStorent of with cable (2001) 16A (25 m)Battery nonitorStorent of with cable (2001) 16A (25 m)Stora panelStorent of with cable (2001) 16A (25 m)Storent panelStorent of with cable (2001) 16A (25 m)Storent panelStorent of with cable (2001) 16A (25 m)Battery nonitorStorent of with cab	Cruising speed (kn)	6,5
Engine cooling system780Engine cooling systemfreshwater heat exchangerDrivesail-driveSaildrive sealyesEngine controlselectrical VolvoGearboxhydraulic VolvoBowthrusterelectric RetractableSternthrusterelectric RetractableGearboxhydraulicPropeller typefolding FlexifoldPropeller typefolding FlexifoldPropeller shaft materialstainless steelShaft lubricationwaterManual bilge pumpyesElectrica linstallation12V SystemGenerator70Start battery12V / 95 Ah AcidService battery12V / 240 Ah AcidSternthruster battery12V / 240 Ah AcidSternthruster battery12V / 240 Ah AcidSternthruster battery55W (in front of wind shield)Solar panel55W (in front of wind shield)Shorepowerwith cable 230V / 16A (25 m)	Consumption (I/hr)	3,5
Engine cooling systemfreshwater heat exchangerDrivesail-driveDrivesail-driveSaildrive sealyesEngine controlselectrical VolvoGearboxhydraulic VolvoBowthrusterelectric RetractableSternthrusterelectric RetractableGearboxhydraulicPropeller typefolding FlexifoldPropeller typefolding FlexifoldPropeller blades3Propeller shaft materialstainless steelShaft lubricationwaterManual bilge pumpyesElectric bilge pumpyesElectrical installation12V SystemGeneratorroot exhaust Panda P10000i 8kWRunning hours generator70Start battery12V / 240 Ah Lithium (2023)Bowthruster battery12V / 240 Ah AcidSternthruster battery55W (in front of wind shield)Solar panel55W (in front of wind shield)Shorepowerwith cable 230V / 16A (25 m)	Range (nm)	700
Drivesail-driveSaildrive sealyesEngine controlselectrical VolvoGearboxhydraulic VolvoBowthrusterelectric RetractableSternthrusterelectric RetractableGearboxhydraulicExhaustwatercooledPropeller typefolding FlexifoldPropeller blades3Propeller shaft materialstainless steelShaft lubricationwaterManual bilge pumpyesElectric bilge pumpyesElectrical installation12V SystemGeneratorvet exhaust Panda P10000i 8kWRunning hours generator70Start battery12V / 95 Ah AcidService battery12V / 240 Ah Lithium (2023)Bowthruster battery12V / 240 Ah AcidStart panel55W (in front of wind shield)Solar panel55W (in front of wind shield)Shorepowerwith cable 230V / 16A (25 m)	Engine hours	780
SailerSailerSailerive sealyesEngine controlselectrical VolvoGearboxhydraulic VolvoBowthrusterelectric RetractableSternthrusterelectric RetractableGearboxhydraulicExhaustwatercooledPropeller typefolding FlexifoldPropeller blades3Propeller shaft materialstainless steelShaft lubricationwaterManual bilge pumpyesElectrical installation12V SystemGeneratorwet exhaust Panda P10000i 8kWRunning hours generator70Start battery12V / 240 Ah Lithium (2023)Bowthruster battery12V / 240 Ah AcidSternthruster battery12V / 240 Ah AcidSternthruster battery55W (in front of wind shield)Shorepowerwith cable 230V / 16A (25 m)Insulation transformeryes	Engine cooling system	freshwater heat exchanger
Endine controlsjobEngine controlselectrical VolvoGearboxhydraulic VolvoBowthrusterelectric RetractableSternthrusterelectric RetractableGearboxhydraulicExhaustwatercooledPropeller typefolding FlexifoldPropeller blades3Propeller shaft materialstainless steelShaft lubricationwaterManual bilge pumpyesElectric hige pumpyesElectrical installation12V SystemGeneratorvet exhaust Panda P10000i 8kWRunning hours generator70Start battery12V / 240 Ah Lithium (2023)Bowthruster battery12V / 240 Ah AcidSternthruster battery12V / 240 Ah AcidBattery monitorMastervolt DisplayBattery charger/InverterStow (in front of wind shield)Shorepowerwith cable 230V / 16A (25 m)Insulation transformeryes	Drive	sail-drive
Gearboxhydraulic VolvoBowthrusterelectric RetractableSternthrusterelectric RetractableGearboxhydraulicExhaustwatercooledPropeller typefolding FlexifoldPropeller blades3Propeller shaft materialstainless steelShaft lubricationwaterManual bilge pumpyesElectrical installation12V SystemGeneratorvet exhaust Panda P10000i 8kWRunning hours generator70Start battery12V / 240 Ah Lithium (2023)Bowthruster battery12V / 240 Ah AcidSternthruster batteryMastervolt DisplayBattery charger/InverterMastervolt Mass CombiSolar panel55W (in front of wind shield)Shorepowerwith cable 230V / 16A (25 m)Insulation transformeryes	Saildrive seal	yes
Bowthrusterelectric RetractableBowthrusterelectric RetractableGearboxhydraulicExhaustwatercooledPropeller typefolding FlexifoldPropeller blades3Propeller shaft materialstainless steelShaft lubricationwaterManual bilge pumpyesElectric bilge pumpyesElectrical installation12V SystemGeneratorvot exhaust Panda P10000i 8kWRunning hours generator70Start battery12V / 95 Ah AcidService battery12V / 240 Ah Lithium (2023)Bowthruster battery12V / 240 Ah AcidSternthruster battery12V / 240 Ah AcidBattery monitorMastervolt DisplayBattery charger/inverterSolar panelSolar panel55W (in front of wind shield)Shorepowerwith cable 230V / 16A (25 m)Insulation transformeryes	Engine controls	electrical Volvo
StendbackStendbackStendbackelectric RetractableGearboxhydraulicExhaustwatercooledPropeller typefolding FlexifoldPropeller blades3Propeller shaft materialstainless steelShaft lubricationwaterManual bilge pumpyesElectric bilge pumpyesElectrical installation12V SystemGeneratorwet exhaust Panda P10000i 8kWRunning hours generator70Start battery12V / 95 Ah AcidService battery12V / 240 Ah Lithium (2023)Bowthruster battery12V / 240 Ah AcidStart panterMastervolt DisplayBattery monitorMastervolt Mass CombiSolar panel55W (in front of wind shield)Shorepowerwith cable 230V / 16A (25 m)Insulation transformeryes	Gearbox	hydraulic Volvo
GearboxhydraulicExhaustwatercooledPropeller typefolding FlexifoldPropeller blades3Propeller shaft materialstainless steelShaft lubricationwaterManual bilge pumpyesElectric bilge pumpyesElectrical installation12V SystemGeneratorwet exhaust Panda P10000i 8kWRunning hours generator70Start battery12V / 240 Ah Lithium (2023)Bowthruster battery12V / 240 Ah AcidSternthruster batteryMastervolt DisplayBattery monitorMastervolt DisplaySolar panel55W (in front of wind shield)Shorepowerwith cable 230V / 16A (25 m)Insulation transformeryes	Bowthruster	electric Retractable
ExhaustwatercooledPropeller typefolding FlexifoldPropeller blades3Propeller shaft materialstainless steelShaft lubricationwaterManual bilge pumpyesElectric bilge pumpyesElectrical installation12V SystemGeneratorwet exhaust Panda P10000i 8kWRunning hours generator70Start battery12V / 95 Ah AcidService battery4 x 12V / 240 Ah Lithium (2023)Bowthruster battery12V / 240 Ah AcidSternthruster battery55W (in front of wind shield)Solar panel55W (in front of wind shield)Shorepowerwith cable 230V / 16A (25 m)Insulation transformeryes	Sternthruster	electric Retractable
Propeller typefolding FlexifoldPropeller blades3Propeller shaft materialstainless steelShaft lubricationwaterManual bilge pumpyesElectric bilge pumpyesElectrical installation12V SystemGeneratorwet exhaust Panda P10000i 8kWRunning hours generator70Start battery12V / 95 Ah AcidService battery12V / 240 Ah Lithium (2023)Bowthruster battery12V / 240 Ah AcidSternthruster battery12V / 240 Ah AcidBattery monitorMastervolt DisplayBattery charger/inverterS5W (in front of wind shield)Shorepowerwith cable 230V / 16A (25 m)Insulation transformeryes	Gearbox	hydraulic
Propeller blades3Propeller shaft materialstainless steelShaft lubricationwaterManual bilge pumpyesElectric bilge pumpyesElectrical installation12V SystemGeneratorwet exhaust Panda P10000i 8kWRunning hours generator70Start battery12V / 95 Ah AcidService battery12V / 95 Ah AcidBowthruster battery12V / 240 Ah Lithium (2023)Bowthruster battery12V / 240 Ah AcidSternthruster battery12V / 240 Ah AcidBattery monitorMastervolt DisplayBattery charger/inverterS5W (in front of wind shield)Shorepowerwith cable 230V / 16A (25 m)Insulation transformeryes	Exhaust	watercooled
Propeller shaft materialstainless steelShaft lubricationwaterManual bilge pumpyesElectric bilge pumpyesElectrical installation12V SystemGeneratorwet exhaust Panda P10000i 8kWRunning hours generator70Start battery12V / 95 Ah AcidBowthruster battery12V / 240 Ah Lithium (2023)Bowthruster battery12V / 240 Ah AcidSternthruster battery12V / 240 Ah AcidBattery monitorMastervolt DisplayBattery charger/inverterMastervolt Mass CombiSolar panel55W (in front of wind shield)Shorepowerwith cable 230V / 16A (25 m)Insulation transformeryes	Propeller type	folding Flexifold
Shaft lubricationwaterManual bilge pumpyesElectric bilge pumpyesElectrical installation12V SystemGeneratorwet exhaust Panda P10000i 8kWRunning hours generator70Start battery12V / 95 Ah AcidService battery4 x 12V / 240 Ah Lithium (2023)Bowthruster battery12V / 240 Ah AcidSternthruster battery12V / 240 Ah AcidBattery monitorMastervolt DisplayBattery charger/inverterMastervolt Mass CombiSolar panel55W (in front of wind shield)Shorepowerwith cable 230V / 16A (25 m)Insulation transformeryes	Propeller blades	3
Manual bilge pumpyesElectric bilge pumpyesElectrical installation12V SystemGeneratorwet exhaust Panda P10000i 8kWRunning hours generator70Start battery12V / 95 Ah AcidService battery4 x 12V / 240 Ah Lithium (2023)Bowthruster battery12V / 240 Ah AcidSternthruster battery12V / 240 Ah AcidBattery monitorMastervolt DisplayBattery charger/inverterS5W (in front of wind shield)Shorepowerwith cable 230V / 16A (25 m)Insulation transformeryes	Propeller shaft material	stainless steel
Electric bilge pumpyesElectrical installation12V SystemGeneratorwet exhaust Panda P10000i 8kWRunning hours generator70Start battery12V / 95 Ah AcidService battery4 x 12V / 240 Ah Lithium (2023)Bowthruster battery12V / 240 Ah AcidSternthruster battery12V / 240 Ah AcidBattery monitorMastervolt DisplayBattery charger/inverter55W (in front of wind shield)Shorepowerwith cable 230V / 16A (25 m)Insulation transformeryes	Shaft lubrication	water
Electrical installation12V SystemGeneratorwet exhaust Panda P10000i 8kWRunning hours generator70Start battery12V / 95 Ah AcidService battery4 x 12V / 240 Ah Lithium (2023)Bowthruster battery12V / 240 Ah AcidSternthruster battery12V / 240 Ah AcidBattery monitorMastervolt DisplayBattery charger/inverterMastervolt Mass CombiSolar panel55W (in front of wind shield)Shorepowerwith cable 230V / 16A (25 m)Insulation transformeryes	Manual bilge pump	yes
Generatorwet exhaust Panda P10000i 8kWRunning hours generator70Start battery12V / 95 Ah AcidService battery4 x 12V / 240 Ah Lithium (2023)Bowthruster battery12V / 240 Ah AcidSternthruster battery12V / 240 Ah AcidBattery monitorMastervolt DisplayBattery charger/inverterMastervolt Mass CombiSolar panel55W (in front of wind shield)Shorepowerwith cable 230V / 16A (25 m)Insulation transformeryes	Electric bilge pump	yes
Running hours generator70Start battery12V/95 Ah AcidService battery4 x 12V/240 Ah Lithium (2023)Bowthruster battery12V/240 Ah AcidSternthruster battery12V/240 Ah AcidBattery monitorMastervolt DisplayBattery charger/inverterMastervolt Mass CombiSolar panel55W (in front of wind shield)Shorepowerwith cable 230V / 16A (25 m)Insulation transformeryes	Electrical installation	12V System
Start battery12V / 95 Ah AcidService battery4 x 12V / 240 Ah Lithium (2023)Bowthruster battery12V / 240 Ah AcidSternthruster battery12V / 240 Ah AcidBattery monitorMastervolt DisplayBattery charger/inverterMastervolt Mass CombiSolar panel55W (in front of wind shield)Shorepowerwith cable 230V / 16A (25 m)Insulation transformeryes	Generator	wet exhaust Panda P10000i 8kW
Service battery4 x 12V / 240 Ah Lithium (2023)Bowthruster battery12V / 240 Ah AcidSternthruster battery12V / 240 Ah AcidBattery monitorMastervolt DisplayBattery charger/inverterMastervolt Mass CombiSolar panel55W (in front of wind shield)Shorepowerwith cable 230V / 16A (25 m)Insulation transformeryes	Running hours generator	70
Bowthruster battery12V / 240 Ah AcidSternthruster battery12V / 240 Ah AcidBattery monitorMastervolt DisplayBattery charger/inverterMastervolt Mass CombiSolar panel55W (in front of wind shield)Shorepowerwith cable 230V / 16A (25 m)Insulation transformeryes	Start battery	12V / 95 Ah Acid
Sternthruster battery12V / 240 Ah AcidBattery monitorMastervolt DisplayBattery charger/inverterMastervolt Mass CombiSolar panel55W (in front of wind shield)Shorepowerwith cable 230V / 16A (25 m)Insulation transformeryes	Service battery	4 x 12V / 240 Ah Lithium (2023)
Battery monitorMastervolt DisplayBattery charger/inverterMastervolt Mass CombiSolar panel55W (in front of wind shield)Shorepowerwith cable 230V / 16A (25 m)Insulation transformeryes	Bowthruster battery	12V / 240 Ah Acid
Battery charger/inverterMastervolt Mass CombiSolar panel55W (in front of wind shield)Shorepowerwith cable 230V / 16A (25 m)Insulation transformeryes	Sternthruster battery	12V / 240 Ah Acid
Solar panel55W (in front of wind shield)Shorepowerwith cable 230V / 16A (25 m)Insulation transformeryes	Battery monitor	Mastervolt Display
Shorepower with cable 230V / 16A (25 m) Insulation transformer yes	Battery charger/inverter	Mastervolt Mass Combi
Insulation transformer yes	Solar panel	55W (in front of wind shield)
yes	Shorepower	with cable 230V / 16A (25 m)
Extra info Extra alternator	Insulation transformer	yes
	Extra info	Extra alternator

Plastimo

Raymarine Axiom XL 16

Raymarine p70 (type II)

Quantum 2 Q24D (2022)

Navionics European charts

Raymarine AIS700 class-B

Raymarine Axiom-Pro

Only 6.400 Nm sailed

Raymarine Axiom XL16 display

2 x Raymarine i70

2 x Raymarine i70

Raymarine

Raymarine

yes

Raymarine i70

yes

NAVIGATION

Compass **Electric compass** Multi control display Depth sounder/log Windset Repeater VHF VHF handheld Autopilot Rudder angle indicator Radar Radar/GPS/plotter Electronis chart(s) AIS transponder **Navigation lights** Extra info

EQUIPMENT

Fixed windscreen	yes
Sprayhood	With extension
Bimini	New 2023 (original)
Winter cover	For cockpit
Cockpit cushions	yes
Cockpit table	Teak
Bathing platform	Fold-out (manual) platform
Boarding ladder	stainless steel
Deck shower	At bathing platform
Anchor	Ultra SS (21 kg) with new holder (2022)
Anchor chain	70 m (8mm)
Anchor 2	Bruce Stern Anchor SS (20 kg)



Chain counter	Lewmar
Windlass	electrical Lewmar
Windlass aft	electrical With remote control
Deck wash	15L/min (12V) sea water
Dinghy	rigid inflatable Highfild
Outboard	Tohatsu
Outboard support	yes
Davits	stainless steel DV 42 Kit (2022)
Davits controls	manual
Sea railing	wire
Grab rail (superstructure)	teak
Railing side opening gates	yes
Pushpit	yes
Pulpit	yes
Lifejackets	yes
Safety harness	yes
Lifebuoy	yes
Danbuoy	yes
Safety lines on deck	yes
Clearview window	yes
Horn	electric
Binocular	yes
Fenders	yes
Mooring lines	yes
Spare parts	yes
Tools	yes
TV	Retractable 43" TV (230V)
TV receiver	UFO marine TV/FM antenna
Radio	Fusion
DVD player	Fusion (connected to Raymarine MFD)
Cockpit speakers	yes
Speakers in salon	yes



Ć

Clock - barometer	In chrome
Fire extinguisher	3 units (cabins & saloon)
Latest extinguisher survey	2021
Extinguisher in engine room	yes
Auto extinguisher system	yes
Extra info	Fully loaded ex Hallberg rassy Demo Boat

RIGGING


3 units (cabins & saloon)
2021
yes
yes
Fully loaded ex Hallberg rassy Demo Boat

Rigging	sloop
Standing rigging	wire Original
Brand mast	Seldén
Material mast	aluminium
Spreaders	3 sets
Mainsail	Dracon offshore by Elvström
Genoa	Dracon offshore by Elvström (107%)
Genoa furler	Selden Furlex TDE (electric)
Code Zero	Elvström
A-symetric spi	Parasailor with sock (152m ²), new 2022
Reefing System	main in-mast furling Electric
Backstay adjuster	mechanical
Boomvang	gasspring Selden Rod Kicker
Primary sheet winch	Lewmar EVO 50 EST Chrome (electric)
Halyard winches	Lewmar EVO 40 EST Chrome (electric)
Reefing winch	Lewmar EVO 40 EST electricx (on mast)



































 $\mathbf{\hat{o}}$















