





BROKERAGE | CHARTER | BERTHS | FINANCE | INSURANCE | YACHT MANAGEMENT

#### **BROKER'S COMMENTS**

Nauticat 441 is a pilothouse ketch. She can be fully steered and navigated both from outside helm and from inside helm station. Of course, the sails are always trimmed from cockpit. There are big windows in the saloon, creating open and well-lit space, together with huge U-couch, helm stations and easy-to-use side doors this creates a good living area. There are spacious 2-person front and aft cabins. The U-shaped kitchen is the heart of every home, and we planned to stay onboard for extended periods. The small dinette is usable as a dining room, as an excellent study or mid-ship storm bunk.

Jörg Hellmich

#### **SPECIFICATIONS**

Dimensions	14.51 x 3.75 x 1.90 (m)	Builder	Nauticat Yachts OY
Built	2011	Cabins	2
Material	GRP	Berths	5
Engine(s)	1 x Perkins Sabre M150TI diesel	Hp/Kw	148.00 (hp), 108.93 (kw)
Asking price	€ 495.000 (VAT Paid)	Lying	at sales office

#### CONTACT

Sales office	De Valk Almeria	Telephone	+34 950 497 825
Address	Puerto Deportivo, Darsena de la Batea 42	E-mail	almeria@devalk.nl
	04711 Almerimar		
	ES		

#### **DISCLAIMER**

These particulars are given in good faith as supplied but cannot be guaranteed.



#### **GENERAL**

Model NAUTICAT 441

Type sailing yacht

LOA (m) 14,51

LWL (m) 11,25

Beam (m) 3,75

Draft (m) 1,90

Air draft min (m) 17,50

Headroom (m) 196

Headroom (m) 1,96
Year built 2011

Launched 2011

Builder Nauticat Yachts OY

**Country** Finland

**Designer** Kaj Gustafsson

Displacement (t) 20

Ballast (tonnes) cast iron and lead 5,5

Gross tonnage 20
CE norm B
Hull material GRP
Hull colour white

Hull shapeV-shaped hullKeel typelong keel

Superstructure material GRP Solid hand laminated

Rubbing strake rubber

Deck material GRP Solid hand laminated

Deck finish teak

Superstructure deck finish non-skid moulded in

Cockpit deck finish teak

Antifouling (year) Coppercoat 2011, touchup patches 2022

Dorades

Window frame aluminium

Window material tempered glass

**Deckhatch** 8 x Lewmar

Portholes aluminium 7 x Openable, 8 x fix

Fuel tank (litre) stainless steel Starboard 340 I, Port side 500 I

Fuel tank 2 (litre) stainless steel Auxiliary tanks 2 x 110 l

Level indicator (fuel tank) Gauge

Freshwater tank (litre) stainless steel 620
Level indicator (freshwater) Gauge in Galley

Blackwater tank (litre) 2 x 90
Level indicator (blackwater) LED

Blackwater tank extraction deck extraction + pump

Wheel steering hydraulic

Inside helm position Pilotsaloon

Outside helm position hydraulic In Cockpit

Emergency tiller yes

More info on hull Solid hand laminated, in perfect conditions

#### **ACCOMMODATION**

Cabins 2
Berths 5
Interior teak

Layout Custom 2 cabin version

Floor teak
Aft deck yes
Pilot house/deck saloon yes
Headroom saloon (m) 1,96

**Heating** diesel ducted hot air Webasto Air Top Evo 5500D

Air-conditioning reverse cycle airco 12000 btu in salon, 8000 btu in dinette

(needs replacing)

Chart table yes

Aft Cabin Owners cabin

Dinette to convert into berth yes

Sliding door to cockpit

Galley

Countertop

Countertop

To sidedecks

L-shape

corian

Sink stainless steel Double

Cooker induction Balay Induction, 2 burner

Oven electric Miele on gimbal

Microwave Siemens

Fridge Isoterm stainless front door + 2 cooler boxes

Freezer Both cool boxes can be set to freezer with thermostat

Hot water system 220V + engine Boiler

Water pressure system electrical Hot and cold, Jabsco pump, Seagull IV drinking water

filtration

**Dishwasher** Decommissioned, pipework is existing

Hot water tap Hot/cold mixers in the galley and toilets (with thermostat)

Owners cabin double bed Aft

Bed length (m) 2,00

Wardrobe hanging and shelves

**Toilet** en suite

Toilet system electric Fresh water with sea water backup

Wash basin at the toilet
Shower en suite

Guest cabin 1 v-bed Forward

Bed length (m) 2,00

Wardrobe hanging and shelves

Toilet en suite

Toilet system electric With fresh water

Wash basinat the toiletShoweren suiteWashing machineAquamatic

**MACHINERY** 



No of engines

**Make** Perkins

Type Sabre M150TI

 HP
 148

 kW
 108.93

 Fuel
 diesel

 Year installed
 2011

Year of overhaul Annual service, new exhaust elbow in 2024

Maximum speed (kn)9Cruising speed (kn)6,5Consumption (I/hr)6Range (nm)1000Engine hours1371

Engine cooling system freshwater heat exchanger

**Drive** shaft

Shaft seal Stuffing box

**Engine controls** bowden cable Kobelt 2090 series, single level dual station

**Gearbox** hydraulic ZF 45A

Bowthruster electric Max Power CT125, new propellers in 2025
Sternthruster electric Max Power CT125, new propellers in 2025

**Exhaust** watercooled

Propeller type folding Flex-o-fold, Propspeed antifoul

Propeller blades 3

Propeller shaft material stainless steel

Shaft lubricationwaterManual bilge pumpWhaleElectric bilge pumpRuleBilge alarmyes

Electrical installation 24V + 230V, 230V with inverter pass-though, 230V double

sockets

Generator wet exhaust Westerbeke 7.5EDT

Running hours generator 240

Start battery 2 x12V / 105 Ah AGM, replaced 2025

Service battery 4 x 12V / 225 Ah AGM, replaced 2022

Generator battery 1 x 12V / 110 Ah, replaced 2022

Battery monitor Mastervolt MICC

Battery charger 2 x Mastervolt Mass 24/50
Inverter Mastervolt Sine 24/2500 230V

Solar panel 2 x Kyocera KD135SX, Sunsaver MPPT controller

Shorepower with cable 230V

Insulation transformer Mastervolt Mass GI 3.5

Extra info

Rule 2000, additional high water switch, in case of pump failure

Extra info

Fuel polishing system: 2 Racor prefilters that can be switched

Extra info Engine room ventilator

#### **NAVIGATION**

**Compass** Suunto

Multi control display Raymarine ST70

Depth sounder Aimar
Log Aimar

Windset Raymarine ST70

VHF Raymarine Ray 55E

Autopilot 2 x Raymarine ST6000 (independent)

Rudder angle indicatorRaymarine ST6000Plotter/GPS2 x Raymarine E120Radar/GPSRaymarine RD418D

Navtex Furuno NX-300

Electronic chart(s) Navionics

AlS transceiver Raymarine

Transmitter Icom IC-M710 (dicomissioned

Navigation lights yes

#### **EQUIPMENT**



**Bimini** yes

Window cover For windshield

Cockpit cushions Backrest

Cockpit table Teak surface

Bathing platform With removable stainless steel handrail

Boarding ladder stainless steel

Transom door yes

Gangway GRP Passerelle

Deck shower H&c

Anchor Rocna 33kg

Anchor chain 100m (10mm, galvanized)
Anchor 2 Rocna 20 kg (at stern)

Anchor chain Ankarolina Flat

Chain counter yes

Windlass electrical Lofrans Falkon 1700W / 24V

Capstan Anchormatic for Ankarolina

Deck wash

Salt water and fresh water at bow and stern

Pinghy

rigid inflatable Ribeye TL260 (to be replaced)

Outboard Spirit 1.0 Plus electric

Outboard support yes

Davits stainless steel Simpson

Davits controls manual
Sea railing teak

Grab rail (superstructure) stainless steel

Railing side opening gates yes
Pushpit yes
Pulpit yes

Life raft container Sea Safe (2017)

Life raft (pers) 6

Last life raft survey05.2023LifejacketsyesSafety harnessyes



**Lifebuoy** 2 x with lights

Safety lines on deck 2 & 1 (on pilothouse)

Rope cutter yes

Wiper Pilothouse windshield 3 pcs with fresh water flush

Clearview window yes
Horn yes

Radar reflector Echomax active

Fenders yes
Mooring lines yes

Spare parts Set of mixed parts

TV receiver Decomissioned, antenna and wiring installed

Radio-cd player 2 x Pioneer in salon and aft cabin

Cockpit speakers yes

Speakers in salon 2 x Diamond (saloon, dinette)

Speakers in cabin2 x DiamondFire extinguisher6kg and 2kg

Latest extinguisher survey 2025

**Extinguisher in engine room**Sea-Fire automatic, not surveyed

Extra info Fire blanket in galley

#### **RIGGING**

Rigging ketch Masthead

Standing rigging wire Original (2011)

Brand mast Seldén With mast steps

Material mast aluminium

**Spreaders** yes

Mainsail Advanced sails Hydranet (New 2025) 26,5m<sup>2</sup>

Mizzen Advanced sails (original) in good conditions. 11,2m² on furler

Genoa Advanced sails Hydranet (New 2025)) 51m<sup>2</sup>
Genoa furler Furlex 300 E MKII (electric) - New 2022

Gennaker North Sails 114m<sup>2</sup>



2 x Harken 60 ST 2 SP Electric

Stormjib 13m<sup>2</sup>

Reefing System main in-mast furling Electric Selden In-mast furling

Boomvang mechanical and tackle Selden Primary sheet winch

Secondary sheet winch 2 x Harken 46 ST 2 SP

Halyard winches 3 x Andersen 28ST on masts

Gennaker pole Whisker pole carbon fibre

Extra info Mast Steps on both masts



















































































































