



DE VALK
YACHT BROKERS



NAUTICAT 441



DE VALK
YACHT BROKERS

BROKERAGE | CHARTER | BERTHS | FINANCE | INSURANCE | YACHT MANAGEMENT

NAUTICAT 441

BROKER'S COMMENTS

Nauticat 441 is a pilothouse ketch. She can be fully steered and navigated both from outside helm and from inside helm station. Of course, the sails are always trimmed from cockpit. There are big windows in the saloon, creating open and well-lit space, together with huge U-couch, helm stations and easy-to-use side doors this creates a good living area. There are spacious 2-person front and aft cabins. The U-shaped kitchen is the heart of every home, and we planned to stay onboard for extended periods. The small dinette is usable as a dining room, as an excellent study or mid-ship storm bunk.

Jörg Hellmich

SPECIFICATIONS

Dimensions	14.51 x 3.75 x 1.90 (m)	Builder	Nauticat Yachts OY
Built	2011	Cabins	2
Material	GRP	Berths	5
Engine(s)	1 x Perkins Sabre M150TI diesel	Hp/Kw	148.00 (hp), 108.93 (kw)
Asking price	€ 445.000 (VAT Paid)	Lying	at sales office

CONTACT

Sales office	De Valk Almeria	Telephone	+34 950 497 825
Address	Puerto Deportivo, Darsena de la Batea 42 04711 Almerimar ES	E-mail	almeria@devalk.nl

DISCLAIMER

These particulars are given in good faith as supplied but cannot be guaranteed.



GENERAL

Model	NAUTICAT 441
Type	sailing yacht
LOA (m)	14,51
LWL (m)	11,25
Beam (m)	3,75
Draft (m)	1,90
Air draft min (m)	17,50
Headroom (m)	1,96
Year built	2011
Launched	2011
Builder	Nauticat Yachts OY
Country	Finland
Designer	Kaj Gustafsson
Displacement (t)	20
Ballast (tonnes)	cast iron and lead 5,5
Gross tonnage	20
CE norm	B
Hull material	GRP
Hull colour	white
Hull shape	V-shaped hull
Keel type	long keel
Superstructure material	GRP Solid hand laminated
Rubbing strake	rubber
Deck material	GRP Solid hand laminated
Deck finish	teak
Superstructure deck finish	non-skid moulded in
Cockpit deck finish	teak
Antifouling (year)	Coppercoat 2011, touchup patches 2022
Dorades	4
Window frame	aluminium



Window material	tempered glass
Deckhatch	8 x Lewmar
Portholes	aluminium 7 x Openable, 8 x fix
Fuel tank (litre)	stainless steel Starboard 340 l, Port side 500 l
Fuel tank 2 (litre)	stainless steel Auxiliary tanks 2 x 110 l
Level indicator (fuel tank)	Gauge
Freshwater tank (litre)	stainless steel 620
Level indicator (freshwater)	Gauge in Galley
Blackwater tank (litre)	2 x 90
Level indicator (blackwater)	LED
Blackwater tank extraction	deck extraction + pump
Wheel steering	hydraulic
Inside helm position	Pilotsaloon
Outside helm position	hydraulic In Cockpit
Emergency tiller	yes
More info on hull	Solid hand laminated, in perfect conditions

ACCOMMODATION

Cabins	2
Berths	5
Interior	teak
Layout	Custom 2 cabin version
Floor	teak
Aft deck	yes
Pilot house/deck saloon	yes
Headroom saloon (m)	1,96
Heating	diesel ducted hot air Webasto Air Top Evo 5500D
Air-conditioning	reverse cycle airco 12000 btu in salon, 8000 btu in dinette (needs replacing)
Chart table	yes
Aft Cabin	Owners cabin



Dinette to convert into berth	yes
Sliding door to cockpit	To sidedecks
Galley	L-shape
Countertop	corian
Sink	stainless steel Double
Cooker	induction Balay Induction, 2 burner
Oven	electric Miele on gimbal
Microwave	Siemens
Fridge	Isoterm stainless front door + 2 cooler boxes
Freezer	Both cool boxes can be set to freezer with thermostat
Hot water system	220V + engine Boiler
Water pressure system	electrical Hot and cold, Jabsco pump, Seagull IV drinking water filtration
Dishwasher	Decommissioned, pipework is existing
Hot water tap	Hot/cold mixers in the galley and toilets (with thermostat)
Owners cabin	double bed Aft
Bed length (m)	2,00
Wardrobe	hanging and shelves
Toilet	en suite
Toilet system	electric Fresh water with sea water backup
Wash basin	at the toilet
Shower	en suite
Guest cabin 1	v-bed Forward
Bed length (m)	2,00
Wardrobe	hanging and shelves
Toilet	en suite
Toilet system	electric With fresh water
Wash basin	at the toilet
Shower	en suite
Washing machine	Aquamatic

MACHINERY



No of engines	1
Make	Perkins
Type	Sabre M150TI
HP	148
kW	108.93
Fuel	diesel
Year installed	2011
Year of overhaul	Annual service, new exhaust elbow in 2024
Maximum speed (kn)	9
Cruising speed (kn)	6,5
Consumption (l/hr)	6
Range (nm)	1000
Engine hours	1371
Engine cooling system	freshwater heat exchanger
Drive	shaft
Shaft seal	Stuffing box
Engine controls	bowden cable Kobelt 2090 series, single level dual station
Gearbox	hydraulic ZF 45A
Bowthruster	electric Max Power CT125, new propellers in 2025
Sternthruster	electric Max Power CT125, new propellers in 2025
Exhaust	watercooled
Propeller type	folding Flex-o-fold, Propspeed antifoul
Propeller blades	3
Propeller shaft material	stainless steel
Shaft lubrication	water
Manual bilge pump	Whale
Electric bilge pump	Rule
Bilge alarm	yes
Electrical installation	24V + 230V, 230V with inverter pass-through, 230V double sockets
Generator	wet exhaust Westerbeke 7.5EDT
Running hours generator	240



Start battery	2 x12V / 105 Ah AGM, replaced 2025
Service battery	4 x 12V / 225 Ah AGM, replaced 2022
Generator battery	1 x 12V / 110 Ah, replaced 2022
Battery monitor	Mastervolt MICC
Battery charger	2 x Mastervolt Mass 24/50
Inverter	Mastervolt Sine 24/2500 230V
Solar panel	2 x Kyocera KD135SX, Sun saver MPPT controller
Shorepower	with cable 230V
Insulation transformer	Mastervolt Mass GI 3.5
Extra info	Rule 2000, additional high water switch, in case of pump failure
Extra info	Fuel polishing system: 2 Racor prefilters that can be switched
Extra info	Engine room ventilator

NAVIGATION

Compass	Suunto
Multi control display	Raymarine ST70
Depth sounder	Aimar
Log	Aimar
Windset	Raymarine ST70
VHF	Raymarine Ray 55E
Autopilot	2 x Raymarine ST6000 (independent)
Rudder angle indicator	Raymarine ST6000
Plotter/GPS	2 x Raymarine E120
Radar/GPS	Raymarine RD418D
Navtex	Furuno NX-300
Electronic chart(s)	Navionics
AIS transceiver	Raymarine
Transmitter	Icom IC-M710 (dico missioned)
Navigation lights	yes

EQUIPMENT



Bimini	yes
Window cover	For windshield
Cockpit cushions	Backrest
Cockpit table	Teak surface
Bathing platform	With removable stainless steel handrail
Boarding ladder	stainless steel
Transom door	yes
Gangway	GRP Passerelle
Deck shower	H&c
Anchor	Rocna 33kg
Anchor chain	100m (10mm, galvanized)
Anchor 2	Rocna 20 kg (at stern)
Anchor chain	Ankarolina Flat
Chain counter	yes
Windlass	electrical Lofrans Falkon 1700W / 24V
Capstan	Anchormatic for Ankarolina
Deck wash	Salt water and fresh water at bow and stern
Dinghy	rigid inflatable Ribeye TL260 (to be replaced)
Outboard	Spirit 1.0 Plus electric
Outboard support	yes
Davits	stainless steel Simpson
Davits controls	manual
Sea railing	teak
Grab rail (superstructure)	stainless steel
Railing side opening gates	yes
Pushpit	yes
Pulpit	yes
Life raft	container Sea Safe (2017)
Life raft (pers)	6
Last life raft survey	05.2023
Lifejackets	yes
Safety harness	yes



Lifebuoy	2 x with lights
Safety lines on deck	2 & 1 (on pilothouse)
Rope cutter	yes
Wiper	Pilothouse windshield 3 pcs with fresh water flush
Clearview window	yes
Horn	yes
Radar reflector	Echomax active
Fenders	yes
Mooring lines	yes
Spare parts	Set of mixed parts
TV receiver	Decomissioned, antenna and wiring installed
Radio-cd player	2 x Pioneer in salon and aft cabin
Cockpit speakers	yes
Speakers in salon	2 x Diamond (saloon, dinette)
Speakers in cabin	2 x Diamond
Fire extinguisher	6kg and 2kg
Latest extinguisher survey	2025
Extinguisher in engine room	Sea-Fire automatic, not surveyed
Extra info	Fire blanket in galley

RIGGING


Rigging	ketch Masthead
Standing rigging	wire Original (2011)
Brand mast	Seldén With mast steps
Material mast	aluminium
Spreaders	yes
Mainsail	Advanced sails Hydranet (New 2025) 26,5m²
Mizzen	Advanced sails (original) in good conditions. 11,2m² on furler
Genoa	Advanced sails Hydranet (New 2025)) 51m²
Genoa furler	Furlex 300 E MKII (electric) - New 2022
Gennaker	North Sails 114m²





Stormjib	13m ²
Reefing System	main in-mast furling Electric Selden In-mast furling
Boomvang	mechanical and tackle Selden
Primary sheet winch	2 x Harken 60 ST 2 SP Electric
Secondary sheet winch	2 x Harken 46 ST 2 SP
Halyard winches	3 x Andersen 28ST on masts
Gennaker pole	Whisker pole carbon fibre
Extra info	Mast Steps on both masts



NAUTICAT 441




NAUTICAT 441



NAUTICAT 441



NAUTICAT 441



NAUTICAT 441





NAUTICAT 441




NAUTICAT 441




NAUTICAT 441





NAUTICAT 441





NAUTICAT 441



NAUTICAT 441





NAUTICAT 441




NAUTICAT 441






NAUTICAT 441



NAUTICAT 441







NAUTICAT 441

