





BROKERAGE | CHARTER | BERTHS | FINANCE | INSURANCE | YACHT MANAGEMENT

BROKER'S COMMENTS

This Hutting 40, designed by D. Koopmans, represents the finest tradition of Dutch yacht building. Constructed in aluminium for strength, safety, and longevity, she combines offshore capability with timeless elegance. The yacht features a cutter rig, offering both versatility and balance for long-distance cruising. Her interior is truly distinctive – crafted in light ash wood, it creates a bright, welcoming, and modern atmosphere rarely found in yachts of this category. Well maintained and now in the hands of only her second owner, she reflects both careful stewardship and an enduring appeal.

Oliver Stehula

SPECIFICATIONS

Dimensions	12.20 x 3.60 x 1.60 (m)	Builder	Hutting Yachts
Built	1995	Cabins	3
Material	Aluminium	Berths	6
Engine(s)	1 x Yanmar 4JH2-TE diesel	Hp/Kw	50.00 (hp), 36.80 (kw)
Asking price	€ 249.000 (VAT Paid)	Lying	at sales office

CONTACT

Sales office	De Valk Palma	Telephone	+34 971 40 29 11
Address	Port. Cala Nova, Avda. Joan Miro, 327	E-mail	palma@devalk.nl
	07015 Palma de Mallorca		
	ES		

DISCLAIMER

These particulars are given in good faith as supplied but cannot be guaranteed.



GENERAL

Model HUTTING 40

Type sailing yacht

LOA (m) 12,20

Beam (m) 3,60

Draft (m) 1,60

Headroom (m) 1,95

Year built 1995

Builder Hutting Yachts
Country The Netherlands

Designer Koopmans

Displacement (t) 13,4

Ballast (tonnes) lead in steel

CE norm A

Hull materialaluminiumHull colourwhiteHull shapeS-bilgedKeel typelong keelDeck materialaluminiumDeck finishteak

Cockpit deck finish teak
Antifouling (year) 04/2025
Window frame aluminium
Window material polycarbonate

Fuel tank (litre) 450
Freshwater tank (litre) 460
Blackwater tank (litre) 100

Wheel steering rack & pinion Whitlock Cobra

ACCOMMODATION

Cabins 3



Berths 6

Interior ash White ash

Heating diesel ducted hot air Webasto

Chart table yes

Sink stainless steel Double
Cooker calor gas 3 burner

Oven yes

Fridge Transportable box dometic

Hot water system220V + engineWater pressure systemelectrical

Manual and/or foot pump yes

Owners cabin twin single

Bed length (m) 2,00

Wardrobe hanging/drawers/shelves

Bathroomen suiteToileten suiteToilet systemmanual

Wash basin in the bathroom

Shower en suite

Guest cabin 1 4x single bed

Wardrobe drawers and shelves

MACHINERY

No of engines 1

MakeYanmarType4JH2-TEHP50

kW 36.80
Fuel diesel
Year installed 1994
Maximum speed (kn) 7



Engine hours 2091

Engine cooling system freshwater heat exchanger

Drive shaft

Engine controls bowden cable

Gearbox hydraulic

Bowthruster electric Sleipner
Exhaust watercooled

Propeller type folding Three blades

Propeller shaft material stainless steel

Shaft lubrication oilbath

Manual bilge pump yes

Electrical installation Shore power 230 volts
Service battery 2 x 225 Ah Mastervolt

Battery monitor Mastervolt
Battery charger Mastervolt
Solar panel 100 watts

NAVIGATION

Compass C. Path Venus

Depth sounder B&G Hydra 2

Depth sounder/log yes

Log B&G Hydra 2
Windset B&G Hydra 2
Autopilot B&G Hydra 2

Radar Furuno
GPS Philips AP

NavtexyesAIS transceiveryesNavigation lightsyes

EQUIPMENT



Sprayhood yes
Cockpit table yes

Boarding ladder stainless steel
Gangway Aluminium
Anchor Bruce 20kg
Anchor chain 50m, 8mm

Windlass electrical Maxwell VWC 2200

DinghyZAR Mini Rib 8OutboardMercury 3,5 4t

Life raft 6 pax, need survey

Radio-cd player Blaupunkt

RIGGING

Rigging cutter
Standing rigging wire

Material mast aluminium
Spreaders One pair

MainsailyesJib IyesGenoayesGenoa furleryesCutter furleryesGennakeryes

Reefing System quick-one-line-reefing

Backstay adjuster mechanical
Boomvang mechanical

Primary sheet winch 2x 41 Meissner self tailing
Secondary sheet winch 1x 32 Meissner self tailing

Genoa sheetwinches 2x 32 ST 60 Meissner self tailing electrics

Halyard winches 1x 21 Meissner self tailing
Spinnaker winch 2x 28 Meissner self tailing



Spi-pole aluminium Two

















































































































