



LINSSEN 550 AC VARIOTOP

LINSSSEN 550 AC VARIOTOP

BROKER'S COMMENTS

Linssen 550 AC Variotop, built in 2026. If you are considering having a new motor yacht / Linssen built, it is definitely worth coming to view this Linssen 550 AC Variotop; launched in March 2026. This Linssen Grand Sturdy 550 AC Variotop is presented in excellent condition and is offered in cooperation with Sanzi Yachts, the official Linssen dealer. Delivered with a professional Linssen delivery package, the yacht will be thoroughly inspected, technically checked and handed over ready to cruise in accordance with Linssen's high quality standards. Available for viewing in our covered marina!

Mark Hesselmans

SPECIFICATIONS

Dimensions	16.40 x 4.85 x 1.30 (m)	Builder	Linssen Yachts
Built	2026	Cabins	3
Material	Steel	Berths	6
Engine(s)	2 x Yanmar 4LV150 diesel	Hp/Kw	2 x 150.00 (hp), 110.40 (kw)
Asking price	€ 1.595.000 (VAT Not paid)	Lying	at sales office

CONTACT

Sales office	De Valk Sneek	Telephone	+31 (0)515 42 80 30
Address	Zwolsmanweg 7 8606 KC Sneek NL	E-mail	sneek@devalk.nl

DISCLAIMER

These particulars are given in good faith as supplied but cannot be guaranteed.



LINSSEN 550 AC VARIOTOP

GENERAL

Model	LINSSEN 550 AC VARIOTOP
Type	motor yacht
LOA (m)	16,40
LWL (m)	13,80
Beam (m)	4,85
Draft (m)	1,30
Air draft (m)	4,80
Air draft min (m)	3,50
Headroom (m)	2,00
Year built	2026
Launched	26-03-2026
Builder	Linssen Yachts
Country	The Netherlands
Designer	Linssen Yachts
Displacement (t)	30
CE norm	B
Hull material	steel
Hull colour	blue
Hull thickness (mm)	5
Hull shape	multi hard chine
Keel type	yes
Superstructure material	steel
Superstructure (mm)	4
Deck plate thickness (mm)	4
Rubbing strake	fender rope
Deck material	steel
Deck finish	teak
Superstructure deck finish	paint
Cockpit deck finish	synthetic teak
Antifouling (year)	2026



LINSSEN 550 AC VARIOTOP

Dorades	yes
Window frame	aluminium
Window material	double glazing
Deckhatch	3x Gebo
Portholes	aluminium
Insulation	foam
Mast can be lowered	hydraulic
Fuel tank (litre)	steel 1185
Fuel tank 2 (litre)	steel 1185
Level indicator (fuel tank)	yes
Freshwater tank (litre)	polyethylene 960
Level indicator (freshwater)	yes
Blackwater tank (litre)	stainless steel 400
Level indicator (blackwater)	yes
Blackwater tank extraction	deck extraction + pump
Wheel steering	hydraulic
Outside helm position	hydraulic

ACCOMMODATION

Cabins	3
Berths	6
Interior	cherry
Layout	yes
Floor	teak and holly
Open cockpit	yes
Aft deck	yes
Pilot house	yes
Saloon	yes
Headroom saloon (m)	2,0
Heating	central heating
Air-conditioning	reverse cycle airco Webasto



LINSSEN 550 AC VARIOTOP

Aft Cabin	yes
Dinette	yes
Opening door to cockpit	4 x
Galley	yes
Countertop	corian
Sink	stainless steel
Cooker	induction 4-pits Siemens Schott Ceran
Extractor	yes
Microwave/oven combi	Siemens HT6B3MC0S
Fridge	Dometic NRX0115 (113 ltr) & freezer
Freezer	Dometic
Wine cooler	Wolkenstein
Hot water system	220V/engine/heating & 80ltr. boiler
Water pressure system	electrical
Dishwasher	Bosch
Ice maker	yes
Owners cabin	double bed
Bed length (m)	2,00m +/-
Wardrobe	hanging/drawers/shelves
Bathroom	en suite
Toilet	en suite
Toilet system	electric
Wash basin	in the bathroom
Shower	en suite
Guest cabin 1	French bed
Bed length (m)	2,00m +/-
Wardrobe	hanging/drawers/shelves
Bathroom	shared
Toilet	shared
Toilet system	electric
Wash basin	at the toilet
Shower	shared



LINSSEN 550 AC VARIOTOP

Guest cabin 2	twin single
Bed length (m)	2,00m +/-
Wardrobe	hanging/drawers/shelves
Bathroom	shared
Toilet	shared
Toilet system	yes
Wash basin	in the bathroom
Shower	shared
Washing machine	yes

MACHINERY

No of engines	2
Make	Yanmar
Type	4LV150
HP	150
kW	110.40
Fuel	diesel
Year installed	2026
Engine hours	83
Engine cooling system	freshwater heat exchanger
Drive	shaft
Engine controls	electrical With remote control: Hydronautica
Gearbox	hydraulic ZF 68/2,783:1
Bowthruster	electric Proportional 400V/7,5 KW with max power 11KW & remote control
Sternthruster	electric Proportional 400V/7,5KW with max power 11KW & remote control
Exhaust	watercooled
Propeller type	fixed Material Bronze
Propeller blades	4
Propeller shaft material	stainless steel
Shaft lubrication	water



Electric bilge pump	yes
Electrical installation	12V / 230V
Generator	silent separator Northern Lights 400V/16 kW
Batteries	9x with 4x Victron Energy Lynx Distributor M10
Start battery	2x Exide Marine EM 1000 12V / 50 Ah
Service battery	6x Victron Energy LiFePO4 12,8V / 200Ah Smart - total 15,36 kW
Generator battery	Exide Marine EM 1000
Battery monitor	Victron Energy
Battery charger	Blue Solar charge controller MPPT 150/100
Inverter	Victron Energy Orion TR12/12-9 Converter: Victron Energy 12/24-
Battery charger/inverter	Victron Quattro 12V 5000W 220A
Solar panel	6 x 160Wp "Solara"
Shorepower	with cable
Stabilizers	Rotorswing

NAVIGATION

Electric compass	Raymarine Axiom
Depth sounder/log	Raymarine DST810 Triducer
Windset	Raymarine Axiom
VHF	Raymarine Ray90
Autopilot	Raymarine with p70RS display & Raymarine follow-on tiller
Rudder angle indicator	Raymarine Axiom
Radar	Raymarine Quantum 2
Radar/GPS/plotter	2x Raymarine Axiom XL16" with Raymarine RMK-10 remote keypad
AIS transponder	Raymarine
AIS transceiver	Raymarine
Camera	4x Raymarine
Navigation lights	LED's
Searchlight	Marinco



EQUIPMENT

Fixed windscreen	yes
Cockpit cover	yes
Bimini	yes
Sun awning	yes
Cockpit cushions	yes
Cockpit table	yes
Cockpit chairs	yes
Bathing platform	Hydraulically adjustable / Steel & Teak max. 350kg
Boarding ladder	stainless steel
Transom door	yes
Deck shower	Warm & Cold
Anchor	Bruce 30 kg
Anchor chain	yes
Anchor chain	With cleaning system
Windlass	electrical Lewmar with remote control AA710
Deck wash	yes
Sea railing	stainless steel
Grab rail (superstructure)	stainless steel
Railing side opening gates	yes
Wiper	3 x with whiper control & wipe/wash system
Horn	air pressure
Fenders	yes
Mooring lines	yes
TV	2x Flatscreen Samsung Saloon & ownerscabin
TV receiver	& WiFi Starlink
Radio	Fusion RA70N WiFi "SiriusXM ready"
Cockpit speakers	yes
Speakers in salon	yes
Fire extinguisher	3x
Extinguisher in engine room	yes



LINSSEN 550 AC VARIOTOP



LINSSEN 550 AC VARIOTOP




LINSSEN 550 AC VARIOTOP



LINSSEN 550 AC VARIOTOP




LINSSEN 550 AC VARIOTOP



LINSSEN 550 AC VARIOTOP



LINSSEN 550 AC VARIOTOP




LINSSEN 550 AC VARIOTOP



LINSSEN 550 AC VARIOTOP




LINSSEN 550 AC VARIOTOP




LINSSEN 550 AC VARIOTOP





LINSSEN 550 AC VARIOTOP



LINSSEN 550 AC VARIOTOP




LINSSEN 550 AC VARIOTOP




LINSSEN 550 AC VARIOTOP





LINSSEN 550 AC VARIOTOP



LINSSEN 550 AC VARIOTOP



LINSSEN 550 AC VARIOTOP




LINSSEN 550 AC VARIOTOP



LINSSEN 550 AC VARIOTOP



LINSSEN 550 AC VARIOTOP



LINSSEN 550 AC VARIOTOP

