

ALUBAT OVNI 445

DE VALK
YACHT BROKERS

BROKERAGE | CHARTER | BERTHS | FINANCE | INSURANCE | YACHT MANAGEMENT

ALUBAT OVNI 445

BROKER'S COMMENTS

MAKANI II - the "4x4 of the ocean": a Marc Lombard-designed Alubat Ovni 445, the legendary aluminium lifting-keel cruiser. Her hydraulic keel goes from 1.05 m to 3.00 m draft - beach her, dry her, or reach the shallowest anchorages the Pacific and Indonesia have to offer. Cutter rig built for serious offshore work, two-cabin owner's version sleeping four, Volvo Penta D2-55F (regularly serviced, ~4,200 hrs), 400 W solar, wind generator, watermaker, Furuno radar. French flag, VAT paid. Lying Langkawi.

Jeroen Kool

SPECIFICATIONS

Dimensions	13.80 x 4.29 x 1,05 / 2.90 (m)	**Builder**	Alubat
Built	2009	**Cabins**	2
Material	Aluminium	**Berths**	4
Engine(s)	1 x Volvo Penta D2-55F diesel	**Hp/Kw**	55.00 (hp), 40.48 (kw)
Asking price	€ 285.000 (VAT)	**Lying**	Malaysia

CONTACT

Sales office	De Valk Asia	**Telephone**	+60 11 140 780 55
Address		**E-mail**	asia@devalk.nl
	AS		

DISCLAIMER

These particulars are given in good faith as supplied but cannot be guaranteed.

ALUBAT OVNI 445

GENERAL

Model	ALUBAT OVNI 445
Type	sailing yacht
LOA (m)	13,80
LWL (m)	12,66
Beam (m)	4,29
Draft (m)	2,90
Draft min (m)	1,05
Air draft (m)	20,00
Headroom (m)	1,95
Year built	2009
Builder	Alubat
Country	France
Designer	Marc Lombard
Displacement (t)	11,5
Ballast (tonnes)	lead in GRP 3,75
Hull material	aluminium
Hull colour	silver gray Silver gray
Keel type	centreboard
Superstructure material	aluminium
Deck material	aluminium
Deck finish	non-skid paint
Superstructure deck finish	non-skid paint
Cockpit deck finish	non-skid paint
Dorades	2 xPlastic cowl vents on Aluminum dorade box
Window frame	aluminium
Window material	polycarbonate
Deckhatch	9 x Aluminum, lenses are Acrylic LEWMAR
Portholes	aluminium 4 x Smoked Acrylic
Fuel tank (litre)	aluminium 250L
Fuel tank 2 (litre)	aluminium 250L

Level indicator (fuel tank)	2 (1 per tank)
Freshwater tank (litre)	aluminium 500L (2x250)
Level indicator (freshwater)	2 (1 per tank)
Blackwater tank (litre)	polyethylene 70
Level indicator (blackwater)	1
Wheel steering	rack & pinion 1
Outside helm position	rack & pinion 1
Emergency tiller	yes
More info on paintwork	Stickers on bow (can be removed)

ACCOMMODATION

Cabins	2
Berths	4
Interior	oak
Layout	Aft port staterooms and a forward cabin
Headroom saloon (m)	1,95
Heating	diesel ducted hot air
Navigation center	yes
Aft Cabin	yes
Galley	Galley and U-shaped dinette are midship
Sink	stainless steel 2
Oven	1
Hot water system	220V + engine
Water pressure system	electrical JABSCO serie: PAR MAX 3 with accumulator tank.
Hot water tap	yes
Toilet	separate 1
Toilet system	electric 1
Wash basin	in the bathroom 1
Shower	shared 1

MACHINERY

No of engines	1
Make	Volvo Penta
Type	D2-55F
HP	55
kW	40.48
Fuel	diesel
Year installed	2009
Maximum speed (kn)	8
Cruising speed (kn)	6
Consumption (l/hr)	3
Engine hours	4200
Engine cooling system	seawater
Drive	shaft
Shaft seal	VOLVO stuffing box lip seal
Engine controls	bowden cable
Gearbox	mechanical Gear-box VOLVO
Propeller type	feathering Three-blade automatic feathering propeller MAX PROP
Propeller blades	3
Propeller shaft material	stainless steel 30mm
Shaft lubrication	water
Manual bilge pump	Jabsco 1
Electric bilge pump	Jabsco 3
Batteries	4 x 150AH 12v (2025)
Start battery	1 x 90AH 12v (2024)
Battery charger	220 Volts / 12 Volts / 100 Ah MASTERVOLT serie: CHARGEMASTER 12
Inverter	12 Volts / 220 Volts / 3000 Watts SDC ENERGIE
Wind generator	ATMB MARINE serie: D400
Solar panel	4 x 100W UNITEC
Shorepower	with cable

Watermaker	12 Volts powered, provide 60 liters / hour DESSALATOR. 354 hour

NAVIGATION

Compass	PLASTIMO serie: OLYMPIC 135
Multi control display	2 x RAYMARINE GRAPHIC ST60
Windset	RAYMARINE WIND ST60
VHF	RAYMARINE RAY54E
VHF handheld	ICOM IC-M90E
Autopilot	RAYMARINE
Radar	FURUNO GP39
Plotter	GPS / chart plotter GARMIN with e-charts for Pacific ocean
Navtex	FURUNO NX-300
Personal computer	Marine 12 Volts , MAXSEA TIME0
AIS transponder	Class B - ICOM MA-500TR
Radio receiver	SANGEAN SSB
Extra info	Iridium 9505

EQUIPMENT

Anchor	Galvanized steel, non-hinged scoop anchor SPADE 25 Kg
Anchor chain	60M 10mm Galvanized Steel
Anchor 2	Delta Galvanized steel, non-hinged plow anchor DELTA 27 KG
Anchor chain	50M + 10M 10mm
Windlass	electrical 12 Volts / 1500 Watts rope / chain gypsy on vertical axis

RIGGING

Rigging	cutter
Standing rigging	wire 1x19
Brand mast	Sparcraft
Material mast	aluminium Anodized aluminum mast

Spreaders	4 x Double swept-back spreaders
Mainsail	Triradial full batten mainsail X VOILES, sail cloth is Hydranet
Mainsail cover	Easy bag, dralon fabrics
Battcars	Track and ball bearing batt car FACNOR
Fully battened mainsail	yes
Jib	yes
Genoa	Triradial furling headsail X VOILES™, sail cloth is Hydranet
Genoa furler	FACNOR Serie LX200
Gennaker	Furling Gennaker, sail cloth is Nylon
Spinnaker	Symetric spinnaker, Nylon, with sock
Staysail	Cross cut furling staysail, sail cloth is polyester dacron
Staysail furler	FACNOR Serie LX165
Reefing System	slabreefing
Backstay adjuster	tackle
Boomvang	gasspring
Spi-pole	aluminium


DE VALK
YACHT BROKERS


DE VALK


DE VALK
YACHT BROKERS


FOR SALE
DE VALK
YACHT BROKERS
DE VALK
YACHT BROKERS









GARMIN
Raymarine
WIND
30
60
90
120





CHANTIER
Alubat
Des bateaux à vos mesures
ZI Les Plesses - 85180 LE CHATEAU D'OLONNE (FRANCE)
Catégorie de Design :
A
B
C
D
Max. =
8
10
12
14
Max + (kg)=
2800
2800
2800
2800
CE 0607


DE VALK
YACHT BROKERS


FOR SALE
DE VALK
DE VALK
YACHT BROKERS


DE VALK
YACHT BROKERS



DE VALK
YACHT BROKERS
YACHT LIFE
LUXURY AT SEA



DE VALK
YACHT BROKERS


DE VALK
YACHT BROKERS






DE VALK
YACHT BROKERS


DE VALK
YACHT BROKERS


DE VALK
YACHT BROKERS