



MALO 36

VAN DE MAKELAAR

De Malo 36, één van Malo's best verkopende modellen, staan bekend om de hoge kwaliteit en als zeer zeewaardige zeilboten. Een fantastische zeiler, wat de ruigste condities op zee aan kan. Maar in de haven straalt de elegantie van de Malo 36 af en krijgt ze jaloerse blikken van andere boot bezitters. Dit is een zeiljacht voor diegene die kwaliteit, betrouwbaarheid en de looks van een zeiljacht kunnen waarderen. Ze komt van de 2e eigenaar; 'Tuadh Mumhan' is in de jaren erg goed onderhouden. Ze is voorzien van vele extra's en deze Malo 36 is compleet uitgerust voor het lange afstand zeilen.

Henk Sijbranda

SPECIFICATIES

Afmetingen	11.35 x 3.48 x 1.79 (m)	Bouwer	Malo Yachts AB
Bouwjaar	2002	Hutten	2
Materiaal	Polyester	Slaapplaatsen	6
Motor(en)	1 x Yanmar 3JH3E diesel	Pk/Kw	40.00 (pk), 29.40 (kw)
Vraagprijs	verkocht (BTW)	Ligplaats	contact Hindeloopen

CONTACT

Kantoor	De Valk Hindeloopen B.V.	Telefoon	+31 514 52 40 00
Adres	Oosterstrand 1 8713 JS Hindeloopen NL	E-mail	hindeloopen@devalk.nl

DISCLAIMER

Hoewel er uiterste zorg besteed is aan de correctheid, volledigheid en actualiteit van onze informatie kunnen hieraan geen rechten worden ontleend.



ALGEMEEN

Model	MALO 36
Type	zeiljacht
Lengte (m)	11,35
Lengte waterlijn (m)	9,45
Breedte (m)	3,48
Diepgang (m)	1,79
Stahoogte (m)	1,95
Bouwjaar	2002
Te waterlating	2003
Gebouwd door	Malo Yachts AB
Land	Zweden
Ontwerper	Leif Angermark
Waterverplaatsing (t)	7,7
Ballast (ton)	lood in polyester 3,1
CE norm	A
Romp materiaal	polyester
Romp kleur	wit With blue stripes
Rompvorm	rondspant
Kiel type	vin kiel (long)
Materiaal opbouw	polyester
Stootlijst	aluminium
Dek materiaal	polyester
Afwerking dek	teak Hand-laid, in excellent condition
Afwerking opbouw	teak Hand-laid, in excellent condition
Afwerking kuip	teak Hand-laid, in excellent condition
Antifouling (jaar)	2019
Dorades	2x (saloon)
Raaml ijsten	aluminium
Raammateriaal	perspex
Dekluik	Lewmar



Patrijspoorten	4x
Brandstoftank (liter)	roestvast staal 235 L with two primary filters in addition to main engine filter
Inhoudsmeter (brandstoftank)	Meter at the navigation station
Drinkwatertank (liter)	roestvast staal 400 L. --> 210 L. on portside + 190 L. on starboard side
Inhoudsmeter (drinkwatertank)	2x meters at the navigation station.
Grijswatertank (liter)	roestvast staal 50 L.
Stuurwiel	Jefa steering system (92 cm) with leather covered wheel
Noodhelmstok	ja
Extra info verfsysteem	2014: Antifouling build-up stripped back to the epoxy base
Extra info	4x 10 L. spare fuel cans with Superspout attachment
Extra info	Wheel on RP30 pedestal, adjustable friction brake on wheel shaft
Extra info	Throttle, autopilot an bowthruster controls mounted on pedestal

ACCOMMODATIE

Hutten	2
Slaapplaatsen	6
Interieur	mahonie Finished to the highest standard
Vloer	teak Covered with carpet with non-slip underlay.
Stahoogte salon (m)	1,95 m.
Verwarming	diesel hete lucht Eberspacher D4 (outlets in saloon, both cabins and the heads)
Dinette om te bouwen	ja
Keuken	L-shaped galley to port
Spoelbak	roestvast staal Double
Kooktoestel	gas Smev, gimballed with flame failure device and electric spark
Oven	Smev, see cooker
Magnetron	Electrolux 600 W
Koelkast	Isotherm two-tier 12V fridge with freezer
Warmwatersysteem	220V + motor Isotemp 220 with 22 L. insulated stainless steel tank



Waterdruksysteem	elektrisch
Eigenaarshut	v-bed With dressings seat
Kledingkast	hangend/lades/legplanken
Badkamer	gedeeld
Toilet	gedeeld Raritan PHII
Toilet Systeem	handbediening
Wasbak	in de badkamer With hot/cold mixer tap
Douche	gedeeld With curtain
Gastenhut 1	tweepersoonsbed Aft cabin on port side
Kledingkast	hangend en legplanken
Badkamer	gedeeld
Toilet	gedeeld Raritan PHII
Toilet systeem	handbediening
Wasbak	in de badkamer With hot/cold mixer tap
Douche	gedeeld With curtain
Extra info	All lighting in LED
Extra info	Grab rails each side

MOTOR(EN)

Aantal motoren	1
Merk	Yanmar
Type	3JH3E
Pk	40
kW	29,40
Brandstof	diesel
Geïnstalleerd in jaar	2002
Motoruren	950
Koelsysteem motor	direct buitenwater
Aandrijving	schroefas
Motorbediening	bowden kabels
Keerkoppeling	mechanisch



Boegschroef	elektrisch Sleipner Sidepower SE80, 6 hp
Uitlaatsysteem	watergekoeld
Type schroef	klap FlexoFold
Schroefbladen	3x
Materiaal schroefas	roestvast staal With flexible coupling Aquadrive
Smerring schroefas	Oil lubricated stern gland
Handlenspomp	Jabsco 29250 in cockpit
Elektrische lenspomp	Operated from the switch panel
Bilge alarm	Sensor in the bilge and alarm in the cockpit.
Startaccu	2017: 1x 80 Ah Banner
Lichtaccu	2017: 3x 115 Ah Banner deep cycle
Accu monitor	Mastervolt (in navigation station)
Acculader	Mastervolt 25 Ah three phase smart charger (in navigation st.)
Omvormer	Mastervolt 12V/1200W with remote control station
Windgenerator	Airbreeze 12V marine wind generator
Walstroom	met kabel 10A, 3 shorepower cables (6m, 12m and 20m), various attachments
Extra info	Galvanic Isolator: Odello Zinc Saver II 30 Ah

NAVIGATIE

Kompas	Plastimo, with lighting, mounted on pedestal
Dieptemeter	Raymarine ST60
Log	Raymarine ST60
Windmeetset	Raymarine ST60
Marifoon	ICOM IC-M502 DSC on nav. station
Handmarifoon	Command mike in cockpit
Autopiloot	Raymarine ST5000+ (controls mounted on the binnacle)
Radar	Raymarine 2 Kw scanner
GPS	Raymarine Raystar 125 GPS receiver
Plotter	Raymarine C120 (integrated with the Radar and AIS.
Navtex	Foruno NX300



AIS transponder	Digital Yacht AIT250 Class B marine linked to chartplotter
Radio ontvanger	Standard Horizon GX2100 AIS-enabled VHF
Navigatieverlichting	Extra set of emergency lights, battery operated
Extra info	Vesper Marine SPL160 active VHF splitter
Extra info	Full set of nautical signalling flags

UITRUSTING

Vaste ramen	ja
Buiskap	2014
Kuiptent	2014: the Malö can be sailed with the cockpit enclosure in place
Wintertent	Original spayhood & cockpit cover (old but in good condition)
Kuiptafel	Folding cockpit table in teak, mounted on the binnacle.
Zwemplatform	ja
Zwemtrap	roestvast staal Fold up ladder
Dekdouche	Hot and cold freshwater shower
Anker	Bruce 15 kg
Ankerketting	60 meter 8mm galvanised chain
Extra ankergerei	Two 50 meter webbing anchor reels (pushpit and pulpit)
Ankerlier	elektrisch Lofrans Kobrra 1.000 W with handheld control
Davits	Simpson (polished), swivelling davits (125 kg per pair)
Zeereling	draad
Handgreep (opbouw)	Port & starboard on targa arch and on the coachroof.
Zij-instap in reling	Both sides
Hekstoel	ja
Preekstoel	ja
Reddingsvlot	container Ocean Safety mounted on the pushpit
Reddingsvlot (pers)	6
Reddingsvlot laatst gekeurd	05-2017
Reddingsboei	Horseshoe buoy
Joon	ja
Veiligheidslijnen op dek	Stainless steel guard rails running from pulpit to pushpit



Trossensnijder	Spurs
Radar reflektor	See-Me active (powered)
Stootkussens	14x
Landvasten	10 with spiced eyes
Reserve onderdelen	Various engine and boat spare parts, anodes and fittings
Brandblusser	Manual fire extinguisher in all cabins and the cockpit
Brandblusser in motorkamer	Automatic FE36 (halon replacement)
Extra info	2x boathooks (single peace and telescopic)
Extra info	Rescue buoy with automatic light and 40m of floating line
Extra info	Bow, stern and midships stainless steel cleats (350 mm)

TUIGAGE

Tuigage	sloep
Staand want	draad
Merk mast	Seldén Deck stepped
Materiaal mast	aluminium gespoten Silver annodised
Zalingen	2x aft-swept spreaders
Grootzeil	33 m2
Grootzeilhuik	Stackpack with lazy jacks, zip relplaced in 2019.
Gelagerde karren	Ball-bearing on external mast track
Doorgelat grootzeil	Selden RCB 22 full batten system
Fok	Hanked-on 21 m2 for inner forestay (2010, little used)
Genua	43 m2 / 140% overlap, Genoa track adjustable from cockpit
Genua rolreefsysteem	Harken MKIII system
Spinnaker	86 m2 cruising chute (little used) with snuffer.
Wegneembare binnen voorstag	With tensioner (for hanked-on staysail/jib)
Stormfok	Unused exept for testing
Reefinstallatie	snel-één-lijn reefstysteem Selden (reef 1 and 2)
Achterstagspanner	Selden
Giekneerhouder	gasdrukveer Selden rod kicker
Primaire schootlieren	2x Andersen 46ST self tailing



Secondaire schootlieren

2x Andersen 12ST self tailing

Multifunctionele lieren

val/schoot lieren On mast, Andersen 16 two speed

Geïsoleerde achterstag

With grounding plate

Extra info

Removable stainless steel bowsprit (approx. 40 cm) for chute

Extra info

Harken blocks throughout









MALO 36







MALO 36



MALO 36

















MALO 36



MALO 36

