



DE VALK
YACHT BROKERS



HALLBERG RASSY 412



DE VALK
YACHT BROKERS

VAN DE MAKELAAR

De Hallberg Rassy 412 is sportief getuigd met een relatief hoge mast en een zelfkerende fok. De relatief lange waterlijn, de 'open' achterkuip en de breedte van het achterschip zijn voor de Scandinavische bouwer revolutionair. Deze cruiser mag zich meten met menig performance cruiser, heeft meer gebruiksgemak, is waardevast en is een ambachtelijk gebouwde onverwoestbare boot. De boot is continue professioneel onderhouden, is zeer compleet uitgevoerd en ligt helemaal klaar om direct met het vaarseizoen te kunnen starten! U bent van harte welkom in Sint Annaland om deze boot te komen bekijken.

Jan-Ward van Dantzig

SPECIFICATIES

Afmetingen	12.61 x 4.10 x 1.99 (m)	Bouwer	Hallberg-Rassy
Bouwjaar	2014	Hutten	3
Materiaal	Polyester	Slaapplaatsen	7
Motor(en)	1 x Volvo Penta D2-75F diesel	Pk/Kw	75.00 (pk), 55.20 (kw)
Vraagprijs	verkocht (BTW)	Ligplaats	bij verkoopkantoor

CONTACT

Kantoor	De Valk Sint Annaland B.V.	Telefoon	+31 166 601 000
Adres	Koelhuisweg 4 4697 RM Sint Annaland NL	E-mail	sintannaland@devalk.nl

DISCLAIMER

Hoewel er uiterste zorg besteed is aan de correctheid, volledigheid en actualiteit van onze informatie kunnen hieraan geen rechten worden ontleend.



HALLBERG RASSY 412

ALGEMEEN

Model	HALLBERG RASSY 412
Type	zeiljacht
Lengte (m)	12,61
Lengte waterlijn (m)	11,50
Breedte (m)	4,10
Diepgang (m)	1,99
Doorvaarhoogte (m)	20,55
Stahoogte (m)	1,96
Bouwjaar	2014
Te waterlating	2016
Gebouwd door	Hallberg-Rassy
Land	Zweden
Ontwerper	German Frers
Waterverplaatsing (t)	11,2
Ballast (ton)	lood 4
CE norm	A
Romp materiaal	polyester
Romp kleur	wit With a blue striping and waterline
Rompvorm	rondspant
Kiel type	vin kiel
Materiaal opbouw	polyester
Stootlijst	roestvast staal
Dek materiaal	polyester
Afwerking dek	teak
Afwerking opbouw	teak
Afwerking kuip	teak
Antifouling (jaar)	2023
Dorades	4 x
Raamlijsten	aluminium With Ocean Air Luxaflex
Raammateriaal	polycarbonaat



Dekluik	Lewmar (Flush) with shades & mosquito screens
Patrijspoorten	aluminium Lewmar with mosquito screens in all cabins
Brandstoftank (liter)	kunststof 340 (2 x 170L tank)
Inhoudsmeter (brandstoftank)	ja
Drinkwatertank (liter)	kunststof Total 530 (in 2 tanks)
Inhoudsmeter (drinkwatertank)	ja
Vuilwatertank (liter)	roestvast staal 2 x 70
Vuilwatertank afvoer	dekafzuigpunt + ow lijn 2 x
Stuurwiel	stangenbesturing Lewmar pedestal & leather covered stainless steel steering wheel
Noodhelmstok	ja
Extra info romp	Old layers of antifouling removed & epoxy applied in spring 2021
Extra info	New in 2022 : Rudder bearings
Extra info	High Gloss varnished entrance hatches. Stainless steel cleats (also a-midships).
Extra info	The boat was delivered to the first owner in 2014 and only put into use in 2016. The boat was purchased by the current owner in 2017.

ACCOMMODATIE

Hutten	3
Slaapplaatsen	7
Interieur	mahonie On starboard in the saloon are two comfortable chairs
Vloer	teak en holly
Salon	Off-white fabric upholstery
Stahoogte salon (m)	1,95
Verwarming	diesel hete lucht Webasto Airtop 5,5 kW (with remote on phone) serviced in 2021
Verwarming 2	electrisch 220V TwinHornet - 35 in the engine room (Frost protector)
Kaartentafel	On Starboard side
Dinette	Both sides of the saloon table can be folded down
Ombouwbare kooi	Port side saloon seat (with a Lee-Cloth)



Keuken	On port side - Headroom : 1,90 m
Aanrechtblad	Duropol White
Spoelbak	roestvast staal 2 x
Kooktoestel	gas ENO 2 Burner
Oven	ENO
Koelkast	Toploader with an Isotherm compressor
Vriezer	Sliding toploader Isotherm 12 Volt box (freezer or fridge)
Warmwatersysteem	220V + motor 40 liter Isothemp Boiler
Waterdruksysteem	elektrisch Jabsco pump (New in 2022) & Carbon water filter
Eigenaarshut	tweepersoonsbed In the bow - Headroom : 1,91 m
Lengte bed (m)	2,00 x 1,65
Kledingkast	hangend en legplanken
Badkamer	en suite With an electric towel dryer - headroom : 1,91 m
Toilet	en suite New in 2020 : soft closing seat
Toilet Systeem	elektrisch Johnson
Wasbak	in de badkamer
Douche	en suite With perspex door and an electric shower drain water pump
Gastenhut 1	tweepersoonsbed Port Aft Cabin - Headroom : 1,88 m
Lengte bed (m)	2,05 x 1,55
Kledingkast	hangend en legplanken
Badkamer	gedeeld With an electric towel dryer - headroom : 1,83 m
Toilet	gedeeld New in 2020 : soft closing seat
Toilet systeem	elektrisch Johnson
Wasbak	in de badkamer
Douche	gedeeld With an electric shower drain water pump
Extra info	Extra topper over the mattresses
Gastenhut 2	tweepersoonsbed Starboard Aft Cabin - Headroom : 1,88 m
Lengte bed (m)	2,05 x 1,55
Kleerkast	hangend en legplanken
Extra info	Extra topper over the mattresses
Wasmachine	Candy Aquamatic 3,5 Kg - 230 Volt Class AA - 1000rpm



Extra info	LED interior lights, dimmable in the saloon, also above the windows in the saloon (behind the curtains) and in both bathrooms. There are 2x red LED night lights in the saloon. 2 x Batsystem LED Lighting Voltage Stabilizer.
Extra info	Off-White carpet on the floor. Wine cellar under the floor boards.

MOTOR(EN)

Aantal motoren	1
Merk	Volvo Penta
Type	D2-75F
Pk	75
kW	55.20
Brandstof	diesel
Geïnstalleerd in jaar	2014
Maximale snelheid (kn)	8,5
Kruissnelheid (kn)	7,5
Verbruik (ltr/uur)	3
Motoruren	1156
Koelsysteem motor	indirecte warmtewisselaar
Aandrijving	sail-drive
Saildrive afdichting	2014
Motorbediening	elektrisch Volvo
Boegschroef	elektrisch Retractable Side Power - 8 Hp - Overhauled in 2019
Hekschroef	elektrisch Retractable Side Power SRVP 100/185T - 8 Hp - Overhauled in 2023
Uitlaatsysteem	watergekoeld
Type schroef	klap New in 2021 : Gori with overdrive
Schroefbladen	3
Handlenspomp	ja
Elektrische lenspomp	ja
Elektrische installatie	12 & 220 Volt



Startaccu	New in 2021 : 1 x 50 Ah Optima Blue Top
Lichtaccu	New in 2020 : 6 x 135 Ah Litium Ion Yaro Cell
Boegschroefaccu	New in 2020 : 2 x 160 AH
Hekschroefaccu	New in 2020 : 2 x 160 AH
Accu monitor	New in 2023 : Mastervolt Digital Masterlink
Acculader	New in 2021 : 2 x Mastervolt Magic 12-12-20
Acculader/omvormer	Mastervolt 12V/100A/2500W
Diodebrug	New in 2021
Walstroom	met kabel Mastervolt shore power connection on the boat
Scheidingstrafo	Mastervolt Mass GI 3.5
Watermaker	Spectra Newport 400 MKII - 12 Volt (used & serviced annually)
Extra info	May 2023 : New exhaust elbow, turbo cleaned and engine serviced. The shafts of the bowtruster and sterntruster have been upgraded and provided with double rubber seals in 2023.
Extra info	Volvo Penta 150S-B Saildrive. 2 x 115A alternator on the engine. Sterling Power Producs Advanced Digital Alternator to Battery Charger 210 A. Dieselfilter with a water seperator.
Extra info	Mastervolt MasterBus / Combi Interface. There is an emergency main switch to connect the engine battery and the domestic batteries to be able to start the engine anytime. Both bow- and stern truster provided with a Side-Power PPC800.

NAVIGATIE

Kompas	Silva (on the steering pedestal)
Dieptemeter/log	Raymarine i70
Windmeetset	Raymarine i70
Repeaters	Raymarine i70
Marifoon	Raymarine Ray 260E & New (2022) handset + speaker in the cockpit
Autopiloot	Raymarine p70 - Type 2 & Raymarine Smart Controller remote
Roerstand aanwijzer	Via autopilot
Plotter/GPS	2 x Raymarine hybridtouch (e125 & e165) & 1x Raymarine a65 WiFi



Radar/GPS/plotter	2 x Raymarine hybridtouch (e125 & 1x e165) & 4kW HD18' radardome
Wifi antenne	Digital Yacht WL510 WiFi Access System
Elektronische kaart(en)	ja
AIS transceiver	Raymarine AIS 650 Class B
Camera	Raymarine FlirT220 Night Vision (rarely used - functioning unknown - last test was in spring 2023 and was working).
Navigatieverlichting	Aqua Signal LED
Extra info	LED cockpit light (in the boom)
Extra info	Teltomoka RUT955 Antenne splitter & Netgear ProSafe 5 Port Gigabit Switch Model GS105.

UITRUSTING

Vaste ramen	Windscreen with opening mid window
Buiskap	Off-White
Kuipent	Off-White
Kuiptafel	Folding & high-gloss varnished teak with folding side blades
Zwemplatform	Covered with teak
Zwemtrap	roestvast staal
Boegtrap	Removable - stainless steel
Dekdouche	With hot & cold pressured water
Anker	Delta 1 x 25 Kg & an extra anchor roller
Ankerketting	60 meter 8mm chain
Anker 2	Bruce Aft : 20 Kg stainless steel - with a lead-weighted rope
Ankerlier	elektrisch Lewmar
Ankerlier bij spiegel	elektrisch New 2022 : Side-Power 1.000 W (smart version with speed reducer)
Dekwasinstallatie	With sea water
Buitenboordmotorsteun	Teak (on the pullpit)
Zeereling	draad In stainless steel - double wired
Handgreep (opbouw)	teak



Zij-instap in reling	On both sides. There is a stainless steel ladder available, which can be hung, to create an easy access on board.
Hekstoel	Stainless steel
Preekstoel	Stainless steel
Reddingsboei	Safety Line
Joon	Plastimo IOR Danbuoy
Veiligheidslijnen op dek	New
Hoorn	elektrisch Marco Sistema Mare Signal Horn IMO Class IV
Radar reflektor	New in 2023 : EchoMax Active-S BAND - Sea-Me
Stootkussens	ja
Landvasten	ja
Reserve onderdelen	ja
Alarm systeem	Functioning unknown, not used since 2017
TV	Samsung (on a rails - electric up/down)
Radio	Fusion MS AV 700i with a remote control on the steering pedestal
Kuipspeakers	2 x stainless steel Sea & Symphony
Speakers in salon	2 x Canon
Klok - barometer	Stainless steel Wempe clock, Barometer and Hydrometer
Brandblusser	3 x
Brandblusser laatst gekeurd	Need to be checked / renewed
Extra info	High-Gloss varnished teak chart blades in the cockpit on both sides of the entrance. Removable & High-Gloss varnished teak cupholder on the steering pedestal. Cover over the steering wheel and pedestal.
Extra info	Safety eyes in the cockpit (for life-lines). Courtesy Lights in the cockpit on the steering pedestal.
Extra info	The burglar alarm has not been used since 2017 (unknown whether the system still functions). The gas hoses have been replaced in 2018 by stainless steel hoses.

TUIGAGE

Tuigage	fractieel
----------------	-----------



Standaard want	draad (checked in 2022) - Aluminium Hasselfors pipes around tentioners
Merk mast	Seldén
Materiaal mast	aluminium
Zalingen	3 x set
Doorgelat grootzeil	New in 2020 : Elvstrom EPEX : vertical full battened furling mainsail (larger than original sail)
Rolgrootzeil	Selden Furlin (Electric)
Fok	New in 2023 : Elvstrom EPEX : Furling Selftacking Jib (larger than original sail) with a grey UV protection strip
Genua rolreefsysteem	Electric Furlex TDE Furler (belt replaced in 2022 + spare belt)
Genua hoese	New in 2023 (never used) : Elvstrom
Code Zero	Elvstrom with a furler and an endless reefline with a tentioner
Gennaker	New in 2018 : Elvstrom Gennaker A (approx. 150m ²)
Zelf kerende fok installatie	Selden
Reefinstallatie	rolgrootzeil in de mast (Electric)
Achterstagspanner	talie
Giekneerhouder	gasdrukveer Rodkicker
Primaire schootlieren	2 x Lewmar 40EST (electric)
Genua schootlieren	2 x Lewmar 50EST (electric)
Gennakerboom	roestvast staal (removable)
Extra info	Gennaker & Code 1 sheets (New in 2024), Mainsail outhaul & mainsail sheet (New in 2023), genoa sheets (New in 2020), double spinnaker halyard (to be replaced next year). 12 x Spinlock jammer in the cockpit.
Extra info	Elvstrom furling mainsail as a spare available



HALLBERG RASSY 412



HALLBERG RASSY 412




HALLBERG RASSY 412



HALLBERG RASSY 412



HALLBERG RASSY 412



HALLBERG RASSY 412



HALLBERG RASSY 412



HALLBERG RASSY 412



HALLBERG RASSY 412



HALLBERG RASSY 412




HALLBERG RASSY 412




HALLBERG RASSY 412



HALLBERG RASSY 412




HALLBERG RASSY 412




HALLBERG RASSY 412




HALLBERG RASSY 412





HALLBERG RASSY 412




HALLBERG RASSY 412




HALLBERG RASSY 412



HALLBERG RASSY 412



HALLBERG RASSY 412



HALLBERG RASSY 412

Hallberg-Rassy 412


Design: Germán Frers

STANDARD SPECIFICATION
STANDARD-BESCHREIBUNG
STANDARD-BESCHRIJVING

Main data:

Designer	Germán Frers
Hull length	12.01m 41' 0"
Waterline at rest	11.50m 37' 9"
Beam	4.11m 13' 6"
Draft, empty load	1.99m 6' 7"
Displacement, empty standard load	11.11 24 400 lbs
Lead ball	4.0 t 8 830 lbs
Sail area with genoa	90.1 m ² 970 ft ²
Mast over water, as Windo	19.05 m 62' 6"
Headroom saloon	1.98 m 6' 5"
Engine, Volvo Penta	D2-75 / 100S
Number of cylinders	4
Cylinder volume	2.2 litres
Power at cranks shaft	50 kW / 70 HP
Fresh water tanks, approx.	220 l 57 USG
Diesel tanks, approx.	340 l 142 USG

*Also available as a shallow draught version upon request.







Hallberg-Rassy

